

313-CD-500-001

EOSDIS Core System Project

Release 5A ECS Internal Interface Control Document for the ECS Project

**This document has not yet been approved by the
Government for general use or distribution.**

Final

May 1999

Raytheon Systems Company
Upper Marlboro, Maryland

This page intentionally left blank.

Release 5A ECS Internal Interface Control Document for the ECS Project

Final

May 1999

Prepared Under Contract NAS5-60000
CDRL Item #051

RESPONSIBLE ENGINEER

Michael R. Helton /s/ 5/26/99

Michael R. Helton Date
EOSDIS Core System Project

SUBMITTED BY

Mary S. Armstrong /s/ 5/26/99

Mary S. Armstrong, Director of Development Date
EOSDIS Core System Project

Raytheon Systems Company
Upper Marlboro, Maryland

This page intentionally left blank.

Preface

This document is a formal contract deliverable with an approval code 3. This document has been reviewed by the configuration control board and is delivered to NASA in final form, and supports the as built Release 5A System. Any questions or proposed changes should be addressed to:

Data Management Office
The ECS Project Office
Raytheon Systems Company
1616 McCormick Drive
Upper Marlboro, MD 20774-5301

This page intentionally left blank.

Abstract

This document provides a set of interface scenarios that describe how the Release 5A ECS interacts to execute end-to-end system threads. For each scenario a domain (or end user) view and a component interaction view is presented. This document is intended to be used by application developers, system developers and system maintenance engineers to understand how CSMS/SDPS components interact to perform key system functions. For detailed internal interface information, online output provided by automatic software tools such as Discover and ABC++ should be used.

The scenarios in this document reflect the capabilities and functions of the as built design for Drop 5A.

Keywords: external interface, internal interface, public class, private class, class category, key mechanism, system-level scenario, scenario primitive, interface class, distributed object

This page intentionally left blank.

Change Information Page

List of Effective Pages			
Page Number		Issue	
Title		Submitted as Final	
iii through xvi		Submitted as Final	
1-1 and 1-2		Submitted as Final	
2-1 and 2-2		Submitted as Final	
3-1 through 3-254		Submitted as Final	
AB-1 through AB-16		Submitted as Final	
Document History			
Document Number	Status/Issue	Publication Date	CCR Number
313-CD-500-001	Submitted as Final	May 1999	

This page intentionally left blank.

Contents

Preface

Abstract

1. Introduction

1.1	Identification	1-1
1.2	Scope	1-1
1.3	Document Organization	1-1

2. Related Documentation

2.1	Parent Documents	2-1
2.2	Applicable Documents	2-1
2.3	Information Documents Not Referenced	2-1

3. Interface Scenarios

3.1	Overview	3-1
3.2	Scenario Approach	3-4
3.2.1	Scenario Presentation Approach	3-4
3.2.2	Scenario Process Flow	3-6
3.3	Install ESDTs Scenario	3-8
3.3.1	Scenario Description	3-8
3.3.2	Scenario Preconditions	3-8
3.3.3	Scenario Partitions	3-8
3.3.4	Install ESDT Thread	3-8
3.4	System Start-up/Shutdown Scenario	3-13
3.4.1	System Start-up/Shutdown Scenario Description	3-13

3.4.2	System Start-up/Shutdown Scenario Preconditions.....	3-14
3.4.3	System Start-up/Shutdown Scenario Partitions.....	3-14
3.4.4	Mode Start-up Thread	3-14
3.4.5	Mode Shutdown Thread	3-17
3.4.6	Application Start-up Thread.....	3-20
3.4.7	Application Shutdown Thread	3-23
3.4.8	Program Start-up Thread.....	3-27
3.4.9	Program Shutdown Thread.....	3-30
3.4.10	Process Shutdown Thread	3-33
3.5	MODIS Scenario	3-36
3.5.1	MODIS Scenario Description	3-36
3.5.2	MODIS Scenario Preconditions	3-37
3.5.3	MODIS Scenario Partitions.....	3-38
3.5.4	MODIS Standing Order Submittal Thread.....	3-39
3.5.5	MODIS Standard Production Thread.....	3-41
3.5.6	MODIS Failed PGE Handling Thread	3-72
3.5.7	MODIS Data Access Thread.....	3-78
3.5.8	Reactivation/Replan	3-87
3.6	Landsat-7 Scenario	3-96
3.6.1	Landsat-7 Scenario Description	3-96
3.6.2	Landsat-7 Scenario Preconditions	3-97
3.6.3	Landsat-7 Scenario Partitions.....	3-97
3.6.4	Landsat-7 User Registration Thread	3-97
3.6.5	Landsat-7 LPS Data Insertion Thread.....	3-102
3.6.6	Landsat-7 Standing Order Support Thread	3-109
3.6.7	Landsat-7 IAS Data Insertion Thread	3-115
3.6.8	Landsat-7 Search and Browse Thread.....	3-118
3.6.9	Landsat-7 Ordering WRS Scenes Thread	3-126
3.6.10	Landsat-7 MOC Interface Thread	3-140
3.7	ASTER Scenario	3-144
3.7.1	ASTER Scenario Description.....	3-144
3.7.2	ASTER Scenario Preconditions	3-145
3.7.3	ASTER Scenario Partitions.....	3-145
3.7.4	ASTER DAR Submission Thread.....	3-146

3.7.5	ASTER GDS Tape Insertion Thread.....	3-149
3.7.6	ASTER Backward Chaining Thread.....	3-153
3.7.7	ASTER QA Metadata Update Thread.....	3-177
3.7.8	ASTER On-Demand Production Thread.....	3-179
3.7.9	ASTER Simplified Expedited Data Support Thread.....	3-192
3.7.10	ASTER Routine Processing Planning Data Start/Stop Time Thread.....	3-201
3.7.11	ASTER Routine Processing Planning Insertion Time Thread.....	3-206
3.8	Planning Scenario.....	3-211
3.8.1	Planning Scenario Description.....	3-211
3.8.2	Planning Scenario Preconditions.....	3-211
3.8.3	Planning Scenario Partitions.....	3-211
3.8.4	Ground Events Jobs Thread (Thread A).....	3-212
3.8.5	Resource Planning Thread (Thread B).....	3-215
3.8.6	Science Software Archive Package Thread - SSAP Insertion (Thread A).....	3-219
3.8.7	SSAP Update Thread (Thread B).....	3-223
3.8.8	Archive PGE Executable TAR File Thread (Thread C).....	3-228
3.8.9	Metadata Query for Current Dynamic Input Granules (Thread A).....	3-231
3.8.10	Dynamic Granule Available in the Future Thread (Thread B).....	3-233
3.8.11	Metadata Based Activation Thread.....	3-235
3.8.12	Ad Hoc Reprocessing Thread.....	3-237
3.8.13	Delete DPR Thread.....	3-241
3.8.14	Most Recent Granule Thread.....	3-244
3.9	EDOS/FDS/EMOS Interfaces Scenario.....	3-249
3.9.1	EDOS/FDS/EMOS Interfaces Scenario Description.....	3-249
3.9.2	EDOS/FDS/EMOS Interfaces Scenario Preconditions.....	3-249
3.9.3	EDOS/FDS/EMOS Interfaces Scenario Partitions.....	3-249
3.9.4	EDOS Level 0 Ancillary Data Thread.....	3-250
3.9.5	FDS Definitive Attitude Data Thread.....	3-255
3.9.6	FDS Repaired Ephemeris Data Thread.....	3-260
3.9.7	Capability to Interface with EMOS (No thread shown).....	3-266
3.10	Cross Mode / DAAC Scenario.....	3-267
3.10.1	Cross Mode / DAAC Scenario Description.....	3-267
3.10.2	Cross Mode / DAAC Scenario Preconditions.....	3-267
3.10.3	Cross Mode / DAAC Scenario Partitions.....	3-267

3.10.4	Cross Mode / DAAC Insertion Thread	3-267
3.11	Science Investigator-Led Processing Systems (SIPS) Scenario	3-276
3.11.1	SIPS Scenario Description	3-276
3.11.2	SIPS Scenario Preconditions.....	3-276
3.11.3	SIPS Scenario Partitions.....	3-276
3.11.4	SIPS Data Insertion Thread.....	3-276
3.12	Fault Recovery	3-280

Figures

3.2.2-1	Scenario Process Flow	3-6
3.3.4.1-1	Install ESDT Interaction Diagram.....	3-9
3.4.1-1	ECS Custom Software Hierarchy Diagram.....	3-13
3.4.4.1-1	Mode Start-up Interaction Diagram	3-15
3.4.5.1-1	Mode Shutdown Interaction Diagram.....	3-18
3.4.6.1-1	Application Start-up Interaction Diagram.....	3-20
3.4.7.1-1	Application Shutdown Interaction Diagram	3-23
3.4.8.1-1	Program Start-up Interaction Diagram.....	3-27
3.4.9.1-1	Program Shutdown Interaction Diagram.....	3-30
3.4.10.1-1	Process Shutdown Interaction Diagram	3-33
3.5.1-1	MODIS Scenario PGE/Data Relationship Diagram.....	3-36
3.5.4.1-1	MODIS Standing Order Submittal Interaction Diagram.....	3-39
3.5.5.1-1	MODIS Standard Production Interaction Diagram.....	3-42
3.5.6.1-1	MODIS Failed PGE Handling Interaction Diagram	3-73
3.5.7.1-1	MODIS Data Access Interaction Diagram.....	3-79
3.5.8.4.1-1	DPR in New Plan but Not in Old Plan Interaction Diagram - Domain View	3-88
3.5.8.5.1-1	DPR in Old Plan but Not in New Plan Interaction Diagram - Domain View	3-90
3.5.8.6.1-1	DPR in Both Old Plan and New Plan Interaction Diagram - Domain View	3-93
3.6.4.1-1	L-7 User Registration Interaction Diagram.....	3-98

3.6.5.1-1	L-7 LPS Data Insertion Interaction Diagram	3-102
3.6.6.1-1	L-7 Standing Order Support Interaction Diagram.....	3-109
3.6.7.1-1	Landsat-7 IAS Data Insertion Interaction Diagram	3-115
3.6.8.1-1	L-7 Search and Browse Interaction Diagram.....	3-119
3.6.9.1-1	L-7 Ordering WRS Scenes Interaction Diagram.....	3-126
3.6.10.1-1	L-7 MOC Interface Interaction Diagram	3-140
3.7.1-1	ASTER Scenario PGE/Data Relationships Diagram	3-144
3.7.4.1-1	ASTER DAR Submission Interaction Diagram.....	3-146
3.7.5.1-1	ASTER GDS Tape Insertion Interaction Diagram.....	3-149
3.7.6.1-1	ASTER Backward Chaining Interaction Diagram	3-153
3.7.7.1-1	ASTER QA Metadata Update Interaction Diagram.....	3-177
3.7.8.1-1	ASTER On-Demand Production Interaction Diagram.....	3-180
3.7.9.1-1	ASTER Simplified Expedited Data Support Interaction Diagram.....	3-193
3.7.10.1-1	ASTER Routine Processing Planning Data Start/Stop Time Interaction Diagram.....	3-202
3.7.11.1-1	Routine Processing Planning Insertion Time Thread Interaction Diagram	3-207
3.8.4.1-1	Ground Events Jobs Thread Interaction Diagram - Domain View	3-213
3.8.5.1-1	Resource Planning Interaction Diagram - Domain View.....	3-216
3.8.6.1-1	SSAP Diagram - Domain View	3-220
3.8.7.1-1	SSAP Update Interaction Diagram - Domain View.....	3-224
3.8.8.1-1	Archive PGE Executable TAR File Interaction Diagram - Domain View	3-228
3.8.9.1-1	Metadata Query for Current Dynamic Granule Interaction Diagram - Domain View	3-231
3.8.10.1-1	Future Dynamic Granule Interaction - Domain View.....	3-233
3.8.11.1-1	Metadata Based Activation Interaction Diagram - Domain View	3-236
3.8.12.1-1	Ad Hoc Reprocessing Interaction Diagram - Domain View.....	3-238
3.8.13.1-1	Delete DPR Interaction Diagram - Domain View	3-242
3.8.14.1-1	Most Recent Granule Interaction Diagram - Domain View	3-245
3.9.4.1-1	EDOS Level 0 Ancillary Data Interaction - Domain View	3-251

3.9.5.1-1	FDS Definitive Attitude Data Diagram.....	3-256
3.9.6.1-1	FDS Repaired Ephemeris Data Diagram	3-261
3.10.4.1-1	Cross Mode / DAAC Insertion Interaction Diagram	3-268
3.11.4.1-1	SIPS Data Insertion Interaction Diagram.....	3-276

Tables

3.1-1	ECS Subsystem and Component Design Overviews	3-2
3.3.4.2-1	Interaction Table - Domain View: ESDT Installation	3-10
3.3.4.3-1	Component Interaction Table: ESDT Installation	3-11
3.4.4.2-1	Interaction Table - Domain View: Mode Start-up	3-15
3.4.4.3-1	Component Interaction Table: Mode Start-up	3-16
3.4.5.2-1	Interaction Table - Domain View: Mode Shutdown	3-18
3.4.5.3-1	Mode Shutdown Component Interaction Table	3-19
3.4.6.2-1	Interaction Table - Domain View Application Start-up.....	3-21
3.4.6.3-1	Application Start-up Component Interaction Table	3-22
3.4.7.2-1	Interaction Table - Domain View: Application Shutdown	3-24
3.4.7.3-1	Component Interaction Table: Application Shutdown.....	3-26
3.4.8.2-1	Interaction Table - Domain View: Program Start-up.....	3-28
3.4.8.3-1	Component Interaction Table: Program Start-up.....	3-29
3.4.9.2-1	Interaction Table - Domain View: Program Shutdown	3-31
3.4.9.3-1	Component Interaction Table: Program Shutdown.....	3-32
3.4.10.2-1	Interaction Table - Domain View: Process Shutdown	3-34
3.4.10.3-1	Component Interaction Table: Process Shutdown	3-35
3.5.4.2-1	Interaction Table - Domain View: MODIS Standing Order Submittal	3-40
3.5.4.3-1	Component Interaction Table: MODIS Standing Order Submittal.....	3-41
3.5.5.2-1	Interaction Table - Domain View: MODIS Standard Production	3-43
3.5.5.3-1	Component Interaction Table: MODIS Standard Production	3-46
3.5.6.2-1	Interaction Table - Domain View: MODIS Failed PGE Handling	3-73
3.5.6.3-1	Component Interaction Table: MODIS Failed PGE Handling	3-74

3.5.7.2-1	Interaction Table - Domain View: MODIS Data Access	3-80
3.5.7.3-1	Component Interaction Table: MODIS Data Access	3-81
3.5.8.4.2-1	Interaction Table - Domain View: DPR in New Plan but Not in Old Plan.....	3-88
3.5.8.4.3-1	Component Interaction Table: DPR in New Plan but Not in Old Plan.....	3-89
3.5.8.5.2-1	Interaction Table - Domain View: DPR in Old Plan but Not in New Plan.....	3-91
3.5.8.5.3-1	Component Interaction Table: DPR in Old Plan but Not in New Plan.....	3-92
3.5.8.6.2-1	Interaction Table - Domain View: DPR in Both Old Plan and New Plan	3-93
3.5.8.6.3-1	Component Interaction Table: DPR in Both Old Plan and New Plan	3-94
3.6.4.2-1	Interaction Table - Domain View: L7 User Registration	3-98
3.6.4.3-1	Component Interaction Table: L7 User Registration	3-100
3.6.5.2-1	Interaction Table - Domain View: L-7 LPS Data Insertion	3-102
3.6.5.3-1	Component Interaction Table: L-7 LPS Data Insertion	3-104
3.6.6.2-1	Interaction Table - Domain View: L-7 Standing Order Support	3-110
3.6.6.3-1	Component Interaction Table: L-7 Standing Order Support	3-111
3.6.7.2-1	Interaction Table - Domain View: L-7 IAS Data Insertion	3-115
3.6.7.3-1	Component Interaction Table: L-7 IAS Data Insertion	3-116
3.6.8.2-1	Interaction Table - Domain View: L-7 Search and Browse	3-119
3.6.8.3-1	Component Interaction Table: L-7 Search and Browse	3-120
3.6.9.2-1	Interaction Table - Domain View: L-7 Ordering WRS Scenes	3-127
3.6.9.3-1	Component Interaction Table: L-7 Ordering WRS Scenes	3-129
3.6.10.2-1	Interaction Table - Domain View: L-7 MOC Interface	3-141
3.6.10.3-1	Component Interaction Table: L-7 MOC Interface	3-142
3.7.4.2-1	Interaction Table - Domain View: ASTER DAR Submission.....	3-147
3.7.4.3-1	Component Interaction Table: ASTER DAR Submission	3-148
3.7.5.2-1	Interaction Table - Domain View: ASTER GDS Tape Insertion.....	3-150
3.7.5.3-1	Component Interaction Table: ASTER GDS Tape Insertion	3-150
3.7.6.2-1	Interaction Table - Domain View: ASTER Backward Chaining	3-154
3.7.6.3-1	Component Interaction Table: ASTER Backward Chaining	3-157
3.7.7.2-1	Interaction Table - Domain View: ASTER QA Metadata Update	3-177

3.7.7.3-1	Component Interaction Table: ASTER QA Metadata Update	3-178
3.7.8.2-1	Interaction Table - Domain View: ASTER On-Demand Production	3-180
3.7.8.3-1	Component Interaction Table: ASTER On-Demand Production	3-182
3.7.9.2-1	Interaction Table - Domain View: ASTER Simplified Expedited Data	3-193
3.7.9.3-1	Component Interaction Table: ASTER Simplified Expedited Data	3-195
3.7.10.2-1	Interaction Table - Domain View: ASTER Routine Processing Planning Data Start/Stop Time	3-203
3.7.10.3-1	Component Interaction Table: ASTER Routine Processing Planning Data Start/Stop Time	3-204
3.7.11.2-1	Interaction Table - Domain View: ASTER Routine Processing Planning Insertion Time	3-208
3.7.11.3-1	Component Interaction Table: ASTER Routine Processing Planning Insertion Time	3-209
3.8.4.2-1	Interaction Table - Domain View: Ground Events Jobs	3-213
3.8.4.3-1	Component Interaction Table: Ground Events Jobs	3-214
3.8.5.2-1	Interaction Table - Domain View: Resource Planning	3-216
3.8.5.3-1	Component Interaction Table: Resource Planning	3-217
3.8.6.2-1	Interaction Table - Domain View: SSAP Insertion.....	3-221
3.8.6.3-1	Component Interaction Table: SSAP Insertion	3-222
3.8.7.2-1	Interaction Table - Domain View: SSAP Update	3-225
3.8.7.3-1	Component Interaction Table: SSAP Update	3-226
3.8.8.2-1	Interaction Table - Domain View: Archive PGE Executable Tar File	3-229
3.8.8.3-1	Component Interaction Table: Archive PGE Executable Tar File.....	3-230
3.8.9.2-1	Interaction Table - Domain View: Current Dynamic Granule	3-231
3.8.9.3-1	Component Interaction Table: Current Dynamic Granule	3-232
3.8.10.2-1	Interaction Table - Domain View: Dynamic Granule Available in the Future	3-233
3.8.10.3-1	Component Interaction Table: Dynamic Granule Available in the Future	3-235
3.8.11.2-1	Interaction Table - Domain View: Metadata Based Activation	3-236
3.8.11.3-1	Component Interaction Table: Metadata Based Activation	3-237
3.8.12.2-1	Interaction Table - Domain View: Ad Hoc Reprocessing	3-239

3.8.12.3-1	Component Interaction Table: Ad Hoc Reprocessing	3-240
3.8.13.2-1	Interaction Table - Domain View: Delete DPR	3-242
3.8.13.3-1	Component Interaction Table: Delete DPR	3-243
3.8.14.2-1	Interaction Table - Domain View: Most Recent Granule	3-245
3.8.14.3-1	Component Interaction Table: Most Recent Granule	3-247
3.9.4.2-1	Interaction Table - Domain View: EDOS L0 Ancillary Data	3-252
3.9.4.3-1	Component Interaction Table: EDOS L0 Ancillary Data	3-254
3.9.5.2-1	Interaction Table - Domain View: FDS Definitive Attitude Data	3-257
3.9.5.3-1	Component Interaction Table: FDS Definitive Attitude Data	3-259
3.9.5.2-1	Interaction Table - Domain View: FDS Repaired Ephemeris Data	3-262
3.9.6.3-1	Component Interaction Table: FDS Repaired Ephemeris Data	3-264
3.10.4.2-1	Interaction Table - Domain View: Cross Mode / DAAC Insertion	3-269
3.10.4.3-1	Component Interaction Table: Cross Mode / DAAC Insertion.....	3-271
3.11.4.2-1	Interaction Table - Domain View: SIPS Data Insertion.....	3-277
3.11.4.3-1	Component Interaction Table: SIPS Data Insertion	3-278
3.12-1	Client Fault Recovery Conditions	3-281
3.12-2	Server Fault Recovery Conditions	3-284

Abbreviations and Acronyms

This page intentionally left blank.

1. Introduction

1.1 Identification

This Release 5A ECS Internal Interface Control Document (ICD) for the ECS Project, Contract Data Requirement List (CDRL) item 051, with requirements specified in Data Item Description (DID) 313/DV3, is a required deliverable under the Earth Observing System (EOS) Data and Information System (EOSDIS) Core System (ECS), Contract (NAS5-60000), Revision B, December, 1998 (423-41-03).

1.2 Scope

The Release 5A Internal ICD specifies software interfaces internal to the CSMS/SDPS software architecture. It defines Release 5A services in the context of system level scenarios. The relationships and interactions between the Release 5A CSCIs are presented. This document also describes how ECS infrastructure services are used by the ECS internal applications.

This document addresses all interface classes from SDPS and CSMS CSCIs which are linked to create a desired scenario. External interfaces are mapped to the internal ECS object(s) that provide the service.

This document is not intended to include hardware interface information between subsystems or hardware descriptions. Subsystem hardware is described in CDRL 305. Any references to hardware processes in this document is meant to portray functional activity relative to software processes and not specific hardware functions.

This document describes the ECS system in terms of its support of several primary scenarios. These scenarios, based on the normal support of EOS instruments, are listed below and are described in Section 3.

- Install ESDTs (Earth Science Data Types)
- System Startup/Shutdown (ECS Custom Software)
- MODIS (an instrument on the AM-1 spacecraft which provides data to three DAACs)
- Landsat-7
- ASTER (an instrument on the AM-1 spacecraft which provides data to Japan (GDS)).
- Planning Scenarios
- EDOS/FDS/EMOS Interfaces
- Cross Mode/DAAC Scenario
- Science Investigator-Led Processing Systems (SIPS) Scenario
- Fault Recovery

1.3 Document Organization

The document is organized to describe the Release 5A internal interfaces.

Section 1 provides information regarding the identification, scope, status, and organization of this document.

Section 2 provides a listing of the related documents which were used as source information for this document.

Section 3 contains the system level scenarios that illustrate the interactions between the ECS CSCIs. This section also provides an overview of the interface modeling approach to document the internal interfaces.

2. Related Documentation

2.1 Parent Documents

194-207-SEI	System Design Specification for the ECS Project
313/DV3	ECS Internal Interface Control Documents

2.2 Applicable Documents

305-CD-500	Release 5A Segment/Design Specification for the ECS Project
311-CD-506	Subscription Server Database Design and Schema Specifications for the ECS Project
611-CD-500	Mission Operation Procedures – Drop 5A
505-41-32	ESDIS Document, Interface Control Document between the EOSDIS Core System (ECS) and the Landsat-7 System, Revision A, May 1997

2.3 Information Documents Not Referenced

The documents listed below, while not directly applicable, do help in the maintenance of the delivered software.

423-41-02	Goddard Space Flight Center, Functional and Performance Requirements Specification for the Earth Observing System Data and Information System Core System
540-022	Goddard Space Flight Center, Earth Observing System Communications System Design Specification Interface Requirements Document
560-EDOS-0211.0001	Goddard Space Flight Center, Interface Requirements Document Between EDOS and the EOS Ground System
DRAFT	Operational Agreement between the Landsat 7 Data Handling Facility and the Distributed Active Archive Center (DAAC) at the EROS Data Center (EDC)

This page intentionally left blank.

3. Interface Scenarios

3.1 Overview

The purpose of this section is to document how ECS works to fulfill its mission. The ECS mission is, in its essence, to manage Earth Science-related data in the following ways:

- to receive data from external sources,
- to save that data in either long-term or permanent storage,
- to produce higher level data products from the received data, and
- to support access to the data by Earth Scientists as well as other registered clients.

ECS is a complex software system that comprises nine subsystems. Each of those subsystems comprises a set of software programs (COTS and custom built) that work together to exchange information and control the management of Earth Science-related data.

A preferred method to document how a complex system such as ECS works is to follow a specific thread of functionality, or scenario, tracing how the ECS Clients (both human and software) and internal ECS *components* interact in support of that scenario. The interaction between the ECS components can be understood by focusing on how the interfaces offered by the ECS components are used in support of the system functionality required to support the given scenario.

This section documents one facet of a multi-faceted problem. In order to get a more complete view of precisely how each ECS component performs its role, the reader should also reference the design material presented by each of the ECS components. This material can be found in CDRL-305¹. Table 3.1-1 maps the subsystems and their components to their appropriate interface process. Only major interface processes utilized in the scenarios are shown in this table. Indeed, this document and CDRL 305 should be used in conjunction with each other. CDRL 305 provides a description of the processes and a statement of what the components are providing and how they provide it. This section documents how those components work together to provide a complete system.

It should be noted that many of the scenarios involve a software component / Operations interface with a human operator. The intent of the descriptions of these interfaces is to show the involvement of a human operator to the extent necessary to effect the correct component function and not to show operator procedures. These procedures are detailed in the 611 document.

¹ CDRL-305 refers to ECS Document: 305-CD-500-001, Release 5A Segment/Design Specification for the ECS Project.

Table 3.1-1. ECS Subsystem and Component Design Overviews (1 of 2)

Subsystem (CI)	CSCI/Component	Major Interface Process
CLS	EOS Data Gateway (EDG) User Profile Gateway Java DARTool EOSView	Netscape EcCIDtUserProfileGateway EcCIWbJdt EOSView
CSS	Subscription Server Subscription Server GUI Ftp Server L7 Gateway ASTER DAR Comm Gateway ASTER EmailParser Gateway MOJO Gateway Sybase (COTS for SBSRV)	EcSbSubServer EcSbGui ftp_popen EcCsLandsat7Gateway EcGwDARServer EcCsEMailParser EcCsMojoGateway N/A
DMS	V0 Gateway LIMGR Data Dictionary Sybase (COTS for DDICT)	EcDmV0ToEcsGateway EcDmEcsToV0Gateway EcDmLimServer EcDmDictServer N/A
DPS	Autosys (COTS) Job Management DPR Execution DPREP Ground Event QA Monitor AITTL Deletion	event_daemon EcDpPrJobMgmt EcDpPrEM, EcDpPrDM, EcDpPrRunPGE EcDpPrAM1Step1DPREP, EcDpPrAm1FddAttitudeDPREP EcDpPrGE EcDpPrQaMonitorGUI EcDpAtMgr, EcDpAtSSAPGui, EcDpAtInsertExeTarFile EcDpPrDeletion
DSS (SDSRV)	Science Data Server HDF EOS Server Science Data Server Operator GUI Sybase/SQS (COTS for SDSRV)	EcDsScienceDataServer EcDsHdfEosServer EcDsSdSrvGui N/A
DSS (DDIST)	Data Distribution Server Data Distribution Operator GUI Sybase (COTS for DDIST)	EcDsDistributionServer EcDsDdistGui N/A

Table 3.1-1. ECS Subsystem and Component Design Overviews (2 of 2)

Subsystem (CI)	CSCI/Component	Major Interface Process
DSS (STMGT)	Archive Print Server Staging Disk Staging Monitor Storage Management Operator GUI Ftp Server (for Ingest) Ftp Server (for DDIST) 8mm Tape D3 Tape Operator GUI Pull Monitor Sybase (COTS for STMGT)	EcDsStArchiveServer EcDsStPrintServer EcDsStStagingDiskServer EcDsStStagingMonitorServer EcDsStmgtGui EcDsStIngestFtpServer EcDsStFtpDisServer EcDsSt8MMServer EcDsStD3Server EcDsStmgtGui EcDsStPullMonitorServer N/A
INS	Auto Ingest Polling Ingest Media Ingest GUI Request Manager Granule Server Ingest E-mail Gateway Server Sybase (COTS for configuration and state)	EcInAuto EcInPolling EcInGUI EcInReqMgr EcInGran EcInEmailGWServer N/A
IOS	Advertising Server Sybase (COTS for ADSRV)	EcIoAdServer N/A
MSS	User Registration Server User Registration Server GUI Order Tracking Server Order Tracking GUI Management Agent CI Management Agent Deputy Use Profile Database (Sybase COTS) HPOV (COTS)	EcMsAcRegUserSrvr EcMsAcRegUserGUI EcMsAcOrderSrvr EcMsAcOrderGUI EcMsAgSubAgent EcMsAgDeputy N/A N/A
PLS	Subscription Editor Production Request Editor Subscription Manager Production Planning Workbench Resource Planning Workbench Editor Resource Planning Workbench Reservation Editor Resource Planning Workbench Timeline Workbench Timeline Tool Sybase (COTS for PDPS database)	EcPISubsEdit EcPIPREditor_IF EcPISubMgr EcPIWb EcPIRpre EcPIRpsI EcPIRptI EcPITI N/A

3.2 Scenario Approach

Section 3.3 describes the steps required prior to the start of usage of the EOSDIS system. The steps taken to install ESDTs are defined in this section.

Section 3.4 describes the processing involved in starting/stopping the EOSDIS system.

Sections 3.5 - 3.7 document the ECS system in terms of its support of three primary scenarios. These scenarios are based on the normal support of three primary EOS instruments:

- MODIS
- Landsat-7
- ASTER

Section 3.8 describes the Production Planning scenario. This scenario applies to processing common to MODIS and ASTER scenarios and one specifically for the MISR instrument.

Section 3.9 describes the EDOS/FDS/EMOS Interfaces Scenario.

Section 3.10 describes threads utilized for cross Mode and cross DAAC data transfers.

Section 3.11 describes the support for SIPS

Sub-sections describe how ECS supports each of these scenarios in the above sections from two perspectives: The domain view and the component view. The domain view breaks the scenario into a sequence of activities that are based on what happens from the Operational or Science Data perspective. This view presents how ECS-external users and systems interact with ECS as well as looking at how the science data is managed within ECS. This view does not present the details of specific process interactions. The component view shows a more detailed set of interactions that describe the interface usage between ECS components. Each interaction between components is documented, in terms of how and why. Each of the scenarios documented here has been partitioned into primary threads of activity. Each thread of the scenario is documented independently in order to simplify the scenarios.

Section 3.12 documents the processing scenarios that describe the fault detection and recovery schemes included in the system.

3.2.1 Scenario Presentation Approach

This section describes how the ECS support of each scenario is presented. As mentioned above, each Scenario is partitioned into a sequence of threads of activity. Each of those threads is documented in the same manner. The following paragraphs define this documentation approach.

Scenario Description: First, each scenario is described from the science mission perspective. The primary system functions that are being exercised are identified.

Scenario Preconditions: All activities that must have been performed prior to the execution of the scenario are identified.

Scenario Partitions: The scenario threads are identified and described.

Scenario Thread Interaction Diagram: A diagram is presented for each Scenario Thread. This diagram shows external system, ECS User, DAAC Operator and ECS-internal subsystem interactions. The notation of the diagram allows for the interactions to be labeled with numbers and short terms. The arrow numbering uses the convention of a letter, representing the Thread within the Scenario, and a sequence number (e.g. A.1, A.2, B.2, B.3). The mechanism of the interactions (e.g. Distributed Object, HMI, ftp, and e-mail or as noted) is identified by the interaction line presentation style. The arrow direction indicates process flow direction for the event named. Note that *request* events show the direction of the request, and, as in the 305 Document, the return answering the request is assumed and not necessarily shown as a separate interface direction.

Interaction Table - Domain View: Each Scenario Thread is documented in a table which describes the interactions presented in the Scenario Thread Interaction Diagram. These interactions are not the detailed definitions of how the interactions are fulfilled, but rather that they need to occur. This table further specifies the interactions as each row represents an interaction event. The columns in the table delimit how each interaction is defined. The Interaction Table - Domain View includes the following columns:

Step: An identifier of the step within the Scenario Thread. Each step is identified by a “x.y” label, where x is a letter referring to the Thread within the scenario, and y is a sequence number.

Event: The name of an interaction occurrence between major parts of the system (i.e. Subsystem to Subsystem).

Interface Client: The Client of the interaction. This can be viewed as who is asking the question, or who is stimulating the action. Included in this column are Users, Operators, External Systems and usually ECS subsystems rather than components.

Interface Provider: All Interactions are described in terms of exercising well-defined interfaces. Those interfaces are offered by some entity in the system and are similar to those identified as Interface Clients. The Interface Provider is not only responsible for offering the interface, but for ensuring that the interface is met. The provider is doing the action required, perhaps collaborating with other system entities.

Data Issues: This column describes any special Data related issues. This description includes the data types, volumes and frequencies, as well as the current source of the data used in the system. The word “None” indicates there are no data issues.

Step Preconditions: Any special preconditions that must have been met for the interaction to be successful are called out here. The word “None” indicates there are no special preconditions for this particular step.

Description: A description is given of what generally occurs during the interaction, as well as its application in this scenario step.

Component Interaction Table: Each Scenario Thread is further documented in the Component Interaction Table. This table specifies each ECS component-level interaction that is required to support the steps in the Scenario Thread.

Each of these interactions is numbered in a way that is consistent with the Scenario Thread that it is supporting. Specifically, each Component Interaction step is numbered with a “sub”step number in a sequence within that Scenario Thread step. For example, if there are three component interactions required to fulfill Scenario Thread step A.3, those three steps are numbered A.3.1, A.3.2 and A.3.3. Please note that if no component interaction is required to fulfill a Scenario Thread Step (i.e. - only human-to-human interaction), there are no component interaction steps. Therefore, in the Component Interaction steps, a Scenario Thread Step might be skipped.

Each row in the Component Interaction Table defines a step in how the system supports the capability. The columns in the Component Interaction Table are:

Step: An identifier, as described above, of the step within the Scenario Thread. Event: The name of an interaction occurrence between components.

Interface Client: The Client of the interaction. This can be viewed as who is asking the question, or who is stimulating the action. Included in this column are Users, Operators, External Systems and ECS components. Where ECS components are the Interface Clients, the specific component process is identified.

Interface Provider: This identifies the entity in the system that is providing the interface used to perform some capability. Interface Providers are primarily ECS Components, which are identified by the component process name.

Interface Mechanism: This column identifies how the interface is accomplished. It defines the low level (normally software) mechanism used by the Interface Client and Provider to exchange necessary information. This is also shown in the scenario diagrams for only the particular component interaction between subsystems – consult the key.

Description: This column contains text describing what is occurring during this step. It describes what is occurring in the context of this scenario thread. It describes not only what is happening, but also how it happens and how the client knows how to ask for it.

3.2.2 Scenario Process Flow

The ECS Science Data System is a complex collection of subsystems. There is no single path through the many features of the system. However, there is a general logical flow through the various capabilities. Figure 3.2.2-1 describes the key elements of this flow. Each of the elements identified is described in more detail in the individual scenario threads.




Figure 3.2.2-1. Scenario Process Flow

Install ESDT

All data interactions within the ECS are performed against Earth Science Data Types (ESDTs). An ESDT is the logical object that describes both the inventory holdings for particular data, and the services (insert, acquire etc.) that can be applied to that data. Before a user (including DAAC operations) can perform any data services against a data set in the ECS, the ESDT for that data type must be installed. Installation includes defining the collection level and granule level metadata in the inventory (Science Data Server), Advertising the data type and it's services, defining metadata attribute valids in the Data Dictionary, and defining Subscribable data events.

SSI&T

Science Software Integration & Test (SSI&T) is the process by which Instrument Team developed algorithms get qualified for use in the ECS production environment. Much of this process is algorithm specific and/or manual or semi-automatic. These aspects are not dealt with in this document. However, the reception of the original algorithm package (Delivered Algorithm Package - DAP) and the qualified algorithm package (Science Software Archive Package - SSAP) are automated tasks, and are covered in detail in the scenarios.

Data Ingest

Once the ESDT is defined, and any production algorithms have been integrated, then the ECS is ready to accept data and generate higher level products. This document covers a number of different data ingest scenarios that occur with ECS data.

Data Ordering

There are a number of ways in which data can be requested in the ECS. If the product exists in the archive, then a user can simply request it for distribution. If the product doesn't exist, but the algorithms for producing the product have been integrated, then the user can request production. Alternatively if the product exists, but has been generated with a set of run-time parameters different from those desired, then the user can request that the product is reprocessed.

Data Processing

Many products are produced automatically upon the availability of the necessary input data. But in addition to this 'standard' production, the ECS also has the capability to produce products on-demand in response to a user request. Both types of production, together with QA processing and algorithm failure handling are described in detail in the scenarios.

Data Reprocessing

An important feature of the ECS is the ability to reprocess data when either the original production data or algorithm were faulty, or if another user needs different execution parameters.

Data Distribution

Once data is generated or ingested into the ECS, it is made available to other users. The distribution system provides for a flexible data delivery system that can provide data either automatically based on pre-established event triggers, or by direct request.

3.3 Install ESDTs Scenario

3.3.1 Scenario Description

This scenario shows how Earth Science Data Types (ESDTs) are installed in the ECS system. The purpose is to have ESDT data available in various applications for utilization with advertising, archiving, and subscribing to designated events. The installation of the ESDT requires a descriptor file, a Dynamic Linked Library file (DLL), and the identification of archive and backup information for data products of the ESDT. The ESDT descriptor file contains Collection level and Inventory level metadata and data services information. The Dynamic Linked Library file contains the services that are available for the ESDT. The archive and backup information defines where the resulting data products for the ESDT will be archived and backed up.

To accomplish this, the DAAC operator identifies the ESDT along with various IDs associated with storing the data in the Archive. The DSS Science Data Server (SDSRV) sends applicable parts of the ESDT to the Data Dictionary Server (DDICT), the Advertising Server (ADSRV) and the Subscription Server (SBSRV). The SDSRV also stores the ESDT information in its own database.

The ESDTs include data for specific instruments on each mission, external ancillary data, and System data which includes FDS (orbit and attitude) data.

3.3.2 Scenario Preconditions

- The ESDT is approved for installation.
- The DAAC Operator knows where the descriptor and the Dynamic Link Library (DLL) for the ESDT are located.
- The DAAC Operator must also know in which Archive the data will be stored (Archive ID), the Backup Archive (Backup ID), and the name of the alternate DAAC where data will be located (Offsite ID). The Backup Archive and the Offsite DAAC Identifier are optional.
- Any file space needed for the ESDT or handling the ESDT is not provided for explicitly in this scenario. File space is handled as needed by the data servers working with the ESDTs.

3.3.3 Scenario Partitions

The Install ESDT scenario has only one thread (A) which is presented below.

3.3.4 Install ESDT Thread

3.3.4.1 Install ESDT Interaction Diagram - Domain View

Figure 3.3.4.1-1 depicts the Install ESDT Interaction - Domain View




Figure 3.3.4.1-1. Install ESDT Interaction Diagram

3.3.4.2 Install ESDT Interaction Table - Domain View

Table 3.3.4.2-1 provides the Interaction - Domain View: ESDT Installation.

Table 3.3.4.2-1. Interaction Table - Domain View: ESDT Installation

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Activate GUI / Install Request	DAAC Operator	DSS	None	DAAC Operator knows where the descriptor file is located (and therefore the DLL location) for the ESDT. The DAAC Operator knows the Archive where the data will be stored, the Backup Archive and the Offsite DAAC for the ESDT.	DAAC Operator brings up the Science Data Server GUI to install the ESDT. The Science Data Server GUI submits a request to the Science Data Server.
A.2	Store ESDT info	DSS	DSS	None	None	Collection level metadata and configuration information is stored in the Science Data Server's database. Also, DLLs are associated for the ESDT.
A.3	Send Collection Level Metadata	DSS	IOS	None	None	Science Data Server sends collection level metadata to the Advertising Server.
A.4	Send Inventory and Collection Level Metadata Validates	DSS	DMS	None	None	Science Data Server sends collection level and inventory level metadata to the Data Dictionary Server.
A.5	Advertise ESDT Services.	DSS	IOS	None	None	Science Data Server sends the ESDT services to the Advertising Server.
A.6	Register ESDT events.	DSS	CSS	None	None	SDSRV registers the ESDT events with the Subscription Server.
A.7	Event IDs	CSS	DSS	None	None	Subscription Server sends Event Identification to the SDSRV.
A.8	Advertise ESDT events.	CSS	IOS	None	None	Subscription Server sends the ESDT events to the Advertising Server.

3.3.4.3 Install ESDT Component Interaction Table

Table 3.3.4.3-1 provides the Component Interaction: ESDT Installation.

Table 3.3.4.3-1. Component Interaction Table: ESDT Installation (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Startup SDSRV GUI	DAAC Operator	EcDsSdSrvGui	Xterm	DAAC Operator invokes the Science Data Server GUI
A.1.2	Select Add Data Types	DAAC Operator	EcDsSdSrvGui	Xterm	DAAC Operator selects the Data Types tab and clicks the Add button.
A.1.3	Input ESDT Information	DAAC Operator	EcDsSdSrvGui	Xterm	DAAC Operator fills in Descriptor Filename, Archive ID, Backup ID, and Offsite ID
A.1.4	Submit Add ESDT	EcDsSdSrvGui	EcDsScienceDataServer	Distributed Object	DAAC Operator hits the OK button to submit the request to the Science Data Server. The correct Science Data Server is determined via a Server UR, declared in the GUI configuration file.
A.2.1	Descriptor Validation	EcDsScienceDataServer	EcDsScienceDataServer	Internal	The Science Data Server validates the descriptor.
A.2.2	Descriptor and DLL Installation	EcDsScienceDataServer	EcDsScienceDataServer	Internal	The Science Data Server installs the descriptor and DLL in the directories specified in its configuration file.
A.2.3	Store ESDT configuration information	EcDsScienceDataServer	Sybase/SQS	CtLib	The Configuration information about the ESDT is stored in the Science Data Server's database.
A.2.4	Store ESDT Collection Level Metadata.	EcDsScienceDataServer	Sybase/SQS	CtLib	The Collection Level Metadata is stored in the Science Data Server's database.
A.3.1	IOS receives Collection Level Metadata	EcDsScienceDataServer	EcloAdServer	Distributed Object	The Science Data Server sends the ESDT's Collection Level Metadata to the Advertising Server.
A.3.2	Store Collection Level Metadata in IOS	EcloAdServer	Sybase	CtLib	The Advertising Server stores the Collection Level Metadata in its database.

Table 3.3.4.3-1. Component Interaction Table: ESDT Installation (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.4.1	DDICT receives Collection and Inventory Metadata Validates	EcDsScienceDataServer	EcDmDictServer	Distributed Object	The Science Data Server sends Collection and Inventory Metadata Validates to the Data Dictionary Server
A.4.2	Store Collection and Inventory Metadata	EcDmDictServer	Sybase	CtLib	The Data Dictionary server stores the collection and inventory metadata in its database.
A.5.1	IOS receives ESDT services	EcDsScienceDataServer	EcloAdServer	Distributed Object	The Science Data Server sends the ESDT's services to the Advertising Server.
A.5.2	Store services in IOS	EcloAdServer	Sybase	CtLib	The Advertising Server stores the ESDT services in its database.
A.6.1	Register Events with SBSRV	EcDsScienceDataServer	EcSbSubServer	Distributed Object	The Science Data Server registers the ESDT's events with the Subscription Server as ESDT qualifiers.
A.6.2	Store events in SBSRV	EcSbSubServer	Sybase	CtLib	The Subscription Server stores the ESDT's events in its database.
A.7.1	Send event IDs to Science Data Server	EcSbSubServer	EcDsScienceDataServer	Distributed Object	The Subscription Server sends the Event IDs to the Science Data Server.
A.7.2	Store event IDs in SDSRV	EcDsScienceDataServer	Sybase	CtLib	The Science Data Server stores the Event IDs in its database.
A.8.1	Send events to IOS	EcSbSubServer	EcloAdServer	Distributed Object	The Subscription Server sends the ESDT's events to the Advertising Server
A.8.2	Store events in IOS	EcloAdServer	Sybase	CtLib	The Advertising Server stores the ESDT's events in its database.

3.4 System Start-up/Shutdown Scenario

3.4.1 System Start-up/Shutdown Scenario Description

This scenario demonstrates the various startup and shutdown capabilities of the ECS Custom Software system. In this Scenario “system” refers to the ECS Custom Software system. ECS operators are presented with a variety of capabilities for starting up and shutting down the system at various levels via the operator GUI provided by HP OpenView.

The following system functionality is exercised in this scenario:

- Mode-level start-up (See Thread A)
- Mode-level shutdown (See Thread B)
- Application-level start-up (See Thread C)
- Application-level shutdown (See Thread D)
- Program-level start-up (See Thread E)
- Program-level shutdown (See Thread F)
- Process-level shutdown (See Thread G)

Figure 3.4.1-1 illustrates the relationships between the various levels at which ECS custom code is broken down and demonstrated in this scenario. For the purposes of this diagram and discussion, the MSS User Profile Software was chosen to be the program-level component of the ECS custom code.




Figure 3.4.1-1. ECS Custom Software Hierarchy Diagram

3.4.2 System Start-up/Shutdown Scenario Preconditions

The MSS custom agent code has been installed and configured to start up at boot time for all hosts on which custom ECS servers are to be managed (i.e., started up, monitored, or shut down). In addition, all MSS agents and HPOV servers are running on the MSS management server and the operator is running the HPOV Windows application.

3.4.3 System Start-up/Shutdown Scenario Partitions

The System Start-up/Shutdown scenario has been partitioned into the following threads:

- **Mode Start-up** (Thread A) - This thread shows the start-up of an ECS mode across the various hosts on which the mode has been installed. (See section 3.4.4).
- **Mode Shutdown** (Thread B) - This thread shows the shutdown of an ECS mode across the various hosts on which the mode has been installed and is currently running. (See section 3.4.5).
- **Application Start-up** (Thread C) - This thread shows the start-up of an ECS application on a host on which the application has been installed. (See section 3.4.6).
- **Application Shutdown** (Thread D) - This thread shows the shutdown of an ECS application on a host on which the application has been installed and is currently running. (See section 3.4.7).
- **Program Start-up** (Thread E) - This thread shows the start-up of an ECS program on a host on which the program has been installed. (See section 3.4.8).
- **Program Shutdown** (Thread F) - This thread shows the shutdown of an ECS program on a host on which the program has been installed and is currently running. (See section 3.4.9).
- **Process Shutdown** (Thread G) - This thread shows the shutdown of an ECS process on a hosts on which the process is currently running. (See section 3.4.10).

3.4.4 Mode Start-up Thread

This thread shows the start-up of an ECS mode across the various hosts on which the mode has been installed.

3.4.4.1 Mode Start-up Thread Interaction Diagram - Domain View

Figure 3.4.4.1-1 illustrates the Mode Start-up Interaction.




Figure 3.4.4.1-1. Mode Start-up Interaction Diagram

3.4.4.2 Mode Start-up Thread Interaction Table - Domain View

Table 3.4.4.2-1 provides the Interaction - Domain View: Mode Start-up.

Table 3.4.4.2-1. Interaction Table - Domain View: Mode Start-up (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Start-up Request	DAAC Ops	MSS	None	HPOV, MSS agent servers are running on MSS server and managed servers.	Operator selects the OPS mode icon in HPOV, then selects Start Executable from HPOV Misc. -> ECS Application menu.
A.2	Invoke Start-up	MSS	Server	None	None	MSS invokes the start-up script specified in the mode's configuration file.
A.3	Initialize PF	Server	CSS	None	None	The subagent calls PfStart to start the server.
A.4	Start Server	CSS	Server	None	None	Upon completion of PfStart, the server begins to register with MSS.

Table 3.4.4.2-1. Interaction Table - Domain View Mode Start-up (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.5	Start Monitoring	Server	MSS	None	None	The server registers with the subagent on the same host. The subagent forwards an event to the MSS management server. HPOV is utilized to create icons and sub-maps to represent the applications, programs, and processes as they start up. In addition, the subagent begins to monitor the status of the servers.
A.6 - A.9	See A.2 - A.5	See A.2 - A.5	See A.2 - A.5	See A.2 - A.5	See A.2 - A.5	The above steps are repeated for each of the applications installed under this mode.

3.4.4.3 Mode Start-up Thread Component Interaction Table

Table 3.4.4.3-1 provides the Component Interaction Mode Start-up.

Table 3.4.4.3-1. Component Interaction Table: Mode Start-up (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Start-up Request	DAAC Ops	HPOV	GUI	DAAC Operator generates an OPS mode start-up command. The operator has already been using HPOV Windows and has an icon representing the OPS mode in an HPOV sub-map. The operator highlights the OPS mode icon and selects the Misc.-> ECS Application -> Start executable item from the HPOV menu bar.
A.2.1	Send start-up command to subagent	EcMsCm OVMap	EcMsAg SubAgent	Distributed Object	A custom HPOV server (EcMsCmOVMap) running on the MSS server sends application start-up commands to the MSS subagents running on the machines on which the mode is installed. The AppIDs, host name, mode, and instance id are passed to the subagents on the specified hosts based on the mode icon selected.

Table 3.4.4.3-1. Component Interaction Table: Mode Start-up (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.2.2	Subagent invokes start-up script	EcMsAg SubAgent	Application start-up script specified in the .ACFG file	Distributed Object	The applications specified by the AppIDs and mode are started. The subagent looks for the .ACFG corresponding to the specified AppIDs and mode on each host and execute the startup utilities specified in the .ACFG files. If more than one server is contained in an application start-up script, each one is started in the order specified in the script.
A.3.1	Initialize PF	Application start-up script	PfStart	Distributed Object	As the servers start, the process framework is initialized.
A.4.1	Start Server	PfStart	Server	Distributed Object	Once the process framework has been successfully initialized, the servers are ready to complete the start-up process.
A.5.1	Start Monitoring	Server	EcMsAg SubAgent	Distributed Object	The servers register with the subagents by sending start events. The subagents then create entries for the servers in the subagent table, insert binding information in the Binding Vector File, and forward topology change events to HPOV.
A.5.2	Monitor Servers	EcMsAg SubAgent	Server	Distributed Object	The subagent periodically polls all servers on the machine to determine their status. If the subagent detects that a server has died without shutting down gracefully, it generates an event that is forwarded to HPOV.
A.6.1 - A.9.2	see A.2.1 - A.5.2	see A.2.1 - A.5.2	see A.2.1 - A.5.2	Distributed Object	The above steps are repeated for each of the applications installed under this mode.

3.4.5 Mode Shutdown Thread

This thread shows the shutdown of an ECS mode across the various hosts on which the mode has been installed and is currently running.

3.4.5.1 Mode Shutdown Thread Interaction Diagram - Domain View

Figure 3.4.5.1-1 illustrates the Mode Shutdown Interaction.




Figure 3.4.5.1-1. Mode Shutdown Interaction Diagram

3.4.5.2 Mode Shutdown Thread Interaction Table - Domain View

Table 3.4.5.2-1 provides the Interaction Table - Domain View: Mode Shutdown.

Table 3.4.5.2-1. Interaction Table - Domain View: Mode Shutdown (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.1	Shutdown Request	DAAC Ops	MSS	None	HPOV, MSS agent codes are running on MSS server. MSS agent code is running on managed servers. An icon representing the mode to be shut down has been created on an HPOV sub-map.	The DAAC operator selects the icon representing the mode to be shut down. The operator then chooses the Shutdown Executable command from the HPOV Misc. -> ECS Application menu.
B.2	Invoke pfShutdown	MSS	CSS	None	None	The MSS subagent invokes the pfShutdown command to shut down the first server associated with the mode.

Table 3.4.5.2-1. Interaction Table - Domain View: Mode Shutdown (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.3	Shut Down Server	CSS	Server	None	None	The pfShutdown command gracefully shuts down the server.
B.4	Send Shutdown Event	Server	MSS	None	None	The subagent detects that the server has shutdown, and generates a topology change event to be sent to HPOV.
B.5	Stop Monitoring	MSS	MSS	None	None	The subagent stops monitoring the server and process(s) associated with the application. In addition, all application, program, and process sub-maps and icons are removed from HPOV.
B.6 - B.9	See B.2 - B.5	See B.2 - B.5	See B.2 - B.5	See B.2 - B.5	See B.2 - B.5	The above steps are repeated for each of the applications and programs associated with this mode.

3.4.5.3 Mode Shutdown Thread Component Interaction Table

Table 3.4.5.3-1 provides the Mode Shutdown Component Interaction.

Table 3.4.5.3-1. Mode Shutdown Component Interaction Table (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Shutdown Request	DAAC Ops	HPOV	GUI	DAAC Operator generates an OPS mode shutdown command. The operator has already been using HPOV Windows and has an icon representing the OPS mode in an HPOV sub-map. The operator highlights the OPS mode icon and selects the Misc.-> ECS Application -> Shutdown executable item from the HPOV menu bar.
B.2.1	Send Shutdown Request to Subagent	EcMsAg DgCtrl	EcMsAg SubAgent	Distributed Object	A shutdown command is forwarded from the MSS server to the subagent on the server on which the OPS mode applications are running.
B.2.2	Subagent Invokes pfShutdown	EcMsAg SubAgent	PfShutdown	Distributed Object	The subagent issues a pfShutdown command for each server in the mode.
B.3.1	PF Starts Server Shut Down	PfShutdown	Server	Distributed Object	PF initiates the server for the server to perform various clean up functions and shuts itself down.

Table 3.4.5.3-1. Mode Shutdown Component Interaction Table (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.4.1	Shutdown Event Sent to Subagent	Server	EcMsAg SubAgent	Distributed Object	The Subagent detects that the server has shutdown, and generates a topology change event to be sent to HPOV.
B.5.1	SubAgent Sends Shutdown Event to MSS Server	EcMsAg SubAgent	EcMsAg Deputy	Distributed Object	The Subagent generates a Shutdown event for each process and forwards it to the deputy agent running on the MSS server.
B.5.2	Shutdown Status Sent to HPOV	EcMsAg Deputy	HPOV	Distributed Object	The deputy logs the shutdown event in the trapd file. HPOV updates its display by removing the icons and sub-maps representing the server and its associated processes. The mode icon remains on the sub-map.
B.6.1 - B.9.2	See B.2.1 - B.5.2	See B.2.1 - B.5.2	See B.2.1 - B.5.2	Distributed Object	The above steps are repeated for each of the applications and programs associated with this mode.

3.4.6 Application Start-up Thread

This thread shows the start-up of an ECS application on a host on which the application has been installed.

3.4.6.1 Application Start-up Thread Interaction Diagram - Domain View

Figure 3.4.6.1-1 depicts the Application Start-up Interaction.




Figure 3.4.6.1-1. Application Start-up Interaction Diagram

3.4.6.2 Application Start-up Thread Interaction Table - Domain View

Table 3.4.6.2-1 provides the Interaction - Domain View: Application Start-up.

Table 3.4.6.2-1. Interaction Table - Domain View Application Start-up

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.1	Start-up Request	DAAC Ops	MSS	None	HPOV, MSS agent code are running on MSS server. MSS agent code is running on managed servers.	Operator selects the Accountability application icon in HPOV, then selects Start Executable from the HPOV Misc. -> ECS Application menu.
C.2	Invoke Start-up	MSS	Server	None	None	MSS invokes the start-up script specified in the Accountability .ACFG file (EcMsAccountabilityApp.ACPG).
C.3	Initialize PF	Server	CSS	None	None	The EcMsAcOrderSrvr (the first server listed in the .ACFG) calls pfStart to start the Process Framework.
C.4	Start Server	CSS	Server	None	None	Upon completion of pfStart, the EcMsAcOrderSrvr begins to register with MSS.
C.5	Start Monitoring	Server	MSS	None	None	The EcMsAcOrderSrvr registers with the subagent. The subagent forwards an event to the MSS management server, and HPOV is utilized to create icons and sub-maps to represent the application, program, and process(s). In addition, the subagent begins to monitor the status of the EcMsAcOrderSrvr.
C.6 - C.9	see C.2 - C.5	see C.2 - C.5	see C.2 - C.5	None	see C.2 - C.5	The above steps are repeated for each of the programs specified in the start-up script identified in the .ACFG file (in this instance, the EcMsAcRegUserSrvr).

3.4.6.3 Application Start-up Thread Component Interaction Table

Table 3.4.6.3-1 provides the Application Start-up Component Interaction.

Table 3.4.6.3-1. Application Start-up Component Interaction Table (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.1.1	Start-up Request	DAAC Ops	HPOV	GUI	DAAC Operator generates an Accountability start-up command. The operator has already been using HPOV Windows and has an icon representing the Accountability application in an HPOV sub-map. The operator highlights the Accountability icon and selects the Misc.-> ECS Application -> Start executable item from the HPOV menu bar.
C.2.1	Send start-up command to subagent	EcMsCm OVMap	EcMsAg SubAgent	Distributed Object	A custom HPOV server (EcMsCmOVMap) running on the MSS server sends an application start-up command to the MSS subagent running on the machine on which the Accountability server is installed. The AppID, host name, mode, and instance id are passed to the subagent on the specified host based on the icon selected.
C.2.2	Subagent invokes start-up script	EcMsAg SubAgent	Application start-up script specified in the .ACFG file	Distributed Object	The application specified by the AppID and mode is started. The subagent looks for the .ACFG corresponding to the specified AppID and mode on this host and executes the startup utility specified in the .ACFG file. If more than one server is contained in the application start-up script, each one is started in the order specified in the script.
C.3.1	Initialize PF	Application start-up script	pfStart	Distributed Object	As the EcMsAcOrderSrvr starts, the process framework is initialized.
C.4.1	Start Server	pfStart	Server	Distributed Object	Once the process framework has been successfully initialized, the EcMsAcOrderSrvr is ready to complete the start-up process.
C.5.1	Start Monitoring	Server	EcMsAg SubAgent	Distributed Object	When the Event Logging capabilities described in C.5.1 become available, the EcMsAcOrderSrvr registers with the subagent by sending a program start event. The subagent then creates an entry for the EcMsAcOrderSrvr in the subagent table, inserts binding information in the Binding Vector File, and forwards a topology change event to HPOV.

Table 3.4.6.3-1. Application Start-up Component Interaction Table (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.5.2	Monitor Servers	EcMsAg SubAgent	Server	Distributed Object	The subagent periodically polls the EcMsAcOrderSrvr to determine their status. If the subagent detects that the EcMsAcOrderSrvr has died without shutting down gracefully, it generates an event that is forwarded to HPOV.
C.6.1 - C.9.2	see C.2.1 - C.5.2	see C.2.1 - C.5.2	see C.2.1 - C.5.2	Distributed Object	The above steps are repeated for each of the programs specified in the start-up script identified in the .ACFG file (in this instance, the EcMsAcRegUserSrvr).

3.4.7 Application Shutdown Thread

This thread shows the shutdown of an ECS application on a host on which the application has been installed and is currently running.

3.4.7.1 Application Shutdown Thread Interaction Diagram - Domain View

Figure 3.4.7.1-1 depicts the Application Shutdown Interaction.




Figure 3.4.7.1-1. Application Shutdown Interaction Diagram

3.4.7.2 Application Shutdown Thread Interaction Table - Domain View

Table 3.4.7.2-1 provides the Interaction Table - Domain View: Application Shutdown.

Table 3.4.7.2-1. Interaction Table - Domain View: Application Shutdown (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
D.1	Shutdown Request	DAAC Ops	MSS	None	HPOV, MSS agent codes are running on MSS server. MSS agent code is running on managed servers. The application to be shut down has been discovered by HPOV and an icon representing the application has been created on an HPOV sub-map.	The DAAC operator selects the icon representing the Accountability application. The operator then chooses the Shutdown Executable command from the HPOV Misc. -> ECS Application menu.
D.2	Invoke pfShutdown	MSS	CSS	None	None	The MSS subagent invokes the pfShutdown command to shut down the EcMsAcOrderSrvr (which happens to be the first program associated with the application).
D.3	Shut Down Server	CSS	Server	None	None	The pfShutdown command initiates a gracefully shut down of the EcMsAcOrderSrvr.
D.4	Send Shutdown Event	Server	MSS	None	None	The Subagent detects that the server has shutdown, and generates a topology change event to be sent to HPOV.
D.5	Stop Monitoring	MSS	MSS	None	None	The subagent stops monitoring the EcMsAcOrderSrvr and associated process. All program and process sub-maps and icons are removed from HPOV. In addition, if this were the last program associated with the application, the application icon and sub-map would be removed as well.

Table 3.4.7.2-1. Interaction Table - Domain View: Application Shutdown (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
D.6 - D.9	see D.2 - D.5	see D.2 - D.5	see D.2 - D.5	None	see D.2 - D.5	The above steps D.2 through D.5 are repeated for each of the programs associated with the same instance of this application (in this instance, the EcMsAcRegUserSvr).

3.4.7.3 Application Shutdown Thread Component Interaction Table

Table 3.4.7.3-1 provides the Component Interaction: Application Shutdown.

Table 3.4.7.3-1. Component Interaction Table: Application Shutdown

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.1.1	Shutdown Request	DAAC Ops	HPOV	GUI	DAAC Operator generates an Accountability shutdown command. The operator has already been using HPOV Windows and has an icon representing the running Accountability application in an HPOV sub-map. The operator highlights the Accountability icon and selects the Misc.-> ECS Application -> Shutdown executable item from the HPOV menu bar.
D.2.1	Send Shutdown Request to Subagent	EcMsAg DgCtrl	EcMsAg SubAgent	Distributed Object	A shutdown command is forwarded from the MSS server to the subagent on the server on which the Accountability application is running.
D.2.2	Subagent Invokes pfShutdown	EcMsAg SubAgent	pfShutdown	Distributed Object	The subagent issues a pfShutdown command for the first server in the Accountability application (EcMsAcOrderSvr).
D.3.1	PF initiates Server Shut Down	pfShutdown	Server	Distributed Object	The PF initiates the server to perform various clean up functions and the EcMsAcOrderSvr shuts itself down.
D.4.1	Shutdown Event Sent to Subagent	Server	EcMsAg SubAgent	Distributed Object	The Subagent detects that the server has shutdown, and generates a topology change event to be sent to HPOV.
D.5.1	SubAgent Sends Shutdown Event to MSS Server	EcMsAg SubAgent	EcMsAg Deputy	Distributed Object	The Subagent generates a Shutdown event for each process and forwards it to the deputy agent running on the MSS server.
D.5.2	Shutdown Status Sent to HPOV	EcMsAg Deputy	HPOV	Distributed Object	The deputy logs the shutdown event in the trapd file. HPOV updates its display by removing the icons and sub-maps representing the EcMsAcOrderSvr and its associated processes. The Accountability application icon remains on the sub-map since the EcMsAcRegUserSvr is still running.
D.6.1 - D.9.2	See D.2.1 - D.5.2	See D.2.1 - D.5.2	See D.2.1 - D.5.2	Distributed Object	The above steps are repeated for each of the programs (EcMsAcRegUserSvr) associated with the same instance of this application. When the last program has been shut down, the Accountability application icons and sub-maps are automatically removed by HPOV.

3.4.8 Program Start-up Thread

This thread shows the start-up of an ECS program on a host on which the program has been installed.

3.4.8.1 Program Start-up Thread Interaction Diagram - Domain View

Figure 3.4.8.1-1 depicts the Program Start-up Interaction.




Figure 3.4.8.1-1. Program Start-up Interaction Diagram

3.4.8.2 Interaction Table - Domain View

Table 3.4.8.2-1 provides the Interaction - Domain View: Program Start-up.

Table 3.4.8.2-1. Interaction Table - Domain View: Program Start-up€

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
E.1	Start-up Request	DAAC Ops	MSS	None	HPOV, MSS agent servers are running on MSS server and managed servers.	Operator selects the EcMsAcOrderSrvr program icon in HPOV, then selects Start Executable from HPOV Misc. -> ECS Application menu.
E.2	Invoke Start-up	MSS	Server	None	None	MSS invokes the start-up script specified in the EcMsAcOrderSrvr's .PCFG file.
E.3	Initialize PF	Server	CSS	None	None	The EcMsAcOrderSrvr calls pfStart to start the Process Framework.
E.4	Start Server	CSS	Server	None	None	Upon completion of pfStart, the EcMsAcOrderSrvr begins to register with MSS.
E.5	Start Monitoring	Server	MSS	None	None	The EcMsAcOrderSrvr registers with the subagent. The subagent forwards an event to the MSS management server creating icons and sub-maps to represent the application (if it does not already exist), program, and process(s). In addition, the subagent begins to monitor the status of the EcMsAcOrderSrvr.

3.4.8.3 Program Start-up Thread Component Interaction Table

Table 3.4.8.3-1 provides the Component Interaction Table: Program Start-up.

Table 3.4.8.3-1. Component Interaction Table: Program Start-up

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.1.1	Start-up Request	DAAC Ops	HPOV	GUI	DAAC Operator generates an EcMsAcOrderSrvr start-up command. The operator has already been using HPOV Windows and has an icon representing the EcMsAcOrderSrvr program in an HPOV sub-map. The operator highlights the EcMsAcOrderSrvr icon and selects the Misc.-> ECS Application -> Start executable item from the HPOV menu bar.
E.2.1	Send start-up command to subagent	EcMsCmOVMap	EcMsAgSubAgent	Distributed Object	A custom HPOV server (EcMsCmOVMap) running on the MSS server sends a start-up command to the MSS subagent running on the machine on which the EcMsAcOrderSrvr is installed. The AppID, Program ID, host name, mode, and instance id are passed to the subagent on the specified host based on the icon selected.
E.2.2	Subagent invokes start-up script	EcMsAgSubAgent	Program start-up script specified in the .PCFG file	Distributed Object	The EcMsAcOrderSrvr is started. The subagent looks for the .PCFG corresponding to the specified Program ID and mode on this host and executes the startup utility specified in the .PCFG file.
E.3.1	Initialize PF	Application start-up script	PfStart	Distributed Object	As the EcMsAcOrderSrvr starts, the process framework is initialized.
E.4.1	Start Server	PfStart	Server	Distributed Object	Once the process framework has been successfully initialized, the EcMsAcOrderSrvr is ready to complete the start-up process.
E.5.1	Start Monitoring	Server	EcMsAgSubAgent	Distributed Object	When the Event Logging capabilities described in E.5.1 become available, the EcMsAcOrderSrvr registers with the subagent by sending a program start event. The subagent then creates an entry for the EcMsAcOrderSrvr in the subagent table, inserts binding information in the Binding Vector File, and forwards a topology change event to HPOV.
E.5.2	Monitor Servers	EcMsAgSubAgent	Server	Distributed Object	The subagent periodically polls the EcMsAcOrderSrvr to determine its status. If the subagent detects that the server has died without shutting down gracefully, it generates an event that is forwarded to HPOV.

3.4.9 Program Shutdown Thread

This thread shows the shutdown of an ECS program on a host on which the program has been installed and is currently running.

3.4.9.1 Interaction Diagram - Domain View

Figure 3.4.9.1-1 depicts the Program Shutdown Interaction.




Figure 3.4.9.1-1. Program Shutdown Interaction Diagram

3.4.9.2 Program Start-up Thread Interaction Table - Domain View

Table 3.4.9.2-1 provides the Interaction - Domain View: Program Shutdown.

Table 3.4.9.2-1. Interaction Table - Domain View: Program Shutdown

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
F.1	Shutdown Request	DAAC Ops	MSS	None	HPOV, MSS agent codes are running on MSS server. MSS agent code is running on managed servers. The program to be shut down (the EcMsAcOrderSrvr) has been discovered by HPOV and an icon representing the EcMsAcOrderSrvr has been created on an HPOV sub-map.	The DAAC operator selects the icon representing the EcMsAcOrderSrvr. The operator then chooses the Shutdown Executable command from the HPOV Misc. -> ECS Application menu.
F.2	Invoke pfShutdown	MSS	CSS	None	None	The MSS subagent invokes the pfShutdown command to shut down the EcMsAcOrderSrvr.
F.3	Shut Down Server	CSS	Server	None	None	The pfShutdown command initiates a graceful shut down of the EcMsAcOrderSrvr.
F.4	Send Shutdown Event	Server	MSS	None	None	The Subagent detects that the server has shut down, and generates a topology change event to be sent to HPOV.
F.5	Stop Monitoring	MSS	MSS	None	None	The subagent stops monitoring the EcMsAcOrderSrvr and process(s) associated with it. In addition, all applications (if no other servers are running under the application), programs, and process sub-maps and icons are removed from HPOV.

3.4.9.3 Program Start-up Thread Component Interaction Table

Table 3.4.9.3-1 provides the Component Interaction: Program Shutdown.

Table 3.4.9.3-1. Component Interaction Table: Program Shutdown

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.1.1	Shutdown Request	DAAC Ops	HPOV	GUI	DAAC Operator generates a shutdown command. The operator has already been using HPOV Windows and has an icon representing the running EcMsAcOrderSrvr in an HPOV sub-map. The operator highlights the EcMsAcOrderSrvr icon and selects the Misc.-> ECS Application -> Shutdown executable item from the HPOV menu bar.
F.2.1	Send Shutdown Request to Subagent	EcMsAg DgCtrl	EcMsAg SubAgent	Distributed Object	A shutdown command is forwarded from the MSS server to the subagent on the server on which the EcMsAcOrderSrvr is running.
F.2.2	Subagent Invokes pfShutdown	EcMsAg SubAgent	PfShutdown	Distributed Object	The subagent issues a pfShutdown command for the EcMsAcOrderSrvr.
F.3.1	PF initiates Server Shutdown	PfShutdown	Server	Distributed Object	The PF initiates the server to perform various clean up functions and the EcMsAcOrderSrvr shuts itself down.
F.4.1	Shutdown Event Sent to Subagent	Server	EcMsAg SubAgent	Distributed Object	The Subagent detects that the server has shutdown, and generates a topology change event to be sent to HPOV.
F.5.1	SubAgent Sends Shutdown Event to MSS Server	EcMsAg SubAgent	EcMsAg Deputy	Distributed Object	Upon receiving the shutdown event, the subagent forwards it to the deputy agent running on the MSS server.
F.5.2	Shutdown Status Sent to HPOV	EcMsAg Deputy	HPOV	Distributed Object	The deputy logs the shutdown event in the trapd file. HPOV updates its display by removing the icons and sub-maps representing the EcMsAcOrderSrvr and its associated processes. The Accountability application icon remains on the sub-map if the EcMsAcRegUserSrvr (the other program that is part of the Accountability application) is still running.

3.4.10 Process Shutdown Thread

This thread shows the shutdown of an ECS process on a host on which the process is currently running.

3.4.10.1 Process Shutdown Thread Interaction Diagram - Domain View

Figure 3.4.10.1-1 depicts the Process Shutdown Interaction.




Figure 3.4.10.1-1. Process Shutdown Interaction Diagram

3.4.10.2 Process Shutdown Thread Interaction Table - Domain View

Table 3.4.10.2-1 provides the Interaction - Domain View: Process Shutdown.

Table 3.4.10.2-1. Interaction Table - Domain View: Process Shutdown

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
G.1	Shutdown Request	DAAC Ops	MSS	None	HPOV, MSS agent codes are running on MSS server. MSS agent code is running on managed servers. The process to be shut down has been discovered by HPOV and an icon representing the process has been created on an HPOV sub-map.	The DAAC operator selects the icon representing the process to be shut down. The operator then chooses the Shutdown Executable command from the HPOV Misc. -> ECS Application menu.
G.2	Invoke pfShutdown	MSS	CSS	None	None	The MSS subagent invokes the pfShutdown command to shut down the process.
G.3	Shut Down Process	CSS	Server	None	None	The pfShutdown command initiates a graceful shut down of the process.
G.4	Send Shutdown Event	Server	MSS	None	None	The Subagent detects that the server has shut down, and generates a topology change event to be sent to HPOV.
G.5	Stop Monitoring	MSS	MSS	None	None	The subagent stops monitoring process. In addition, the process sub-maps and icons are removed from HPOV.

3.4.10.3 Process Shutdown Thread Component Interaction Table

Table 3.4.10.3-1 provides the Component Interaction Table: Process Shutdown.

Table 3.4.10.3-1. Component Interaction Table: Process Shutdown

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
G.1.1	Shutdown Request	DAAC Ops	HPOV	GUI	DAAC Operator generates a process shutdown command. The operator has already been using HPOV Windows and has an icon representing the running process in an HPOV sub-map. The operator highlights the process icon and selects the Misc.-> ECS Application -> Shutdown executable item from the HPOV menu bar.
G.2.1	Send Shutdown Request to Subagent	EcMsAgDgCtrl	EcMsAgSubAgent	Distributed Object	A shutdown command is forwarded from the MSS server to the subagent on the host on which the process is running.
G.2.2	Subagent Invokes pfShutdown	EcMsAgSubAgent	PfShutdown	Distributed Object	The subagent issues a pfShutdown command for the process with the specified PID.
G.3.1	PF initiates the Process to Shut Down	PfShutdown	Server	Distributed Object	The PF initiates the server to perform various clean up functions and the Process shuts down.
G.4.1	Shutdown Event Sent to Subagent	Server	EcMsAgSubAgent	Distributed Object	The subagent detects that the process has shut down, and generates a topology change event to be sent to HPOV.
G.5.1	SubAgent Sends Shutdown Event to MSS Server	EcMsAgSubAgent	EcMsAgDeputy	Distributed Object	The subagent generates a shutdown event for the process and forwards it to the deputy agent running on the MSS server.
G.5.2	Shutdown Status Sent to HPOV	EcMsAgDeputy	HPOV	Distributed Object	The deputy logs the shutdown event in the trapd file. HPOV updates its display by removing the icons and sub-maps representing the process. In this instance the EcMsAcOrder Server program icon and submaps will be deleted as well since it only consists of one process. The Accountability application icon remains on the sub-map if the EcMsAcRegUserSrvr is still running.

3.5 MODIS Scenario

3.5.1 MODIS Scenario Description

This scenario shows how the ECS supports standard MODIS processing. Generally, MODIS Level 0 data is made available to ECS when MODIS files are placed into a predetermined directory on a predetermined host that ECS polls for periodically. ECS detects the availability of new Level 0 MODIS data via a PDR (Product Delivery Record) file. ECS then ingests and archives the new Level 0 granule, and a sequence of standard production algorithms is run based on that new data.

The PGE01 processes previously archived MOD000 data into MOD01 and MOD03 granules. These MOD01 and MOD03 granules, along with ancillary data, are automatically input to PGE02 to produce MOD02OBC, MOD021M, MOD02HM, and MOD02QM data (all part of "MOD02" data). MOD03 data and selected MOD02 data are input to the PGE03, which produces MOD35L2, MOD07L2 and MODVOLC granules.

Figure 3.5.1-1 illustrates the relationships between the data types and PGEs used in the MODIS Scenario.




Figure 3.5.1-1. MODIS Scenario PGE Data Relationship Diagram

The following system functionality is exercised in this scenario:

- Automatic Scheduling of PGE execution (See Thread B)
- Archive Data as PGE Inputs (See Thread B)
- Chaining of PGEs (See Thread B)
- Concurrent PGE Execution (See Thread B)
- Access to ECS produced data (See Thread D)
- Standing Order Support, including distributing data to users (Threads A & D)
- Support of failed PGEs (See Thread C).

3.5.2 MODIS Scenario Preconditions

The following ESDTs have been inserted into the ECS:

- MOD000 (MODIS Level 0 Raw Instrument Packets - used as input to PGE01)
- MOD01 (L1A Raw Radiances)
- MOD021K1 (L1B Calibrated Radiances Product (1000m))
- MOD02HK1 (L1B Calibrated Radiances Product (500m))
- MOD02QK1 (L1B Calibrated Radiances Product (250m))
- MOD02OBC (MODIS Level 1B Onboard Calibrator/Engineering data)
- MOD01LUT (MODIS Engineering Telemetry Lookup Table)
- MOD02LUT (MODIS Instrument Calibration Parameters Lookup Table)
- MOD03LUT (MODIS Instrument and Satellite Parameters for MOD03)
- MOD07LUT (MODIS Temperature and Water Vapor Profile Inversion Coefficients)
- MOD03 (MODIS Geo-Location data)
- MOD35ANC (EDC Land/Sea Mask Olson World Ecosystem Mask)
- SEAICE (NCEP SSM/I Sea Ice Modelers Grid Data Level 3 Product)
- ODAILYNCEP TOVS Ozone Daily Product)
- GDAS01 (NCEP 1-Degree Global Data Assimilation Model (GDAS) Product)
- REYSST (NCEP Reynolds Blended SST Weekly Product)
- MOD35L2 (MODIS Cloud Mask and Spectral Test Results)
- MOD07L2 (MODIS Temperature and Water Vapor Profile Product)

- MODVOLC (MODIS Volcano Alert File)
- AM1EPHEM (Predicted EOS AM-1 Ephemeris)
- AM1ATTH (Definitive Attitude Data for EOS AM-1 ingested from FDF FDD)
- PGEEXE (PGE Execution Granule)
- FAILPGE (Failed PGE History)
- PH (Product History)

The following PGEs have successfully been through the SSI&T process:

- PGE01
- PGE02
- PGE03

Ancillary and static data granules have been inserted into Data Server.

MOD000 granules have been inserted into Data Server (via Ingest Polling from EDOS).

Subscription for MODIS failed PGE has been entered on behalf of Instrument Team.

A Resource Plan has been created for resources needed for MODIS production.

A Production Plan has been created using the Production Planning Workbench. This Production Plan includes Production Requests for the PGE01, PGE02 and PGE03. Available inputs will trigger the PGEs. The DPR for PGE01 job in the plan includes references to the appropriate MOD000 granules. The DPRs for PGE02 and PGE03 have submitted subscriptions for the Insert events for appropriate input data.

3.5.3 MODIS Scenario Partitions

The MODIS scenario has been partitioned into the following threads:

- **MODIS Standing Order Submittal** (Thread A) - This thread simply shows how the DAAC User Services submits a standing order for MOD35L2 granules to be distributed via ftp Push to a science user (see Section 3.5.4).
- **MODIS Standard Production** (Thread B) - This thread shows how the sequence of PGEs (PGE01, PGE02, PGE03) execute in a chained fashion, with the output of one PGE being used as the input of the next (see Section 3.5.5).
- **MODIS Failed PGE Handling** (Thread C) - This thread shows how the artifacts from a failed PGE are collected and sent to the Instrument Team (see Section 3.5.6).
- **MODIS Data Access** (Thread D) - This thread shows how the generated data products are available for user access. Also in this thread, the MODIS Standing Order, submitted in Thread A, is fulfilled (see Section 3.5.7).

3.5.4 MODIS Standing Order Submittal Thread

This thread simply shows how the DAAC User Services submits a standing order for MOD35L2 granules to be distributed via ftp Push to a science user.

3.5.4.1 MODIS Standing Order Submittal Thread Interaction Diagram - Domain View

Figure 3.5.4.1-1 depicts the MODIS Standing Order Submittal Interaction.




Figure 3.5.4.1-1. MODIS Standing Order Submittal Interaction Diagram

3.5.4.2 MODIS Standing Order Submittal Thread Interaction Table - Domain View

Table 3.5.4.2-1 provides the Interaction - Domain View: MODIS Standing Order Submittal.

**Table 3.5.4.2-1. Interaction Table - Domain View:
MODIS Standing Order Submittal**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Call DAAC User Services	Science User	DAAC	None	DAAC User Services Advertises Phone number. Email address available.	Science User calls DAAC User Services staff, requesting that all MOD35_L2, MOD07_L2, and MODVOLC granules are sent to his/her workstation, via ftpPush. Science User provides host name and address, directory for data placement, and user name/password for ECS to use when placing data. Note:This could be performed via e-mail as well as telephone.
A.2	Subscribe	DAAC User Services Representative	SBSRV	None	MOD35_L2, MOD07_L2, and MODVOLC ESDT, with Insert Events	DAAC User Services Representative submits Standing Order subscription for MOD35_L2, MOD07_L2, and MODVOLC:Insert events. Action is to electronically push product to science user's machine.

3.5.4.3 MODIS Standing Order Submittal Thread Component Interaction Table

Table 3.5.4.3-1 provides the Component Interaction - Domain View: MODIS Standing Order Submittal.

Table 3.5.4.3-1. Component Interaction Table: MODIS Standing Order Submittal

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.2.1	Startup SBSRV GUI	DAAC User Services Representative	EcSbGui	Xterm	DAAC User Services Representative invokes SBSRV GUI application.
A.2.2	Create & Submit Subscription from GUI	DAAC User Services Representative	EcSbGui	Xterm	DAAC User Services Representative represents him/herself as the Science User. The DAAC Operator brings up the GUI and clicks button to create new subscription. A list of events is then displayed from which the op can choose to subscribe. DAAC Operator selects the MOD35_L2, MOD07_L2, and MODVOLCInsert events for subscription. Only one action (besides notification), is available from the SBSRV at this time. Ftp Push as a distribution mechanism is input via a GUI button. Other parameters required for ftpPush, including the Science User's host name, target directory, ftp user name, and ftp password, are input via the GUI.
A.2.3	Submit Subscription	EcSbGui	EcSbSub Server	Distributed Object	Submit the subscription to the Subscription Server. This is accomplished with the EcCISubscription interface class. The correct SBSRV is determined via a Server UR, declared in configuration.
A.2.4	Store a Subscription	EcSbSubServer	Sybase	CtLib	Subscription is stored in the Sybase Database.

3.5.5 MODIS Standard Production Thread

This thread shows how the sequence of PGEs (PGE01, PGE02, PGE03) execute in a chained fashion, with the output of one PGE being used as the input of the next.

3.5.5.1 MODIS Standard Production Thread Interaction Diagram

Figure 3.5.5.1-1 depicts the MODIS Standard Production Thread Interaction.




Figure 3.5.5.1-1. MODIS Standard Production Interaction Diagram

3.5.5.2 MODIS Standard Production Thread Interaction Table - Domain View

Table 3.5.5.2-1 provides the Interaction - Domain View: MODIS Standard Production.

Table 3.5.5.2-1. Interaction Table - Domain View: MODIS Standard Production (1 of 4)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.1	Activate Production Plan	DAAC Production Planner	PLS	None	PGEs passed SSI. Plan already created.	DAAC Production Planner activates a plan, which includes a DPR for PGE01. Plan created for PGE01, PGE02, and PGE03, with input granules ID'd for PGE01, and subscriptions submitted for input data for PGE02 and PGE03.
B.2	Submit DPRs	PLS	DPS	None	None	DPRs for PGE01 submitted Offhold”(standby state) to DPS. PGE02 and PGE03 are placed in the jobMgt queue On Hold”,PGE02 and PGE03 have dependencies on the previous DPRs (PGE02 needs PGE01 DPR, PGE03 needs PGE01 and PGE02 DPRs).
B.3	Trigger Event	DSS	SBSRV	None	The MOD000 has been inserted to DSS by Ingest.	Trigger MOD000Insert event.
B.4	Notification	SBSRV	PLS	None	PLS Subscriptions for MOD000Insert event	Send direct notification to PLS, notifying that there are newly inserted MOD000 granules. Notifications include the UR of the granules produced.
B.5	Release Job	PLS	DPS	None	None	PLS releases job containing PGE01.
B.6	Acquire Data	DPS	DSS	One MOD000 @.2GB every 2 hours.	None	DPS submits Acquire Request for MOD000, MOD01LUT and MOD03LUT via ftpPush, for input to PGE01.
B.7	Run PGE	DPS	DPS	PGE01 creates 24 MOD01 granules/2 hours @5MB/g granule and 24 MOD03 granules/2 hours @1MB/gr anule	None	PGE01 runs, creating MOD01 and MOD03 granules.

**Table 3.5.5.2-1. Interaction Table - Domain View: MODIS Standard Production
(2 of 4)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.8	Request DSS UR	DPS	IOS	None	None	DPS gets the DSS UR from Advertiser.
B.9	Insert Data	DPS	DSS	None	MOD01 and MOD03 ESDTs.	Archive newly created MOD01 and MOD03 granules.
B.10	Trigger Event	DSS	SBSRV	None	None	Trigger MOD01Insert and MOD03Insert events. Note that these are actually two different events, so there are two independent events triggered.
B.11	Notification	SBSRV	PLS	None	PLS Subscriptions for MOD01Insert and MOD03Insert events	Send direct notification to PLS, notifying that there is a newly inserted MOD01 and MOD03 granules. Notifications include the UR of the granules produced.
B.12	Release Job	PLS	DPS	None	None	PLS releases job containing PGE02.
B.13	Acquire Data	DPS	DSS	MOD02LUT @7KB, from MODIS IT	MOD02LUT ESDT.	DPS submits Acquire Request for the ancillary product, MOD02LUT, via ftpPush, for input to PGE02. Note that other input to PGE02 is the MOD01 granule that was created in step B.7.
B.14	Run PGE	DPS	DPS	One MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM @55 MB produced	None	PGE02 runs, creating the MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM granules.
B.15	Request DSS UR	DPS	IOS	None	None	DPS gets the DSS UR from Advertiser.

**Table 3.5.5.2-1. Interaction Table - Domain View: MODIS Standard Production
(3 of 4)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.16	Insert Data	DPS	DSS	None	MOD02OBC, MOD021KM, MOD02HKM, AND MOD02QKM ESDTs.	Archive newly created MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM granules.
B.17	Trigger Event	DSS	SBSRV	None	None	Trigger MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM Insert events.
B.18	Notification	SBSRV	PLS	None	PLS Subscription for MOD02OBC, MOD021KM, MOD02HKM, AND MOD02QKM Insert events.	Send direct notification to PLS, notifying that there are newly inserted MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM granules. Notification message includes the UR of the granule.
B.19	Release Job	PLS	DPS	None	None	PLS releases job containing PGE03.
B.20	Acquire Data	DPS	DSS	New Static and Ancillary Inputs	Static Inputs: MOD35ANC, MOD07LUT Ancillary Inputs: SEA_ICE, OZDAILY, GDAS_0E, REMSST	DPS submits Acquire Request for PGE03 Products, via ftpPush, for input to PGE03. Note that other inputs to PGE03 were created with PGE01 and PGE02 outputs and are still in DPS disk resources, so no Acquires are necessary for those inputs.
B.21	Run PGE	DPS	DPS	1MOD35_L2, 1MOD07_L2, and 1MODVOLC CMB produced	None	PGE03 runs, creating MOD35_L2, MOD07_L2, and MODVOLC granules.
B.22	PGE Fails	DPS	DPS	None	None	One instance of the PGE03 running fails, due to the need for night data, but all input data is during daylight. This is a planned PGE failure. Please pick up processing of this Failed PGE in Thread C of this MODIS scenario.

**Table 3.5.5.2-1. Interaction Table - Domain View: MODIS Standard Production
(4 of 4)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.23	Request DSS UR	DPS	IOS	None	None	DPS gets the DSS UR from Advertiser.
B.24	Insert Data	DPS	DSS	None	MOD35_L2, MOD07_L2, and MODVOLC ESDTs.	Archive newly created MOD35_L2, MOD07_L2, and MODVOLC granules.
B.25	Trigger Event	DSS	SBSRV	None	None	Trigger MOD35_L2, MOD07_L2, and MODVOLCInsert events. Completion of the support for Standing order is shown in Thread D of this MODIS scenario.

3.5.5.3 MODIS Standard Production Thread Component Interaction Table

Table 3.5.5.3-1 provides the Component Interaction: MODIS Standard Production.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(1 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Startup Planning Workbench	DAAC Operator - Planner	EcPIWb	GUI	DAAC Planner invokes the Planning workbench by double clicking on the Planning Workbench icon.
B.1.2	Select Plan to Activate, Modify and Activate	DAAC Operator - Planner	EcPIWb	GUI	Planner interacts with Planning Workbench GUI to Select plan to activate (it was already created), modify it with DPRs for chaining PGE01, PGE02 and PGE03. Input granules for PGE01 are identified in Production Plan. (Note scenario preconditions stated above.)

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(2 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.3	Create DPR	EcPIWb	EcDpPrJobMgmt	rpc	The Production Planning Workbench sends to DPS the DPRID, a list of predecessor DPRs, and whether the DPR is waiting for external data.
B.2.1	Submit DPRs	EcDpPrJobMgmt	Autosys	JIL	DPRs in the updated plan are submitted to Autosys by DPS for dependent execution. MOD000 covers 2 hours and MOD02 and MOD03 cover 5 minutes each. Therefore, the number of DPRs is one for PGE01 and between 22 and 24 each for PGE02 and PGE03 for a total of 45 to 49 for 2 hours depending on the data. The PGE01 job is automatically released, because all inputs are available and production rules have been met, because input granules were referenced in DPR.
B.2.2	Initiate Job Processing	event_daemon	EcDpPrEM	command line	The job containing the PGE01 begins processing.
B.2.3	Connect to SDSRV	EcDpPrEM	EcDsScienceData Server	Distributed Object	Processing begins a session with the SDSRV by connecting, in order to acquire the PGE01. The correct SDSRV is determined by using the Granule UR of the PGE granule, which is defined in the Production plan and is part of the DPR. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.2.4	Add PGE granule's UR to Session	EcDpPrEM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the PGE granule's UR to the ESDT ReferenceCollector.
B.2.5	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(3 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.2.6	Acquire Data	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for the PGE granule. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the PGE granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
B.2.7	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for the metadata file, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
B.2.8	Create Metadata file	EcDsScienceDataServer	EcDsScienceData Server	Distributed Object	The SDSRV creates a file containing the PGE granule's metadata before passing to Distribution.
B.2.9	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(4 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.2.10	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the Archive ID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes of archived files, in the information passed in the Distribution Request.
B.2.11	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the PGE granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
B.2.12	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
B.2.13	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV Staging Disk into the staging disk.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(5 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.2.14	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, and location are all determined from the information provided in the original Acquire request. Username and password are generated from configuration values if none are given.
B.2.15	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrEM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the PGE files to the DPS.
B.3.1	Trigger Event (MOD000)	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Upon successful insertion of MOD000 granules, the MOD000Insert event is triggered, one per granule. The correct subscription server is determined from the SDSRV configuration. The correct events to trigger are determined from the events file, where they were stored when the ESDT was installed in the Data Server. Provided with the event triggering is the UR of the inserted granule.
B.3.2	Retrieve Subscriptions	EcSbSubServer	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(6 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.4.1	Asynchronous Direct Notification	EcSbSub Server	EcPISubMgr	Message Passing Mechanism	The SBSRV notifies PLS that there are new MOD000 granules available. The UR of the granule is passed in the notification to the user, along with a reference to the subscription that is being fulfilled. Direct Notification is to a QueueName (See Message Passing Mechanism) that PLS-Subscription Manager provided when the subscription was submitted.
B.4.2	Connect to SDSRV	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager begins a session with the SDSRV by connecting, in order to determine the use of the new granule. The correct SDSRV is determined by using the Granule UR in the notification message. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.4.3	Add PGE granule's UR to Session	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager establishes the data context of the session with the SDSRV by adding the new granule's UR of the PGE granule to the ESDT ReferenceCollector.
B.4.4	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.
B.4.5	Inspect Granule Value Parameters	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager checks the new granule's metadata attributes (type, version, file size and temporal range), to determine which, if any, jobs can use it as input.
B.4.6	Match Granules	EcPISubMgr	Sybase	CtLib	Subscription Manager queries PDPS database to determine if any PGE are waiting for this granule. If so, the size and granule UR are written.
B.5.1	Release Job Request	EcPISubMgr	EcDpPrJobMgmt	rpc	Planning tells the Job Manager to release the job containing PGE01.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(7 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.5.2	Force Start Job	EcDpPrJobMgmt	event_daemon	rpc	Job containing PGE01 is released.
B.5.3	Initiate Job Processing	event_daemon	EcDpPrEM	command line	The job containing the PGE01 begins processing.
B.6.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting. The correct SDSRV is determined by using the Granule UR of the input granule. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.6.2	Add PGE granule's UR to Session	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the input granule (MOD000) to the session. The Granule UR of the input granule is added to the ESDT ReferenceCollector. Note that this sequence is performed for each input granule, one at a time.
B.6.3	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granule from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(8 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.6.4	Acquire Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for those granules. The Acquire request is for an ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
B.6.5	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
B.6.6	Create Metadata file	EcDsScienceDataServer	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
B.6.7	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(9 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.6.8	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the Archive ID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes in the information passed in the Distribution Request.
B.6.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
B.6.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
B.6.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV Staging Disk into the staging disk.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(10 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.6.12	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, and location are all determined from the information provided in the original Acquire request. Username and password are generated from configuration values if none given.
B.6.13	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrDM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the files to the DPS via the Operating System ftp daemon.
B.7.1	Get Metadata Configuration File	EcDpPrEM	EcDsScience DataServer	Distributed Object	DPS gets the metadata configuration file of the output data's ESDT (MOD01 and MOD03). Data type and version are from PDPS database; correct client name is from configuration file.
B.7.2	Run PGE	EcDpPrRunPGE	PGERGE01>	command line	PGE01 is executed. Output files are placed in the output directory. The directory path is established by using a root, which was established by configuration, and the specific directory by the job id. This disk root is cross-mounted by DPS, SDSRV and STMGT. This is to ensure that they are directly available to the DSS to be archived.
B.8.1	Request DSS UR	EcDpPrDM	EcIoAdServer	Distributed Object	If the DSS UR for this output data type is not already known in the PDPS database, DM searches the Advertiser for a "GetQueryableParameters" service for the desired output data type. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no spec is required to select the proper Advertiser. The local one is used.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(11 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.9.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting.
B.9.2	Insert Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG requests that the newly created files for the MOD01 and MOD03 granules are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule, is created for each granule. The structure of the Insert Request is hard-coded. SDSRV validates metadata and determines the archived names of the files. Note that these inserts occur one granule at a time.
B.9.3	STMGT Store	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files are archived. The archive server must be able to read the inserted files directly from the DPS disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation. For files that have backup archive ids and/or offsite ids in the collection level metadata, backup copies will be made in locations determined by the values of the backup archive id and offsite id.
B.9.4	Add a Granule to Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
B.10.1	Trigger Event	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Upon successful insertion of MOD01 and MOD03 granules, the MOD01Insert and the MOD03Insert events are triggered, one per granule. The correct subscription server is determined from the SDSRV configuration. The correct events to trigger are determined from the events file, where they were stored when the ESDT was installed in the Data Server. Provided with the event triggering is the UR of the inserted granule.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(12 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.10.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.
B.11.1	Asynchronous Direct Notification	EcSbSub Server	EcPISubMgr	Message Passing Mechanism	The SBSRV notifies PLS that there are new MOD01 and MOD03 granules available. The UR of the granule is passed in the notification to the user, along with a reference to the subscription that is being fulfilled. Direct Notification is to a Queuename (See Message Passing Mechanism) that PLS- Subscription Manager provided when the subscription was submitted.
B.11.2	Connect to SDSRV	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager begins a session with the SDSRV by connecting, in order to determine the use of the new granule. The correct SDSRV is determined by using the Granule UR in the notification message. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.11.3	Add PGE granule's UR to Session	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager establishes the data context of the session with the SDSRV by adding the new granule's UR of the PGE granule to the ESDT ReferenceCollector.
B.11.4	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.
B.11.5	Inspect Granule Value Parameters	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager checks the new granule's metadata attributes (type, version, file size and temporal range), to determine which, if any, jobs can use it as input.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(13 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.11.6	Match Granules	EcPISubMgr	Sybase	CtLib	Subscription Manager queries PDPS database to determine if any PGE are waiting for these granules. If so, the size and granule URs are written.
B.12.1	Release Job Request	EcPISubMgr	EcDpPrJobMgmt	rpc	Planning tells the Job Manager to release the job containing PGE02.
B.12.2	Force Start Job	EcDpPrJobMgmt	event_daemon	rpc	Job containing PGE02 is released.
B.12.3	Initiate Job Processing	event_daemon	EcDpPrEM	command line	The job containing the PGE02 begins processing.
B.13.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	DPS begins a session with the SDSRV by connecting. The correct SDSRV is determined by using the Granule UR of the granule from the SBSRV Notification. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.13.2	Add PGE granule's UR to Session	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the input granule (MOD02LUT) to the session. The Granule UR of each input granule is added to the ESDT ReferenceCollector. Note that this sequence is performed for each input granule, one at a time.
B.13.3	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(14 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.13.4	Acquire Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	DPS requests MOD02LUT ancillary granules by submitting an Acquire request for those granules. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
B.13.5	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates disk space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
B.13.6	Create Metadata file	EcDsScienceDataServer	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
B.13.7	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(15 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.13.8	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the Archive ID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes in the information passed in the Distribution Request.
B.13.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
B.13.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
B.13.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(16 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.13.1 2	ftpPush Files	EcDsDistri butionServ er	EcDsStFtpDisServ er	Distribut ed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, and location are all determined from the information provided in the original Acquire request. . Username and password are generated from configuration values if none given.
B.13.1 3	ftp Files	EcDsStFtp DisServer	Operating System ftp daemon (EcDpPrDM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the files via the Op System ftp daemon to the DPS.
B.14.1	Get Metadat a Configur ation File	EcDpPrE M	EcDsScienceData Server	Distribut ed Object	DPS gets the metadata configuration file of the output data's ESDTs (MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM). Data type and version are from PDPS database;correct client name is from configuration file.
B.14.2	Run PGE	EcDpPrRu nPGE	PGERGE02>	comman d line	PGE02 is executed. Output MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM files are placed in the output directory on Science Hardware disks. The directory path is established by using a root, which was established by configuration and the specific directory by the job id. This disk root is cross-mounted by DPS, SDSRV and STMGT.
B.15.1	Request DSS UR	EcDpPrD M	EcIoAdServer	Distribut ed Object	If the DSS UR for this output data type is not already known in the PDPS database, DM searches the Advertiser for a "GetQueryableParameters" service for the desired output data type. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no spec is required to select the proper Advertiser. The local one is used.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(17 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.16.1	Connect to SDSRV	EcDpPrEM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting.
B.16.2	Insert Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG requests that the newly created files for the MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM granules are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule, is created for each granule. The structure of the Insert Request is hard-coded. SDSRV validates metadata and determines the archived names of the files.
B.16.3	STMGT Store	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files be archived. The archive server must be able to read the inserted files directly from the DPS disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation. For files that have backup archive ids and/or offsite ids in the collection level metadata, backup copies will be made in locations determined by the values of the backup archive id and offsite id.
B.16.4	Add a Granule to Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
B.17.1	Trigger Event	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Upon successful insertion of MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM granules, the MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKMInsert events are triggered, for each granule. The correct subscription server is determined from SDSRV configuration. The correct event to trigger is determined from the events file where the event id was stored during the ESDT installation. Provided with the event triggering is the UR of the inserted granule.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(18 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.17.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.
B.18.1	Asynchronous Direct Notification	EcSbSub Server	EcPISubMgr	Message Passing Mechanism	The SBSRV notifies PLS that there are new MOD02OBC, MOD021KM, MOD02HKM, and MOD02QKM granules available. The UR of the granule is passed in the notification to the user, along with a reference to the subscription that is being fulfilled. Direct Notification is to a Queuename (See Message Passing Mechanism) that PLS- Subscription Manager provided when the subscription was submitted.
B.18.2	Connect to SDSRV	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager begins a session with the SDSRV by connecting, in order to determine the use of the new granule. The correct SDSRV is determined by using the Granule UR in the notification message. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.18.3	Add PGE granule's UR to Session	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager establishes the data context of the session with the SDSRV by adding the new granule's UR of the PGE granule to the ESDT ReferenceCollector.
B.18.4	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.
B.18.5	Inspect Granule Value Parameters	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager checks the new granule's metadata attributes (type, version, file size and temporal range), to determine which, if any, jobs can use it as input.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(19 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.18.6	Match Granules	EcPISubMgr	Sybase	CtLib	Subscription Manager queries PDPS database to determine if any PGE are waiting for this granule. If so, the size and granule UR are written.
B.19.1	Release Job Request	EcPISubMgr	EcDpPrJobMgmt	rpc	Planning tells the Job Manager to release the job containing PGE03.
B.19.2	Force Start Job	EcDpPrJobMgmt	event_daemon	rpc	Job containing PGE03 is released.
B.19.3	Initiate Job Processing	event_daemon	EcDpPrEM	command line	The job containing the PGE03 begins processing.
B.19.4	Connect to SDSRV	EcDpPrEM	EcDsScienceData Server	Distributed Object	Processing begins a session with the SDSRV by connecting, in order to acquire the PGE03 PGE. The correct SDSRV is determined by using the Granule UR of the PGE granule, which is defined in the Production plan and is part of the DPR. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.19.5	Add PGE granule's UR to Session	EcDpPrEM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the PGE granule's UR to the ESDT ReferenceCollector.
B.19.6	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(20 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.19.7	Acquire Data	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for the PGE granule. The Acquire request is for an ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the PGE granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
B.19.8	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for the metadata file, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
B.19.9	Create Metadata file	EcDsScienceDataServer	EcDsScienceData Server	Distributed Object	The SDSRV creates a file containing the PGE granule's metadata before passing to Distribution.
B.19.10	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(21 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.19.1 1	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the Archive ID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes of archived files, in the information passed in the Distribution Request.
B.19.1 2	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the PGE granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
B.19.1 3	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
B.19.1 4	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(22 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.19.15	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, and location are all determined from the information provided in the original Acquire request. . Username and password are generated from configuration values if none are given.
B.19.16	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrEM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the PGE files via the Operating System ftp daemon to the DPS.
B.20.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	DPS begins a session with the SDSRV by connecting. The correct SDSRV is determined by using the Granule UR of the granule from the SBSRV Notification. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
B.20.2	Add PGE granule's UR to Session	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the input granules (MOD35ANC, MOD07LUT, SEA_ICE, OZDAILYGDAS_0E, and REMSST) to the session. The Granule UR of each input granule is added to the ESDT ReferenceCollector. Note that this sequence is performed for each input granule, one at a time.
B.20.3	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(23 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.20.4	Acquire Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	DPS requests MOD35ANC, MOD07LUT, SEA_ICE, OZDAILY GDAS_0Z, REMSST granules by submitting an Acquire request for those granules. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
B.20.5	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
B.20.6	Create Metadata file	EcDsScienceDataServer	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
B.20.7	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(24 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.20.8	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the Archive ID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes in the information passed in the Distribution Request.
B.20.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
B.20.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
B.20.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(25 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.20.12	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, and location are all determined from the information provided in the original Acquire request. . Username and password are generated from configuration values if none are given.
B.20.13	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrDM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the files via the Operating System ftp daemon to the DPS.
B.21.1	Get Metadata Configuration File	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS gets the metadata configuration file of the output data's ESDTs (MOD35_L2, MOD07_L2, and MODVOLC). Data type and version are from PDPS database; correct client name is from configuration file.
B.21.2	Run PGE	EcDpPrRunPGE	PGERGE03>	Command line	PGE03 is executed. Output MOD35_L2, MOD07_L2, and MODVOLC files are placed in the output directory on Science Hardware disks. The directory path is established by using a root, which was established by configuration, and the specific directory by the job id. This disk root is cross-mounted by DPS, SDSRV and STMGT. This is to ensure that they are directly available to the DSS, for archival.
B.22.1	Detecting a Failed PGE	EcDpPrEM	EcDpPrEM	None	The log file generated by EcDpPrRunPGE is inspected for failure exit codes. This processing continues with Thread C of the MODIS scenario.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(26 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.23.1	Request DSS UR	EcDpPrDM	EcIoAdServer	Distributed Object	If the DSS UR for this output data type is not already known in the PDPS database, DM searches the Advertiser for a "GetQueryableParameters" service for the desired output data type. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used.
B.24.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting.
B.24.2	Insert Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG requests that the newly created files for the MOD35_L2, MOD07_L2, and MODVOLC granules are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule, is created for each granule. The structure of the Insert Request is hard-coded. SDSRV validates metadata and determines the archived names of the files.
B.24.3	STMGT Store	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files are archived. The archive server must be able to read the inserted files directly from the DPS disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation. For files that have backup archive ids and/or offsite ids in the collection level metadata, backup copies will be made in locations determined by the values of the backup archive id and offsite id.
B.24.4	Adding a Granule to Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.

**Table 3.5.5.3-1. Component Interaction Table: MODIS Standard Production
(27 of 27)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.25.1	Trigger Event	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Upon successful insertion of MOD35_L2, MOD07_L2, and MODVOLC granules, the MOD35_L2, MOD07_L2, and MODVOLCInsert events are triggered. The correct subscription server is determined from SDSRV configuration. The correct events to trigger are determined from the events file, where the event id was stored during ESDT installation. Provided with the event triggering is the UR of the inserted granule.
B.25.2	Retrieve Subscriptions	EcSbSubServer	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.

3.5.6 MODIS Failed PE Handling Thread

This thread shows how the artifacts from a failed PGE are collected and sent to the Instrument Team.

3.5.6.1 MODIS Failed PE Handling Thread Interaction Diagram - Domain View

Figure 3.5.6.1-1 depicts the MODIS Failed PGE Handling Interaction - Domain View.




Figure 3.5.6.1-1. MODIS Failed PE Handling Interaction Diagram

3.5.6.2 MODIS Failed PE Handling Thread Interaction Table - Domain View

Table 3.5.6.2-1 provides the Interaction - Domain View: MODIS Failed PGE Handling.

Table 3.5.6.2-1. Interaction Table - Domain View: MODIS Failed PE Handling (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.1	PGE Fails	DPS	DPS	None	None	One instance of the PGE03 running fails, due to the need for all daylight data, but some input data is night data. This step is the same step as B.22 in the previous Thread.
C.2	Get DSS UR	DPS	IOS	None	None	DPS gets the DSS UR from Advertiser.
C.3	Archive Data	DPS	DSS	1 FailPGE OK	FailPGE	DPS collects the artifacts from the failed PGE, tar's and inserts them into the Data Server.

Table 3.5.6.2-1. Interaction Table - Domain View: MODIS Failed PGE Handling (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.4	Trigger Event	DSS	SBSRV	None	None	Trigger FailPGEInsert event upon successful insertion of the FailPGE granule.
C.5	Notification	SBSRV	MODIS Instrument Team	None	MODIS IT Subscription for FailPGEInsert event, qualified for MODIS PGEs.	Send e-mail notification to MODIS IT, notifying that there is a newly inserted FailPGE granule, from a MODIS PGE. Notification message includes the UR of the FailPGE granule.
C.6	Acquire Data	SBSRV	DSS	None	None	SBSRV fulfills the standing order by the MODIS IT, for Failed MODIS PGEs. Request to Acquire data, via ftpPush, to the MODIS IT host.
C.7	ftp Data	DSS	MODIS Instrument Team	None	None	Data Server ftp's the FailPGE tar file to the MODIS IT, placing it in the specified directory on the specified host.
C.8	Distribution Notice	DSS	MODIS Instrument Team	None	None	Send e-mail notification to MODIS IT, notifying that the newly inserted FailPGE has been successfully ftp'ed to their machine.

3.5.6.3 Failed PGE Handling Thread Component Interaction Table

Table 3.5.6.3-1 provides the Component Interaction: MODIS Failed PGE Handling

Table 3.5.6.3-1. Component Interaction Table: MODIS Failed PGE Handling (1 of 5)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.1.1	Detecting a Failed PGE	DPRExecution	PGE	File containing exit code	One instance of the PGE03 has failed, due to incorrect input data. This is detected by examining the exit code of the PGE, which is stored in a file named DPRID>.log (in this case, MODPGE03#.#.#>.log). DPS pulls together core file, along with any other files marked in the PCF, and tar's them together. Metadata for the FailPGE is built by EcDpPrEM process.

**Table 3.5.6.3-1. Component Interaction Table: MODIS Failed PG Handling
(2 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.2.1	Get DSS UR	EcDpPrDM	EcIoAdServer	Distributed Object	If the DSS UR for this output data type is not already known in the PDPS database, DM searches the Advertiser for a "GetQueryableParameters" service for the desired output data type. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used.
C.3.1	Connect to SDSRV	DPRExecution	EcDsScienceDataServer	Distributed Object	DPRExecution begins a session with the SDSRV by connecting.
C.3.2	Insert Data	DPRExecution	EcDsScienceDataServer	Distributed Object	PRONG requests that the newly created tar file for the FailPGE granule are inserted into the Data Server. An Insert request, containing the names of the file comprising the granule, is created for the granule. The structure of the Insert Request is hard-coded. SDSRV validates metadata and determines the archived names of the files.
C.3.3	STMGT Store	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files be archived. The archive server must be able to read the inserted files directly from the DPS disks that they are residing on. The correct archive object to request is determined from collection level metadata for the FailPGE ESDT, defined in the ESDT's descriptor.
C.3.4	Adding a Granule to Inventory	EcDsScienceDataServer	Sybase/SQLS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
C.4.1	Trigger Event	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Upon successful insertion of FailPGE granule, the FailPGEInsert event is triggered. The correct subscription server is determined from SDSRV configuration. The correct events to trigger are determined from the events file which was populated during ESDT installation. Provided with the event triggering is the UR of the inserted granule.
C.4.2	Retrieve Subscriptions	EcSbSubServer	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.

**Table 3.5.6.3-1. Component Interaction Table: MODIS Failed P6 Handling
(3 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.5.1	Send Notification	EcSbSub Server	MODIS IT	e-mail	The SBSRV builds an e-mail notification that the user's subscription on the FailPGE event has been fired. This notification identifies the Event, the subscription ID, the granule UR that was inserted and the previously supplied User String.
C.6.1	Connect to SDSRV	EcSbSub Server	EcDsScienceData Server	Distributed Object	In order to fulfill a standing order, the SBSRV begins a session with the SDSRV, on behalf of the subscription user. The correct SDSRV is determined from the Granule UR provided with the event triggering. This is pertinent if there are multi-SDSRVs in use.
C.6.2	Add PGE granule's UR to Session	EcSbSub Server	EcDsScienceData Server	Distributed Object	The SBSRV establishes the data context of the session with the SDSRV by adding the input granules to the session. The Granule UR of each input granule is added to the ESDT ReferenceCollector.
C.6.3	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
C.6.4	Acquire Data	EcSbSub Server	EcDsScienceData Server	Distributed Object	SBSRV fulfills the standing order for the FailPGE granule by submitting an Acquire request for the granule. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is asynchronous, meaning that the return of the submit call of the request only contains the status of the request's submittal. This request asks for a distribution notice to be emailed to the client. The Acquire request structure was hard-coded within the subscription server.
C.6.5	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.6.6	Create Metadata file	EcDsScienceDataServer	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.

**Table 3.5.6.3-1. Component Interaction Table: MODIS Failed PS Handling
(4 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.6.7	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for the granule, a reference to the metadata file as well as the data file. Other parameters from the Acquire request are passed to DDIST.
C.6.8	Create Staging Disk	EcDsDistributionServer	EcDsStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the Archive ID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes in the information passed in the Distribution Request.
C.6.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
C.6.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
C.6.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
C.6.12	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.

**Table 3.5.6.3-1. Component Interaction Table: MODIS Failed PS Handling
(5 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.7.1	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (MODIS IT)	ftp	The EcDsStFtpDisServer performs the actual ftp of the files to the MODIS IT.
C.8.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	Internal	The DDIST builds an e-mail notification that the user's order has been fulfilled. This notification includes the media id, type and format, as well as UR, type and file names and sizes for each granule.
C.8.2	Send E-mail	EcDsDistributionServer	MODIS IT	e-mail	DDIST sends the distribution notice to the user via e-mail. Since Standing Orders are not currently tracked orders, and the user DDIST sends the notification to is determined from the Order, the notice is currently sent to a pre-configured default Email address, for DAAC Distribution Technician parsing and forwarding.

3.5.7 MODIS Data Access Thread

This thread shows how the generated data products are available for user access. Also in this thread, the MODIS Standing Order, submitted in Thread A, is fulfilled.

3.5.7.1 MODIS Data Access Thread Interaction Diagram - Domain View

Figure 3.5.7.1-1 depicts the MODIS Data Access Interaction - Domain View




Figure 3.5.7.1-1. MODIS Data Access Interaction Diagram

3.5.7.2 MODIS Data Access Thread Interaction Table - Domain View

Table 3.5.7.2-1 provides the Interaction - Domain View: MODIS Data Access.

**Table 3.5.7.2-1. Interaction Table - Domain View: MODIS Data Access
(1 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precondi tions	Description
D.1	Trigger Event	DSS	SBSRV	None	None	This thread picks up with fulfilling the standing order for MOD35_L2, MOD07_L2, and MODVOLC data. This is the same step as B.25 of this MODIS scenario.
D.2	Notifica tion	SBSRV	Science User	None	None	Send e-mail notification to Science User, notifying that there are newly inserted MOD35_L2, MOD07_L2, and MODVOLC granules. Notification message includes the UR of the MOD35_L2, MOD07_L2, and MODVOLC granules.
D.3	Acquire Data	SBSRV	DSS	None	None	SBSRV fulfills the standing order by the Science User, for MOD35_L2, MOD07_L2, and MODVOLC granules. Request to Acquire data, via ftp Pull from the Pull Cache host.
D.4	Move to Pull Cache Host	DSS	DSS	None	Account and password for the ftp push to the pull cache have to be set up	Data Server moves the files requested to the Pull Cache area. This is internal to DSS
D.5	Distribu tion Notice	DSS	Science User	None	None	Send e-mail notification to Science User, notifying that the newly inserted MOD35_L2, MOD07_L2, and MODVOLC granules are available via ftp pull on a specified host and directory.
D.6	ftp Pull	Science User	ftp daemon on ftp Pull Area Host	None	ftp daemon	Data Requestor logs into the host specified in the mail notification either through an individual account or via anonymous ftp. The Data Requestor performs an ftp get or mget command to move the files (MOD35_L2, MOD07_L2, and MODVOLC) from the directory specified in the mail notification to his/her home node.

**Table 3.5.7.2-1. Interaction Table - Domain View: MODIS Data Access
(2 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
D.7	Request info on files pulled	DSS	CSS	None	None	The Pull Monitor requests information from IDG (CSS) of the files pulled over the last configurable time period.
D.8	Inventory Search	DAAC Operator	EDG	None	None	In order to verify that the newly created data is available, a DAAC Operator will perform an inventory search for all MODIS data created in the last day.
D.9	Search	EDG	V0GWY	None	None	EDG submits the DAAC Operator's search criteria to the V0 Gateway in ODL format, via a specific socket.
D.10	Search	V0GWY	DSS	None	None	The V0 gateway translates the Search criteria from ODL to a query object (using GIParameters), and submits that query to the Search service. The results of this Search are returned synchronously, and are passed back to EDG, which displays them to the Science User.

3.5.7.3 MODIS Data Access Thread Component Interaction Table

Table 3.5.7.3-1 provides the Component Interaction: MODIS Data Access.

**Table 3.5.7.3-1. Component Interaction Table: MODIS Data Access
(1 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.1.1	Trigger Event	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Upon successful insertion of MOD35_L2, MOD07_L2, and MODVOLC granules, the MOD35_L2, MOD07_L2, and MODVOLCInsert events are triggered, for each granule. The correct subscription server is determined from SDSRV configuration. The correct events to trigger are determined from the events file, which was populated during ESDT installation. Provided with the event triggering is the UR of the inserted granule.

**Table 3.5.7.3-1. Component Interaction Table: MODIS Data Access
(2 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.1.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and will execute independently.
D.2.1	Send Notification	EcSbSub Server	Science User	e-mail	The SBSRV builds an e-mail notification that the user's subscription on the MOD35_L2, MOD07_L2, and MODVOLCInsert events have been fired. This notification will identify the Event, the subscription ID, the Granule UR that was inserted and the previously supplied User String.
D.3.1	Connect to SDSRV	EcSbSub Server	EcDsScienceDataServer	Distributed Object	In order to fulfill a standing order for the MOD35_L2, MOD07_L2, and MODVOLC data, the SBSRV begins a session with the SDSRV, on behalf of the subscription user. The correct SDSRV is determined from the Granule UR provided with the event triggering. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
D.3.2	Add PGE granule's UR to Session	EcSbSub Server	EcDsScienceDataServer	Distributed Object	The SBSRV establishes the data context of the session with the SDSRV by adding the input granules to the session. The Granule UR of each input granule is added to the ESDT ReferenceCollector.
D.3.3	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
D.3.4	Acquire Data	EcSbSub Server	EcDsScienceDataServer	Distributed Object	SBSRV fulfills the standing order for the MOD35_L2, MOD07_L2, and MODVOLC granules by submitting an Acquire request for the granule. The Acquire request is for an <i>ftp Pull</i> of all granules in the ESDT ReferenceCollector. This request is asynchronous, meaning that the return of the submit call of the request will only contain the status of the request's submittal. This request asks for a distribution notice to be emailed to the client. The Acquire request structure was determined from the Action submitted with the standing order method.

**Table 3.5.7.3-1. Component Interaction Table: MODIS Data Access
(3 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.3.5	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDisk Server	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
D.3.6	Create Metadata file	EcDsScienceData Server	EcDsScienceDataServer	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
D.3.7	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for the granule, a reference to the metadata file as well as the data file. Other parameters from the Acquire request are passed to DDIST including Archive Id, Backup Archive Id, and off-site id.
D.3.8	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDisk Server	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the Archive ID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes in the information passed in the Distribution Request. A Backup Archive Id and an off-site id are also passed to DDIST from SDSRV metadata for each file.
D.3.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This will result in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache. DDIST passes in a backup archive id and an off-site id as well. The backup archive id and off-site id can be empty strings.

**Table 3.5.7.3-1. Component Interaction Table: MODIS Data Access
(4 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.3.9.1	STMGT Retrieve Failure from Primary Archive Id	EcDsStArchiveServer	EcDsStArchiveServer	Internal method call	Failure of the STMGT retrieval of a file initiates an attempt to retrieve the file from the primary archive location (passed in by DDIST as the archive id) if the backup archive id is empty or attempts to retrieve the file from the backup archive id if it is not empty. Operator is notified of the failure of the retrieve from the primary archive id.
D.3.9.2	STMGT Retrieve Failure from Backup Archive Id	EcDsStArchiveServer	EcDsStArchiveServer at remote site	Distributed Object	If the retrieve attempt fails a second time (either from backup or from primary archive ids), then a third attempt is made. If the off-site id is empty, the primary archive id is used for the third attempt. If the off-site id is not empty, It is used to determine the location of the file on tape which may have been exported from the archive. The operator is notified of the failure to retrieve from the backup archive id.
D.3.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
D.3.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
D.3.12	ftp Push Files	EcDsStPullMonitorServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp <i>Pulls</i> via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPull, in this case). The correct ftp Server is determined from configuration within the resource factory. The files are determined from the information provided in the original Acquire request.
D.4.1	Insert files	EcDsStFtpDisServer	EcDsStPullMonitorServer	Distributed Object	The EcDsStFtpDisServer sends the name of a file to the Pull Monitor server. If the Pull Monitor has the file in the pull cache area, then the file is linked to the directory which was created in the user pull area for servicing this request. If the file is not found in the cache, the EcDsStFtpDisServer pushes the file to the cache area.

**Table 3.5.7.3-1. Component Interaction Table: MODIS Data Access
(5 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.5.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	e-mail	The DDIST builds an e-mail notification that the user's order has been fulfilled. This notification will include the media id, type and format, as well as UR, type and file names and sizes for each granule.
D.5.2	Send E-mail	EcDsDistributionServer	Science User	e-mail	DDIST sends the distribution notice to the user via e-mail. Since Standing Orders are not currently tracked orders, and the user DDIST sends the notification to is determined from the Order, the notice is currently sent to a pre-configured default Email address, for DAAC Distribution Technician parsing and forwarding.
D.6.1	ftp Pull	Science User	ftp Daemon on Host for ftp Pull	Operating System command	Science user opens an ftp session on the host designated in the e-mail received after data has been retrieved. Anonymous ftp services are supported. The user sets the directory to the directory specified in the e-mail notification and either does a get on a per file basis or a mget to copy everything in the directory to his/her own node. Once the copies are completed, the science user quits out of ftp.
D.7.1	Request info on files pulled	EcDsStPullMonitorServer	CsFtFTPNotify (Library)	CtLib	Syslog is read. All entries pertaining to ftp gets are read and the directory and path are returned. The pull monitor server removes the links for files that have been pulled and updates database tables to maintain consistency. Reading of the syslog is timer based. The timer length can be configured via the STMGT GUI.
D.8.1	Startup EDG	DAAC Science Data Specialist	Netscape	Command	DAAC Science Data Specialist invokes a Netscape browser and navigates to the EOS Data Gateway (EDG) homepage.
D.8.2	Select Inventory Search, Provide Query constraints, Submit Query	DAAC Ops	Netscape	GUI	The operator provides search constraints and the products desired. When query constraints are completed, the query is submitted.

**Table 3.5.7.3-1. Component Interaction Table: MODIS Data Access
(6 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.9.1	V0 Gateway Inventory Search	Netscape	EcDmV0ToEcsGateway	ODL, over sockets	EDG submits a search to the V0 Gateway, by converting the search criteria into an ODL structure and passing that structure to a socket provided by the Gateway. The correct socket is determined from configuration information contained in the Valids file.
D.10.1	Establish ECS User	EcDmV0ToEcsGateway	EcMsAcRegUserServer	Distributed Object	V0 Gateway retrieves the User Profile using ECS Authenticator from ODL message, which includes an encrypted User ID and Password. The User Registration Server is replicated across DAACs, so the connection is made to the local User Registration Server.
D.10.2	Request Attribute Mapping	EcDmV0ToEcsGateway	EcDmDictServer	CtLib (RWDBTool)	Gateway translates the V0 terms from ODL into ECS names for query submittal. Interface is directly to Data Dictionary database. Database name is retrieved from configuration file.
D.10.3	Connect to SDSRV	EcDmV0ToEcsGateway	EcDsScienceDataServer	Distributed Object	The Gateway first connects to the SDSRV. The correct SDSRV is determined by configuration information. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
D.10.4	SDSRV Query	EcDmV0ToEcsGateway	EcDsScienceDataServer	Distributed Object	The Gateway translates the query into a DsCIQuery object. This object is handed to the Search interface of the DsCIESDTRReferenceCollector. This Search method is synchronous, so the results of the search will be returned to the calling function. After the search the Gateway receives a list of URs. Then it does an 'inspect' to the SDSRV to get the metadata.
D.10.5	Request Metadata	EcDsScienceDataServer	Sybase/SQLS	CtLib	The SDSRV breaks down the Query object and translates it into a sequence of calls to the inventory database. Resultant rows are converted into data granules, each with their metadata extracted from the database. These results are packaged and returned to the Query client.
D.10.6	Result Retrieval	Netscape	EcDmV0ToEcsGateway	ODL, over Sockets	When the Gateway gets the results, they are translated into ODL, and passed back to the EDG tool. The correct socket for sending results to EDG is the one used to submit the query. EDG then displays the results of the query to the user.

3.5.8 Reactivation/Replan

3.5.8.1 Reactivation/Replan Description

This scenario shows the three different types of reactivation/replanning. This scenario modifies either ASTER or MODIS.

The following system functionality is exercised in this scenario:

- Ability to activate a new current plan on top of a current plan already being exercised
- Account for discrepancies in Data Processing Requests (DPRs) between those two plans

3.5.8.2 Reactivation/Replan Preconditions

Production Requests (PRs) have already been generated from the Production Request Editor. The Subscription Manager is running. The Job Management Server is running. Autosys is running. The Planning Workbench and its background processes are running.

There must be a current plan. This current plan can be either active or inactive, and either with or without Data Processing Requests. Also, ESDTs must be installed, SSI&T must be completed on the PGE, the PRs must have been entered, and the input granules must be available.

3.5.8.3 Reactivation/Replan Partitions

This scenario has been partitioned into the following threads:

- **DPR in New Plan but Not in Old Plan** (Thread A) - This thread illustrates how a current active plan without DPRs can be re-planned/reactivated as a new plan with DPRs (see section 3.5.8.4).
- **DPR in Old Plan but Not in New Plan** (Thread B) - This thread illustrates how a current active plan with DPRs in the queue can be re-planned/reactivated as a new plan without DPRs (see section 3.5.8.5).
- **DPR in Both Old Plan and New Plan** (Thread C) - This thread illustrates how a current active plan with DPRs can be re-planned/reactivated as a new plan with those same DPRs (see section 3.5.8.6).

3.5.8.4 DPR in New Plan but Not in Old Plan Thread

This thread illustrates how a current active plan without DPRs can be re-planned/reactivated as a new plan with DPRs.

3.5.8.4.1 DPR in New Plan but Not in Old Plan Interaction Diagram - Domain View

Figure 3.5.8.4.1-1 depicts the DPR in New Plan but Not in Old Plan Interaction - Domain View.




Figure 3.5.8.4.1-1. DPR in New Plan but Not in Old Plan Interaction Diagram - Domain View

3.5.8.4.2 DPR in New Plan but Not in Old Plan Interaction Table - Domain View

Table 3.5.8.4.2-1 provides the Interaction - Domain View: DPR in New Plan but Not in Old Plan.

Table 3.5.8.4.2-1. Interaction Table - Domain View: DPR in New Plan but Not in Old Plan

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Create new plan with new DPRs	DAAC Ops - Production Planner (Operator)	PLS	PRs have already been generated. ESDTs must have been installed. Input granules must be available.	There must be a current plan. SSI must have been completed on the PGE. The Planning Workbench must be up and running.	The Production Planner creates a new plan with new DPRs.
A.2	Activate new plan	PLS	DPS	None	Planning Workbench must be up and running.	The new plan is activated.
A.3	Verify new DPRs created	DAAC Ops - Production Planner	DPS	None	The Job Management Server and Autosys must be up and running.	The Production Planner verifies the newly created DPRs

3.5.8.4.3 DPR in New Plan but Not in Old Plan Component Interaction Table

Table 3.5.8.4.3-1 provides the Component Interaction: DPR in New Plan but Not in Old Plan.

Table 3.5.8.4.3-1. Component Interaction Table: DPR in New Plan but Not in Old Plan

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Operator clicks on "new" plan button	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner clicks on the new plan button. The new plan uses the new DPRs.
A.1.2	Operator enters new plan name	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner enters the new plan name.
A.1.3	Operator selects the PRs to be included	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner selects the PRs to be included.
A.1.4	Operator schedules PRs to activate	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner schedules the PRs to activate.
A.1.5	Operator saves the new plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner saves the new plan.
A.2.1	Activate new plan	EcPIWb	EcDpPrJobMgmt	Distributed Object	The new plan is activated and the new DPRs are ready to run.
A.3.1	Operator checks on DPS Autosys to verify state	DAAC Ops - Production Planner	Autosys	GUI	The Production Planner checks on the state of the job in Autosys. The new DPRs are in Autosys and begin to run.

3.5.8.5 DPR in Old Plan but Not in New Plan Thread

This thread illustrates how a current active plan with DPRs in the queue can be replanned or reactivated as a new plan without DPRs.

3.5.8.5.1 DPR in Old Plan but Not in New Plan Thread Interaction Diagram - Domain View

Figure 3.5.8.5.1-1 depicts the DPR in Old Plan but Not in New Plan Interaction - Domain View.




Figure 3.5.8.5.1-1. DPR in Old Plan but Not in New Plan Interaction Diagram - Domain View

3.5.8.5.2 DPR in Old Plan but Not in New Plan Thread Interaction Table - Domain View

Table 3.5.8.5.2-1 provides the Interaction - Domain View: DPR in Old Plan but Not in New Plan.

Table 3.5.8.5.2-1. Interaction Table - Domain View: DPR in Old Plan but Not in New Plan

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.1	Verify status of current DPRs	DAAC Ops - Production Planner	DPS	PRs have already been generated. ESDTs must have been installed. Input granules must be available.	The current plan (with DPRs) must have already been activated.	Current DPRs should be in the JobMgmt queue and can be viewed by the Production Planner by pressing the "Jobs Waiting" button in the Ops Console of the Autosys GUI.
B.2	Create new plan without DPRs	DAAC Ops - Production Planner	PLS	The new plan must not have any DPRs.	The Planning Workbench must be up and running.	The Production Planner creates a new plan (without DPRs) to replace the old plan (with DPRs).
B.3	Activate new plan	PLS	DPS	None	The Planning Workbench must be up and running.	The new plan is activated.
B.4	Verify old (current, existing) DPR jobs canceled	DAAC Ops - Production Planner	DPS	None	Job Management and Autosys must be up and running.	The Production Planner uses the "Jobs Waiting" button to verify the priority of the new plan and the cancellation of old priority DPR jobs.

3.5.8.5.3 DPR in Old Plan but Not in New Plan Thread Component Interaction Table

Table 3.5.8.5.3-1 provides the Component Interaction: DPR in Old Plan but Not in New Plan.

Table 3.5.8.5.3-1. Component Interaction Table: DPR in Old Plan but Not in New Plan

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Operator verifies DPRs on active plan are in the queue	DAAC Ops - Production Planner	Autosys	GUI	The current DPRs should be in the queue and can be viewed by the Production Planner by pressing the "Jobs Waiting" button.
B.2.1	Operator creates a new plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner creates a new plan (without DPRs) to replace the old plan (with DPRs).
B.3.1	Activate new plan	EcPIWb	EcDpPrJobMgmt	Distributed Object	The new plan is activated.
B.4.1	Verify state of new plan's DPRs	DAAC Ops - Production Planner	Autosys	GUI	The Production Planner uses Autosys Jobscape to verify the priority of the new jobs.
B.4.2	Verify state of old (existing) plan's DPRs	DAAC Ops - Production Planner	Autosys	GUI	The Production Planner uses the "Jobs Waiting" button to verify the cancellation of old priority DPR jobs. Note -In this case, any jobs that have gotten into Autosys will not be deleted during a replan. Only jobs that are in the JobMgmt queue will be cancelled.

3.5.8.6 DPR in Both Old Plan and New Plan Thread

This thread illustrates how a current active plan with DPRs can be re-planned/reactivated as a new plan with those same DPRs.

3.5.8.6.1 DPR in Both Old Plan and New Plan Thread Interaction Diagram - Domain View

Figure 3.5.8.6.1-1 depicts the DPR in Both Old Plan and New Plan Interaction - Domain View.




Figure 3.5.8.6.1-1. DPR in Both Old Plan and New Plan Interaction Diagram - Domain View

3.5.8.6.2 DPR in Both Old Plan and New Plan Thread Interaction Table - Domain View

Table 3.5.8.6.2-1 provides the Interaction - Domain View: DPR in Both Old Plan and New Plan.

Table 3.5.8.6.2-1. Interaction Table - Domain View: DPR in Both Old Plan and New Plan (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.1	Operator verifies DPRs of active plan are in the Autosys queue	DAAC Ops - Production Planner	DPS	PRs have already been generated. ESDTs must have been installed. Input granules must be available.	The current plan (with DPRs) must have already been activated. Job Management must be up and running. Autosys Jobscape must be up and running.	The current DPRs should be in the JobMgmt queue and can be viewed by the Production Planner by pressing the "Jobs Waiting" button in the Ops console of the Autosys GUI.

Table 3.5.8.6.2-1. Interaction Table - Domain View: DPR in Both Old Plan and New Plan (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.2	Create new plan and schedule with existing DPRs	DAAC Ops - Production Planner	PLS	None	The Planning Workbench must be up and running.	The Production Planner creates a new plan and schedule using the existing DPRs, adjusting the DPR priorities as necessary.
C.3	Activate new plan	PLS	DPS	None	The Planning Workbench must be up and running.	The new plan is activated.
C.4	Verify DPR priorities in new plan, cancellation of old priority DPR jobs	DAAC Ops - Production Planner	DPS	None	The Planning Workbench must be up and running. The Planning Workbench ALOG file must exist. Autosys Jobscape must be up and running.	The Production Planner verifies the DPR priorities in the new plan and the cancellation of the old priority DPR jobs.

3.5.8.6.3 DPR in Both Old Plan and New Plan Thread Component Interaction Table

Table 3.5.8.6.3-1 provides the Component Interaction: DPR in Both Old Plan and New Plan.

Table 3.5.8.6.3-1. Component Interaction Table: DPR in Both Old Plan and New Plan (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.1.1	Operator verifies that DPRs on active plan are in the queue	DAAC Ops - Production Planner	Autosys	GUI	The current DPRs should be in the JobMgmt queue and can be viewed by the Production Planner by pressing the "Jobs Waiting" button.
C.2.1	Operator creates a new plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner creates a new plan.

Table 3.5.8.6.3-1. Component Interaction Table: DPRs in Both Old Plan and New Plan (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.2.2	Select PRs used by the old plan (see step C.2)	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner selects PRs, with DPRs that are in the JobMgmt queue that he wishes to re-prioritize.
C.2.3	Schedule these PRs	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner creates a new plan using the re-prioritized DPRs.
C.3.1	Activate plan	EcPIWb	EcDpPrJobMgmt	Distributed Object	The new plan is activated.
C.4.1	Verify priorities of plan's DPRs	DAAC Ops - Production Planner	Autosys	GUI	The Production Planner verifies that the new DPR priorities are in the JobMgmt queue.
C.4.2	Priority changes	DAAC Ops - Production Planner	Autosys	GUI	The new DPR job must be in the JobMgmt queue. The old DPR must be cancelled. If priorities differ between the old DPR and the new DPR, the old DPR job should be cancelled and a new DPR created. Note – Only jobs that are in the JobMgmt queue will have their priorities changed. If the jobs are already in Autosys, their priorities are meaningless and are not changed.

3.6 Landsat-7 Scenario

3.6.1 Landsat-7 Scenario Description

This scenario shows how ECS supports the archival and retrieval of Landsat-7 data. Landsat-7 data is provided to ECS from one of two primary sources: LPS and IAS. LPS provides Landsat-7 LOR subinterval data and Metadata Browse to ECS. IAS provides the Landsat-7 Calibration Parameter files and Reports to ECS. The dialogue between LPS and ECS is managed by the Landsat-7 Gateway. The interface between IAS and ECS is through a standard polling mechanism managed by Ingest. The dialogue and polling mechanism are documented in the ECS-Landsat-7 ICD. ECS does not process Landsat-7 data.

There are some notable data issues related to the Landsat-7 LOR subintervals. Actually, the LOR data is produced by LPS in two independent parts, Format 1 and Format 2. While both parts are required to make a complete LOR granule, these parts are provided to ECS independent from each other. Additionally, there is no guarantee of the delivery order of the parts: Format 1 could precede or follow the delivery of its corresponding Format 2. The deliveries might be separated by delivery of parts of other granules. This requires ECS to determine if each received part's corresponding part has already been delivered. If so, further internal processing is performed to match the parts and to create the complete LOR subinterval granule.

Another point of interest is that while LPS provides ECS with all LOR data, which is subinterval data, ECS provides access to standard WRS Scenes within the subinterval data. When LPS provides a subinterval, all WRS scene data is embedded in the subinterval and metadata is provided to derive those scenes. The current ECS approach to storing and accessing subintervals and scenes is to store all subinterval data, and to derive scenes from the subinterval when ECS users request the scenes. To support this two things occur: First when subinterval data is entered into the Data Server, references to all scenes that are available within that subinterval are also created. These scenes are “virtual granules”, insofar as they are referenced as granules, and are searchable, but the granule itself is not archived, per se. Rather it is created upon access. Secondly, upon access the scenes are derived from their “parent” subinterval by using internal subinterval subsetting services. Effectively, each scene knows which subinterval it is part of, and it knows what to ask its subinterval to do in order to complete creation of itself.

The following system functionality is exercised in this scenario:

- User Profile Registration (see Thread A)
- LPS-driven data ingest (see Thread B)
- IAS-driven data ingest (see Thread D)
- Access to WRS Scenes (see Thread F)
- EDG browse of granules (see Thread E)
- 8mm data distribution (see Threads C & F)
- Operator ability to status an order (see Threads C, F & G).

3.6.2 Landsat-7 Scenario Preconditions

The following ESDTs have been inserted into the ECS:

- L70R (Complete L7 L0R subinterval)
- L70RF1 (Format 1 of a L0R subinterval)
- L70RF2 (Format 2 of a L0R subinterval)
- L70RWRS (Complete L7 WRS Scene)
- L70RWRS1 (Format 1 part of a WRS Scene)
- L70RWRS2 (Format 2 part of a WRS Scene)
- L7CPF (Landsat-7 Calibration Parameter File)
- Browse (Generic Browse file)
- Subscription for Landsat-7 subintervals entered on behalf of Instrument Team.
- Standing order for WRS Scene, to be delivered on 8mm tape.

3.6.3 Landsat-7 Scenario Partitions

The Landsat-7 scenario has been partitioned into the following threads:

- **L-7 User Registration** (Thread A) - This thread shows the processing required for registering as a new ECS User (see section 3.6.4).
- **L-7 LPS Data Insertion** (Thread B) - This thread shows how the ECS inserts data provided by LPS (see section 3.6.5).
- **L-7 Standing Order Support** (Thread C) - This thread shows how the system supports standing orders for data granules (see section 3.6.6).
- **L-7 IAS Data Insertion** (Thread D) - This thread shows how the ECS inserts data provided by IAS (see section 3.6.7).
- **L-7 Search and Browse** (Thread E) - This thread shows how the ECS supports users searching for and browsing data holdings (see section 3.6.8).
- **L-7 Ordering WRS Scenes** (Thread F) - This thread shows how the ECS supports user orders for WRS scenes(see section 3.6.9).
- **L-7MOC Interface Thread (Thread G)** – This thread shows the interface between the ECS and the MOC for Cloud Cover Assessment (CCA) data (see section 3.6.10).

3.6.4 Landsat-7 User Registration Thread

This thread shows the processing required for registering as a new ECS User.

3.6.4.1 Landsat-7 User Registration Interaction Diagram - Domain View

Figure 3.6.4.1-1 depicts the L-7 User Registration Interaction - Domain View.




Figure 3.6.4.1-1. L-7 User Registration Interaction Diagram

3.6.4.2 Landsat-7 User Registration Interaction Table - Domain View

Table 3.6.4.2-1 provides the Interaction - Domain View: L-7 User Registration.

Table 3.6.4.2-1. Interaction Table - Domain View: L-7 User Registration (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	New User Request	Science User	User Registration Tool	None		Science user loads User Registration Tool, via its URL, from their favorite Web Browser. Science user fills out form with initial registration information. This information includes: username, address, telephone number, email address and mother's maiden name (for security confirmation). Request is queued at DAAC.

Table 3.6.4.2-1. Interaction Table - Domain View: ~~L7~~ User Registration (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.2	Submit Request	User Registration Tool	User Registration Server	None	None	User Registration Tool submits the new user's request. The request is queued at the DAAC, awaiting the DAAC User Services staff to confirm the new user.
A.3	Get New User Request	DAAC User Services Representative	User Registration Server	None	None	DAAC User Services Representative (periodically) checks for new user registration requests. In this case the request for our new user is found. User Services staff checks the information provided.
A.4	Complete User Profile	DAAC User Services Representative	User Registration Server	None	None	DAAC User Services Representative completes the new user's User Profile. The request is marked as confirmed and accepted. DAAC User Services Representative may call Science User for any further information or clarification.
A.5	Email Confirmation	User Registration Server	Science User	None	None	User Registration Server emails out confirmation of the user's registration request.
A.6	Mail User Account Profile	DAAC User Services Representative	Science User	None	None	DAAC User Services Representative sends complete user account profile, including passwords, to Science User via USPS mail.
A.7	Replicate User Profile	User Registration Server at one DAAC	User Registration Server at a remote site	None	None	The user profile is replicated at each DAAC. Each DAAC is capable of browsing user profiles located at remote sites, but only capable of modifying user profiles created within the "home" DAAC.

3.6.4.3 Landsat-7 User Registration Component Interaction Table

Table 3.6.4.3-1 provides the Component Interaction: L7 User Registration.

Table 3.6.4.3-1. Component Interaction Table: User Registration (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Startup User Registration Tool	Science User	EcCIDtUserProfile Gateway	Web Browser	Science User invokes the configured Web Browser with the URL of the User Registration Tool.
A.1.2	Input User Registration Information	Science User	EcCIDtUserProfile Gateway	Web Browser	The Science User populates forms with ECS registration information. This information includes:username, address, telephone number, email address and mother's maiden name (for security confirmation). The user then submits this information.
A.2.1	Submit User Registration Request	EcCIDtUserProfile Gateway	EcMsAcRegUserSrvr	Distributed Object	The User Registration Tool submits the User Registration Request to the User Registration Server for approval.
A.2.2	Store a User Registration Request	EcMsAcRegUserSrvr	Sybase	CtLib	The User Registration Request is saved for approval by DAAC User Services.
A.3.1	Startup User Registration Server GUI	DAAC Ops - User Services	EcMsAcRegUserGUI	Xterm	DAAC operations start the User Registration Server GUI from a command line or through the Common Desktop Environment.
A.3.2	Review New User Request	DAAC Ops - User Services	EcMsAcRegUserGUI	Xterm	On a periodic basis (based on DAAC policy), User Services checks for any new User Registration Requests.
A.3.3	Get New User Requests	EcMsAcRegUserGUI	EcMsAcRegUserSrvr	Distributed Object	Request all new User Registration Requests. The GUI connects to the Registration Server that is local to the DAAC. This is determined by a CDS entry in the GUI's configuration.
A.3.4	Retrieve User Registration Requests	EcMsAcRegUserSrvr	Sybase	CtLib	All pending User Registration Request are retrieved from the database.

Table 3.6.4.3-1. Component Interaction Table: User Registration (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.4.1	Update User Request	EcMsAcRegUserGUI	EcMsAcRegUserSrvr	Distributed Object	DAAC User Services completes the User Profile from the request. Updated information includes DCE Username, group and password, V0Gateway Username, group and password.
A.4.2	Create User Profile	EcMsAcRegUserGUI	EcMsAcRegUserGUI	Distributed Object	User Registration Server takes the completed User Registration Request and makes a User Profile, registering the user.
A.4.3	Store a User Profile	EcMsAcRegUserSrvr	Sybase	CtLib	The User Profile is saved in the system.
A.5.1	Send E-mail	EcMsAcRegUserSrvr	CsEmMailRelA (to Science User)	e-mail	The Confirmation message is sent to the new ECS Science User, via CSS infrastructure mail services (CsEmMailRelA).
A.7.1	Replicate User Profile	EcMsAcRegUserGUI at a "home" DAAC	EcMsAcRegUserSrvr at a remote site	GUI	The user profile is replicated at each DAAC via a GUI interface to communicate to a remote registration server.

3.6.5 Landsat-7 LPS Data Insertion Thread

This thread shows how the ECS inserts data provided by LPS.

3.6.5.1 Landsat-7 LPS Data Insertion Thread Interaction Diagram - Domain View

Figure 3.6.5.1-1 depicts the L-7 LPS Data Insertion Interaction - Domain View.




Figure 3.6.5.1-1. L7 PS Data Insertion Interaction Diagram

3.6.5.2 Landsat-7 LPS Data Insertion Thread Interaction Table - Domain View

Table 3.6.5.2-1 provides the Interaction - Domain View: L-7 LPS Data Insertion.

Table 3.6.5.2-1. Interaction Table - Domain View: L7 PS Data Insertion (1 of 3)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.1	Get SDSRV URs	INS	IOS	None	None	Upon startup, Ingest gets the SDSRV URs for each data type in its database.

Table 3.6.5.2-1. Interaction Table - Domain View: L7 PS Data Insertion (2 of 3)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.2	Create Session	LPS	L7GWY	None	All required binding information is provided to LPS.	In order to transfer L7 subinterval data, LPS initiates a session with ECS. This is accomplished by sending a series of control messages to the L7GWY.
B.3	Data Transfer Messages	LPS	L7GWY	None	None	A Data Availability Notice (DAN) is sent to indicate that LPS transfer of L7 data has begun.
B.4	Data Transfer Messages	L7GWY	INS	None	None	L7GWY passes all Data Transfer messages to the Ingest subsystem.
B.5	Request Data Insert (subinterval)	INS	DSS	For 3 scenes: 13 L70RF1 files @ 732MB, or 7 L70RF2 @ 387MB, from Landsat -7 Team	L70RF1, L70RF2 and L70R ESDTs.	When complete L70R data is transferred to Ingest staging disks, Ingest validates information (preprocessing) and sends a request for the data to be read by DSS for archival. DSS reads the data from the designated staging disk area. Note the number of files depends on the number of scenes. L70RF1 files = 13 browse file per scene. L70RF2 files = 7 to 9 depending whether Band 8 is processed with 1, 2, or 3 files.
B.6	Archive Backup on Insert	DSS	DSS	None	None	SDSRV tells STMGT to store the files in the archive. A list of files is passed with the location of each file, the archive id associated with the file, and the backup archive id for each file.
B.7	Trigger Event	DSS	SBSRV	None	None	Upon successful completion of insertion of L70RF1, L70RF2, or complete L70R subinterval, the appropriate Insert event is triggered.

Table 3.6.5.2-1. Interaction Table - Domain View: L7 Scenario,PS Data Insertion (3 of 3)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.8	Request Data Insert (scene – one at a time)	INS	DSS	3 L70RWRS(F1/F2) virtual granules, Browse granules (F1)	None	Ingest derives WRS scene information from the subinterval metadata. Virtual scene granules (metadata only) are inserted into the Data Server, and Browse data are inserted into the archive. Each scene is done separately. After combining L70RF1 & L70RF2 to form L70R data and combining L70RWRS1 & L70RWRS2 to form L70RWRS data, the metadata is deleted from the SDSRV DB.
B.9	Trigger Event	DSS	SBSRV	None	None	Data server triggers the scene's Insert event when the scene and Browse data are successfully saved.
B.10	Data Delivery Status	INS	L7GWY	None	None	Ingest creates a status acknowledgment message to return to LPS.
B.11	Data Delivery Notice	L7GWY	LPS	None	None	L7 Gateway passes Data Delivery Notice to LPS.

3.6.5.3 Landsat-7 LPS Data Component Interaction Table

Table 3.6.5.3-1 provides the Component Interaction: L-7 LPS Data Insertion.

Table 3.6.5.3-1. Component Interaction Table: L7 PS Data Insertion (1 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Get SDSRV URs from IOS	EclnReq Mgr	EcloAdServer	Distributed Object	Upon startup, Ingest Request Manager requests the SDSRV URs for each data type in its database.
B.2.1	LPS Create Session	LPS	EcCsLandsat7Gateway	rpc	LPS and the Gateway server exchange messages to begin a session. The Session messages include Authentication Request and Authentication Response, which are documented in the ECS - Landsat-7 ICD.

Table 3.6.5.3-1. Component Interaction Table: L7 PS Data Insertion (2 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.3.1	Begin LPS Data transfer	LPS	EcCsLand sat7Gateway	rpc	LPS first sends a DAN, letting ECS know that data is available, what data it is and where it is. ECS responds with a data availability acknowledgement (DAA). After insertion, ECS provides a DDN, which is acknowledged by LPS with a DDA.
B.4.1	Data Transfer Messages	EcCsLandsat7Gateway	EclnAuto	Distributed Object	The L7 Gateway transfers the LPS data exchange messages to Ingest. Ingest provides responses in accordance with the L7 - ECS ICD.
B.4.2	Send Request	EclnAuto	EclnReqMgr	Distributed Object	Auto Ingest process packages the Data Transfer messages into the appropriate Ingest Requests. The data source (LPS), defined on startup, is passed to the Ingest Request Manager.
B.4.3	Granule Process Request	EclnReqMgr	EclnGran	Distributed Object	Request Manager packages the request into granules and sends them to the Ingest Granule Server.
B.4.4	Create Staging Disk	EclnGran	EcDsStStagingDiskServer	Distributed Object	Ingest calls STMGT to create a Staging Disk, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is to the Staging Disk Server specified in the Ingest database, based on data type. The amount of staging disk to request is determined from the DAN.
B.4.5	Allocate Media Resource	EclnGran	EcDsStIngestFtpServer	Distributed Object	Ingest now creates the Resource manager for its ftp server via a STMGT Resource Manager Factory. Ingest knows that this request is via ftp from a database lookup, keyed on the data type. The correct resource manager is determined from the Media Type handed to the resource factory (IngestFtp, in this case). The correct IngestFtp Server resource is determined from configuration within the Ingest Database.
B.4.6	Ftp Get files	EclnGran	EcDsStIngestFtpServer	Distributed Object	Ingest directs the ftp server to get the files from the LPS host and location, as indicated in the DAN, placing them on the staging disk.
B.5.1	Connect to SDSRV	EclnGran	EcDsScienceDataServer	Distributed Object	Ingest begins a session with the SDSRV by connecting. The correct SDSRV is determined during EclnReqMgr startup, from Advertising, based on the data type. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.

Table 3.6.5.3-1. Component Interaction Table: L7 PS Data Insertion (3 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.5.2	Request Metadata Configuration File	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests the metadata configuration file (MCF) for the data being inserted. The data types being inserted are derived from the DAN messages sent by LPS. Ingest performs preprocessing (current number of files for data type, extraction of metadata, etc.).
B.5.3	Validate Metadata	EcInGran	EcDsScienceDataServer	Distributed Object	After building the granule's metadata file, Ingest asks SDSRV to validate the metadata, based on the granule's data type.
B.5.4	Request Data Insert	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests that the received files for the LPS LOR Subinterval are inserted into the Data Server. An Insert request, containing the names of the files comprising the subinterval, is created. The structure of the Insert Request is hard-coded in the granule server. SDSRV validates metadata and determines the archived names of the files. (Note this validation is on a different level than the Ingest validation.)
B.5.5	STMGT Store	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files are archived. The archive server copies the inserted files directly from the Ingest staging disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation.
B.6.1	Establish backup files IDs	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	When the SDSRV tells STMGT to store the files in the archive, a list of files is passed with the location of each file, the archive id associated with the file, and the backup archive id for each file. The backup archive id may be null strings if the file is not to be backed up. Backups are performed on an ESDT basis. The Archive id, Backup Archive Id, a checksum, file size, and status for each file are returned to SDSRV along with a status for the request.

Table 3.6.5.3-1. Component Interaction Table: L7 PS Data Insertion (4 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.6.2	Move to Primary	EcDsStArchiveServer	EcUtCopy Exec	CtLib	File is copied by IDG provided executable from where Ingest placed it originally to the AMASS cache for that archive server. The archive id indicates which archive server is used and which directory path is used within the archive. If the Backup Archive id is blank, then the next file in the request is processed.
B.6.3	Move to Backup	EcDsStArchiveServer	EcUtCopy Exec	CtLib	File is copied by IDG provided executable from where Ingest placed it originally to the AMASS cache for the backup archive server. The Backup Archive Id indicates which archive server is used for backup and the directory path within that archive. This is done only if the Backup Archive id is not empty. The operator is notified of an archive failure and is able to see the file and its backup status. The operator can reinitiate the backup of the file at a later time.
B.6.4	Move to Offsite	EcDsStArchiveServer	EcUtCopy Exec	CtLib	File is copied by IDG provided executable from where Ingest placed it originally to the AMASS cache for the offsite archive server. The offsite archive server is determined by the value for the Offsite Archive id. This is done only if the Offsite Archive id is not empty. The operator is notified of an archive failure and is able to see the file and its backup status. The operator can reinitiate the backup of the file at a later time.
B.6.5	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/SQLS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV. SDSRV queries the DB for L70RF1 and L70RF2 and creates L70R data. After combining L70RF1 and L70RF2, it then deletes the metadata for L70RF1 and L70RF2.
B.7.1	Trigger Event	EcDsScienceData Server	EcSbSub Server	Distributed Object	Upon successful insertion of L0R subinterval granule, the L7OR Insert event is triggered. The correct subscription server is determined from SDSRV configuration. The correct event to trigger is determined from the events file which was populated during ESDT installation. The UR of the inserted granule is provided with the event triggering.

Table 3.6.5.3-1. Component Interaction Table: L7 PS Data Insertion (5 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.7.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.
B.8.1	Derive Scenes	EcInGran	EcInGran	Internal	The Ingest granule server component is hard-coded to derive and insert scene data whenever a LPS subinterval is inserted.
B.8.2	Request Metadata Configuration File	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests the metadata configuration files (MCF) for the scene and Browse data being inserted.
B.8.3	Validate Metadata	EcInGran	EcDsScienceDataServer	Distributed Object	After building a metadata file for each virtual scene and Browse granule, Ingest asks SDSRV to validate the metadata, based on the granule's data type.
B.8.4	Request Data Insert	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests that the virtual scene and Browse granules are inserted into the Data Server. An Insert request, containing the names of the metadata files is created. The structure of the Insert Request is hard-coded within the granule server process. SDSRV validates the metadata file.
B.8.5	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/S QS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV. SDSRV queries the DB for L70RWRS1 and L70RWRS2 and creates L70RWRS data. After combining L70RWRS1 and L70RWRS2, it then deletes the metadata for L70RWRS1 and L70RWRS2.
B.8.6	Completion Callback	EcInReq Mgr	EcInGran	rpc	The Ingest Granule Server sends a completion callback to the Ingest Request Manager when the processing of the granule is complete.
B.9.1	Trigger Event	EcDsScienceData Server	EcSbSubServer	Distributed Object	Upon successful insertion of each Landsat-7 scene virtual granule, the L70R WRS Insert event is triggered. This is a qualified event. The scene's spatial metadata is passed along with the trigger. The correct subscription server is determined from SDSRV configuration. The correct events to trigger are determined from the events file which was populated when the ESDT was installed. The UR of the inserted granule is provided with the event triggering.

Table 3.6.5.3-1. Component Interaction Table: L7 PS Data Insertion (6 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.9.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.
B.10.1	Data Delivery status	EcInReq Mgr	EcCsLandsat7Gateway	rpc	Ingest creates a Data Delivery Notice indicating successful insertion of LPS data. Note the Ingest session with the L7GWY was established in step B.4.
B.11.1	Data Delivery Notice	EcCsLandsat7Gateway	LPS	rpc	L7 Gateway sends the Data Delivery Notice to LPS. LPS responds with a Data Delivery Acknowledgment (DDA).

3.6.6 Landsat-7 Standing Order Support Thread

This thread shows how the system supports standing orders for data granules.

3.6.6.1 Landsat-7 Standing Order Support Thread Interaction Diagram - Domain View

Figure 3.6.6.1-1 depicts the L-7 Standing Order Support Interaction.




Figure 3.6.6.1-1. L7 Standing Order Support Interaction Diagram

3.6.6.2 Landsat-7 Standing Order Support Thread Interaction Table - Domain View

Table 3.6.6.2-1 provides the Interaction - Domain View: L-7 Standing Order Support.

Table 3.6.6.2-1. Interaction Table - Domain View: L7 Standing Order Support

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.1	Trigger Event	DSS (SDSRV)	SBSRV	None	None	This thread picks up with fulfilling the standing order WRS scene data. This is a qualified event with the spatial attributes of the scene specified. In this scenario, the newly inserted scene is within the spatial constraints specified by the Science User. This is the same step as B.7 and B.9 of this Landsat-7 scenario.
C.2	Notification	SBSRV	Science User	None	None	Send email notification to Science User, notifying that there is a newly inserted WRS scene granule that meets the specified spatial area of interest. Notification message includes the UR of the scene granule as well as the qualification criteria that it matched.
C.3	Acquire Data	SBSRV	SDSRV	None	None	SBSRV fulfills the standing order by the Science User, for WRS scene granules. Request to Acquire data, via 8mm tape, for the Science User.
C.4	Create Data Tape	DSS	Tape device	1 WRS scene @ 2MB (nominally)	None	Data Server copies the WRS Scene granule's files to 8mm tape and marks the order as 'Ready to Ship.'
C.5	Ship Tape to User	DAAC Ingest/Distribution Technician	Science User	None	None	DAAC Ingest/Distribution Technician collects tape, media label shipping label and packing list. They label tape, enclose tape and packing list in shipping container and label shipping container. DAAC uses commercial shipping vendor for delivery to Science User.
C.6	Update Order	DAAC Ingest/Distribution Tech.	DSS	None	None	DAAC Ingest/Distribution Technician marks order as 'Shipped.'
C.7	Distribution Notice	DSS	Science User	None	None	Send email notification to Science User, notifying that the newly inserted WRS scene of interest has been shipped to their shipping address.

3.6.6.3 Landsat-7 Standing Order Support Thread Component Interaction Table

Table 3.6.6.3-1 provides the Component Interaction: L-7 Standing Order Support.

**Table 3.6.6.3-1. Component Interaction Table: L7 Standing Order Support
(1 of 4)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.1.1	Trigger Event	EcDsScienceDataServer	EcSbSub Server	Distributed Object	(Same as B.7.1) Upon successful insertion of L7 WRS scene granules, the L7 WRS Insert event is triggered, for each granule. These are qualified events. Along with the trigger are spatial metadata qualifiers. The correct subscription server is determined from SDSRV configuration. The correct event to trigger is determined from the events file, which was populated during ESDT installation. Provided with the event triggering is the UR of the inserted granule.
C.1.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently. Currently all the subscriptions on this qualified event are not qualified, so all subscriptions are hits.
C.2.1	Send Notification	EcSbSub Server	Science User	e-mail	The SBSRV builds an email notification that the user's subscription on the WRS scenes insert event has been fired. This notification identifies the Event, the subscription ID, the UR that was inserted and the previously supplied User String.
C.3.1	Connect to SDSRV	EcSbSub Server	EcDsScienceDataServer	Distributed Object	In order to fulfill a standing order for the L7 WRS Scene data, the SBSRV begins a session with the SDSRV, on behalf of the subscription user. The correct SDSRV is determined from the Granule UR provided with the event triggering. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.3.2	Add PGE granule's UR to Session	EcSbSub Server	EcDsScienceDataServer	Distributed Object	The SBSRV establishes the data context of the session with the SDSRV by adding the input granules to the session. The Granule UR of each input granule is added to the ESDT ReferenceCollector.

**Table 3.6.6.3-1. Component Interaction Table: L7 Standing Order Support
(2 of 4)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.3.3	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
C.3.4	Acquire Data	EcSbSubServer	EcDsScienceDataServer	Distributed Object	SBSRV fulfills the standing order for the L7 WRS Scene granule by submitting an Acquire request for the granule. The Acquire request is for an 8mm tape of all granules in the ESDT ReferenceCollector. This request is asynchronous, meaning that the return of the submit call of the request only contains the status of the request's submittal. The request asks for an email notification to be emailed to the user. The Acquire request structure is hard-coded within the Subscription Server. For the granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
C.3.5	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV requests STMGT to create a Staging Disk for working space, scene files and metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.3.6	STMGT Retrieve	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that STMGT retrieve the subinterval granule files that are to be subset. For a WRS Scene, these files include Band files. This results in the files being staged to the working staging disk area. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request.

**Table 3.6.6.3-1. Component Interaction Table: L7 Standing Order Support
(3 of 4)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.3.7	L7 Scene creation	EcDsScienceDataServer	EcDsHdfEosServer	Distributed Object	Since L7 WRS Scenes are virtual granules (i.e. the granules are represented in the inventory with their metadata, but the files which contain the data don't actually exist), the scene files must be extracted from the scene's parent subinterval. The scenes files are created using internal subinterval subsetting methods. The subset files include Band files, MTA, PCD Calibration files, and Mirror Scan correction data files. A Metadata file is created for the new WRS Scene. After subsetting, the SDSRV queries the DB for a comparable L7CPF file. Subsetted data is reformatted using a new staging disk. A new staging disk is used for the MTA files also.
C.3.8	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for the WRS Scene granule, a reference to the reformatted and metadata files. Other parameters from the Acquire request are passed to DDIST (8mm). At this point all necessary data has been pulled from the archive or the DB.
C.3.9	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. The amount of staging disk to request is calculated from the file sizes in the information passed in the Distribution Request. (Note: A packing list is created in step C.4.2)
C.3.10	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve any files for the granule that are still archived. The correct archive is determined by the Archive id supplied by SDSRV in the metadata for the files. STMGT moves the files from the archive to the read only cache.
C.3.11	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
C.3.12	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the reformatted scene and metadata files from the SDSRV's Staging Disk into the staging disk.

**Table 3.6.6.3-1. Component Interaction Table: ~~IT~~ Standing Order Support
(4 of 4)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.4.1	Allocate Media Resource	EcDsDistributionServer	EcDsSt8MMTapeServer	Distributed Object	DDIST now creates the Resource manager for 8mm via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (8mm, in this case). The correct 8mm resource is determined from configuration within the resource factory.
C.4.2	Write files to 8mm tape	EcDsDistributionServer	EcDsSt8MMTapeServer	Distributed Object	DDIST requests that the tapes held in staging disk be copied to the 8mm device. Upon completion of the files being copied, the state of the distribution request is marked as "Ready for Shipment", which is displayed on the operator GUI. A packing list is generated and automatically printed using the STMGT print server.
C.5.1	Determine request is ready for shipping	DAAC Ops - Distribution Technician	EcDsDdistGui	GUI	Operator notes that the request is ready for shipping and that it includes the 8mm tape just produced. The 8mm tape slot and stacker id are included on the logs accessible to the operator, so that the operator knows which tapes to ship.
C.5.2	Ship Tapes	DAAC Ops - Data Technician	DAAC Ops - Data Technician	Internal	The labels for all media, as well as a shipping label for the package, are created manually. Using commercial shipping vendors (determined by DAAC policy), the DAAC Data Technician labels the tape, packages the tape(s) and packing list, labels the package and ships to address provided with the request.
C.6.1	Mark as Shipped	DAAC Ops - Data Tech.	EcDsDdistGui	GUI	Using the DSS GUI, the Data Technician marks the request as "Shipped".
C.6.2	Update Distribution Request	EcDsDdistGui	EcDsDistributionServer	Distributed Object	DDIST updates the state of the request to "Shipped".
C.7.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	Internal	The DDIST builds an email notification that the user's order has been fulfilled. This notification includes the type and format, as well as UR, type and file names and sizes for each granule.
C.7.2	Send E-mail	EcDsDistributionServer	Science User	email	DDIST sends the distribution notice to the user via email. If the subscription is input by or for a registered User, the e-mail will go directly to the User -no interpretation is needed.

3.6.7 Landsat-7 IAS Data Insertion Thread

This thread shows how the ECS inserts data provided by IAS.

3.6.7.1 Landsat-7 IAS Data Insertion Thread Interaction Diagram - Domain View

Figure 3.6.7.1-1 depicts the Landsat-7 IAS Data Insertion Interaction.




Figure 3.6.7.1-1. Landsat-7 IAS Data Insertion Interaction Diagram

3.6.7.2 Landsat-7 IAS Data Insertion Thread Interaction Table - Domain View

Table 3.6.7.2-1 provides the Interaction - Domain View: L-7 IAS Data Insertion.

Table 3.6.7.2-1. Interaction Table - Domain View: L7 IAS Data Insertion (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
D.1	Get SDSRV URs	INS	IOS	None	None	Upon startup, Ingest gets the SDSRV URs for each data type in its database.
D.2	Polling	INS	directory	None	Entire step is really a precondition.	When system is started, Ingest begins polling a directory, looking for files that meet the following standard: *PDR, in the pre-configured directory.

Table 3.6.7.2-1. Interaction Table - Domain View: L7 IAS Data Insertion (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
D.3	Copy Files	IAS	directory	None	IAS knows the host and directory to place files.	IAS copies the CPF, PDR and metadata files to the directory which Ingest is polling.
D.4	Request Data Insert	INS	DSS	1 L7CPF @ 127MB	L7CPF ESDT	Ingest inserts the new CPF granule into the Data Server.
D.5	Trigger Event	DSS	SBSRV	None	None	Upon successful completion of insertion of L7CPF, the L7CPFInsert event is triggered.

3.6.7.3 Landsat-7 IAS Data Insertion Thread Component Interaction Table

Table 3.6.7.3-1 provides the Component Interaction: L-7 IAS Data Insertion.

Table 3.6.7.3-1. Component Interaction Table: L7 IAS Data Insertion (1 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.1.1	Get SDSRV URs from IOS	EclnReq Mgr	EclAdServer	Distributed Object	Upon startup, Ingest Request Manager requests the SDSRV URs for each data type in its database.
D.2.1	Ingest Polling	EclnPolling	Polling Directory	ftp	Ingest begins polling the configured directory. It periodically looks for files named *PDR. The polling periodicity is determined from a configuration file. The mask of the file to look for is determined from configuration by the Notify Type of the data provider in the Ingest database.
D.3.1	IAS Copies Files	IAS	Polling Directory	ftp	IAS ftp's the Calibration Parameter File to the predetermined directory. Location, directory, username and password are as per the L7-Operations Agreement.
D.4.1	Polling Detects Files	EclnPolling	Polling Directory	ftp	Ingest Polling detects files matching the *PDR mask.
D.4.2	Send Request	EclnPolling	EclnReq Mgr	Distributed Object	Polling Ingest process copies the PDR file to the Ingest remote directory and sends a Create Request rpc to Request Manager. The data source (IAS), defined on startup, is passed to the Ingest Request Manager.

Table 3.6.7.3-1. Component Interaction Table: I7 IAS Data Insertion (2 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.4.3	Granule Process Request	EcInReq Mgr	EcInGran	Distributed Object	Request Manager packages the request into granules and sends them to the Ingest Granule Server.
D.4.4	Create Staging Disk	EcInGran	EcDsStStagingDiskServer	Distributed Object	Ingest creates Staging Disk. The reference to the Staging Disk server is determined from the Ingest Database. The amount of staging disk to request is determined from the *PDR file.
D.4.5	Allocate Media Resource	EcInGran	EcDsStIngestFtpServer	Distributed Object	Ingest now creates the Resource manager for its ftp server via a Resource Manager Factory. Ingest knows that this request is via ftp from a database lookup, keyed on the data type. The correct resource manager is determined from the Media Type handed to the resource factory (IngestFtp, in this case). The correct IngestFtp Server resource is determined from configuration within the Ingest Database.
D.4.6	Ftp Get files	EcInGran	EcDsStIngestFtpServer	Distributed Object	Ingest directs the ftp server to get the files from the host and location, as indicated in the *PDR file, placing them on the staging disk.
D.4.7	ftp Files	EcDsStIngestFtpServer	ftp daemon	ftp	Ftp get files from location.
D.4.8	Connect to SDSRV	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest begins a session with the SDSRV by connecting. The correct SDSRV is determined during EcInReqMgr startup, from Advertising, based on the data type. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
D.4.9	Request Metadata Configuration File	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests the metadata configuration file (MCF) for the data being inserted. The data types being inserted are derived from the *PDR file sent by IAS. Ingest performs preprocessing (current number of files for data type, metadata extraction, etc.).
D.4.10	Validate Metadata	EcInGran	EcDsScienceDataServer	Distributed Object	After building a metadata file for the CPF granule, Ingest asks SDSRV to validate the metadata, based on the granule's data type.
D.4.11	Request Data Insert	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests that the received files for the L7CPF are inserted into the Data Server. An Insert request, containing the names of the files comprising the CPF granule, is created. The structure of the Insert Request is hard-coded in the granule server process. SDSRV validates metadata and determines the archived names of the files.

Table 3.6.7.3-1. Component Interaction Table: L7 IAS Data Insertion (3 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.4.12	STMGT Store	EcDsScienceData Server	EcDsStArchiveServer	Distributed Object	SDSRV requests that the CPF is archived. The archive server copies the files directly from the Ingest staging disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation.
D.4.13	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/SQLS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
D.4.14	Completion Callback	EcInReqMgr	EcInGran	rpc	The Ingest Granule Server sends a completion callback to the Ingest Request Manager.
D.4.15	IAS Data Response	EcInReqMgr	IAS	file	Ingest places the completion status in a Production Acknowledgment Notice (PAN) file, which is placed in a directory accessible to IAS.
D.5.1	Trigger Event	EcDsScienceData Server	EcSbSubServer	Distributed Object	Upon successful insertion of L7 CPF granule, the L7CPF Insert event is triggered. The correct subscription server is determined from SDSRV configuration. The correct events to trigger are determined from the events file, which was populated during ESDT installation. Provided with the event triggering is the UR of the inserted granule.
D.5.2	Retrieve Subscriptions	EcSbSubServer	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.

3.6.8 Landsat-7 Search and Browse Thread

This thread shows how the ECS supports users searching for and browsing data holdings.

3.6.8.1 Landsat-7 Search and Browse Thread Interaction Diagram - Domain View

Figure 3.6.8.1-1 depicts the L-7 Search and Browse Interaction.




Figure 3.6.8.1-1. L7 Search and Browse Interaction Diagram

3.6.8.2 Landsat-7 Search and Browse Thread Interaction Table - Domain View

Table 3.6.8.2-1 provides the Interaction - Domain View: L-7 Search and Browse.

Table 3.6.8.2-1. Interaction Table - Domain View: L7 Search and Browse (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precond itions	Description
E.1	Invent ory Searc h	Science User	EDG	None	None	Upon notification that there are new scenes available, the Science User decides to look for additional scenes of interest. First, the user invokes Netscape, navigates to the EOS Data Gateway (EDG) and searches for scenes over another area of interest.
E.2	Searc h	EDG	V0GWY	None	None	EDG submits the Science User's search criteria to the V0 Gateway in ODL format, via a specific socket.

Table 3.6.8.2-1. Interaction Table - Domain View: L7 Search and Browse (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precond itions	Description
E.3	Search	V0GWY	SDSRV (DSS)	None	None	The V0 gateway translates the Search criteria from ODL to a query object (using GIParameters), and submits that query to the Search service. The results of this Search are returned synchronously, and are passed back to EDG, which displays them to the Science User.
E.4	Browse Granule	Science User	EDG	None	None	User decides some of these granules might be of interest, so before ordering them he decides to get a browse image of one to verify.
E.5	Order	EDG	V0GWY	None	None	EDG submits ftp Browse Request to the V0 Gateway in ODL format via a specific socket-level interface.
E.6	Acquire Data	V0GWY	SDSRV	None	None	V0GWY submits an Acquire request for the browse granule, via ftp Pull.
E.7	Delete Expired Files	Operator	DSS	None	None	The Operator is notified when expired files have to be removed from the Pull Cache. The Operator views and sorts a file display, and deletes files based on expiration status.
E.8	Distribution Notice	DSS	Science User	None	None	Send email notification to Science User, notifying that the browse granule is now available for ftp access.
E.9	Data Request	Science User	DSS	1 browse granule @MB	None	Scientist ftps browse granule to their workstation via a request.
E.10	View Data	Science User	EOSView	None	None	Science User invokes EOSView, and views the selected scene's browse image.

3.6.8.3 Landsat-7 Search and Browse Thread Component Interaction Table

Table 3.6.8.3-1 provides the Component Interaction: L-7 Search and Browse.

Table 3.6.8.3-1. Component Interaction Table: L7 Search and Browse (1 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.1.1	Startup EDG	Science User	Netscape	Command	Science User invokes a Netscape browser and navigates to the EOS Data Gateway home page.

Table 3.6.8.3-1. Component Interaction Table: L7 Search and Browse (2 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.1.2	Select Inventory Search, Provide Query constraints, Submit Query	Science User	Netscape	GUI	The Science User provides search constraints and the products desired. When query constraints are completed, the query is submitted.
E.2.1	V0 Gateway Inventory Search	Netscape	EcDmV0 ToEcsGateway	ODL, over sockets	EDG submits a search to the V0 Gateway, by converting the search criteria into an ODL structure and passing that structure to a socket provided by the Gateway. The correct socket is determined from configuration information in the Valids file.
E.3.1	Establish ECS User	EcDmV0 ToEcsGateway	EcMsAc RegUser Srvr	Distributed Object	V0 Gateway retrieves the User Profile using ECS Authenticator from ODL message, which includes an encrypted User ID and Password. The User Registration Server is replicated across DAACs, so the connection is made to the local User Registration Server.
E.3.2	Translate Query	EcDmV0 ToEcsGateway	EcDmDictServer	CtLib (RWDBTool)	Gateway translates the V0 terms from ODL into ECS names for query submittal using the DDICT database. Interface currently is directly to Data Dictionary database. Database name is retrieved from configuration file.
E.3.3	Connect to SDSRV	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The Gateway first connects to the SDSRV. The correct SDSRV is determined by configuration file.
E.3.4	SDSRV Query	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The Gateway translates the query into a DsCIQuery object. This object is handed to the Search interface of the DsCI ESDT ReferenceCollector. This Search method is synchronous, so the results of the search are returned to the calling function. After the search the Gateway receives a list of URs. Then it does an inspect to the SDSRV to get the metadata.
E.3.5	Request Metadata	EcDsScienceData Server	Sybase/SQLS	CtLib	The SDSRV breaks down the Query object and translates it into a sequence of calls to the inventory database. Resultant rows are converted into data granules, each with their metadata extracted from the database. These results are packaged and returned to the Query client.

Table 3.6.8.3-1. Component Interaction Table: LZ Search and Browse (3 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.3.6	Result Retrieval	Netscape	EcDmV0 ToEcsGateway	ODL, over Sockets	When the Gateway gets the results, they are translated into ODL, and passed back to the EDG tool. The correct socket for sending results to EDG is the one used to submit the query. EDG then displays the results of the query to the user.
E.4.1	EDG ftp Browse	Science User	Netscape	GUI	Science User decides to browse a specified granule. They click the Browse field, then "Go To Browse".
E.5.1	V0 ftp Browse	Netscape	EcDmV0 ToEcsGateway	ODL, over sockets	EDG submits an ftp Pull Request for the browse to the V0 Gateway. The correct socket is determined from Valid file.
E.5.2	Establish ECS User	EcDmV0 ToEcsGateway	EcMsAc RegUser Srvr	Distributed Object	V0 Gateway retrieves the User Profile using ECS Authenticator from ODL message, which includes an encrypted User ID and Password. The User Registration Server is replicated across DAACs, so the connection is made to the local User Registration Server.
E.5.3	Connect to SDSRV	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The V0Gateway begins a session with the SDSRV, on behalf of the science user. The correct SDSRV is determined by the UR of the granule whose browse is being requested. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
E.5.4	Add PGE granule's UR to Session	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The V0 Gateway establishes the data context of the session with the SDSRV by adding granules to the session. The Granule UR of the granule to be browsed is added to the ESDT ReferenceCollector.
E.5.5	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
E.5.6	Inspect Granule Value Parameters	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The V0 Gateway determines the UR of the Browse granule to acquire by inspecting the "browsed" metadata attribute of the granule to be browsed.

Table 3.6.8.3-1. Component Interaction Table: L7 Search and Browse (4 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.5.7	Add PGE granule's UR to Session	EcDmV0ToEcsGateway	EcDsScienceData Server	Distributed Object	The V0 Gateway adds the Browse granule to the data context of the session with the SDSRV by adding its UR to the session.
E.5.8	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes adding the browse granule to the session by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
E.6.1	Acquire Data	EcDmV0ToEcsGateway	EcDsScienceData Server	Distributed Object	The V0 Gateway submits an Acquire request for the granule. The Acquire request is for an ftp Pull of the browse granule in the ESDT ReferenceCollector. This request is asynchronous, meaning that the return of the submit call of the request only contains the status of the request's submittal. This request asks for a distribution notice to be emailed. The e-mail address is obtained from the User Profile. The Acquire request structure is hard coded using the constants in the DDIST provided header file.
E.6.2	Create Staging Disk	EcDsScienceData Server	EcDsStagingDiskServer	Distributed Object	SDSRV requests STMGT to create a Staging Disk for the browse granule's metadata file, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
E.6.3	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	For the browse granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution and placing the file in the staging disk.
E.6.4	Distribute Granules, Synchronou s	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for the granule, a reference to the metadata file as well as the data file. Other parameters from the Acquire request are passed to DDIST.

Table 3.6.8.3-1. Component Interaction Table: LZ Search and Browse (5 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.6.5	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
E.6.6	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the browse granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
E.6.7	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the browse file from the read-only cache into the staging disk.
E.6.8	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the browse metadata file from the SDSRV's Staging Disk into the staging disk.
E.6.9	DDIST Pull No Tar	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pull via a STMGT Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftp Pull, in this case). The correct ftp Server is determined from configuration within the resource factory.

Table 3.6.8.3-1. Component Interaction Table: L7 Search and Browse (6 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.7.1	Operator Notification of Expired files	Operator	EcDsStmgtGui	GUI	Message is sent to the operator when expired files have to be removed from the Pull Cache. The notification can either be a warning, the cache is getting full or an indication of imminent failure. Notification comes to the message screen that is part of the STMGT GUI. There is a configuration parameter, which will allow the software to automatically delete expired files.
E.7.2	View Expired Files	Operator	EcDsStmgtGui	GUI	Operator selects to view the Pull Monitor Server at the Cache Stats tab. The display will contain all of the files currently in the pull cache. The operator can sort the display based on expiration status so that all of the expired files are in the same place on the screen. The operator can then select the files to be deleted and hits the mark delete button. When the operator has marked all of the files for deletion that he/she wants to delete at that time, the operator hits the purge button. This will cause the files to be deleted from the cache and entries will be removed from the database tables CacheFile and FileLocation. Any remaining links will also be cleaned up.
E.8.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	Internal	DDIST builds a distribution notice indicating that the browse data is now available. The notice includes the UR of the browse granule, name of the browse file, the host and directory names where it is available and how long it is available.
E.8.2	Send E-mail	EcDsDistributionServer	Science User	e-mail	The distribution notice is emailed to the Science User.
E.9.1	User Ftp's Data	Scientist's ftp utility	ftp_popen	ftp	The scientist uses ftp to get the browse file.
E.10.1	Invoke EOSView	Science User	EOSView	Command	Science User begins the EOSView application by double clicking the EOSView icon.
E.10.2	Display Browse File	Science User	EOSView	GUI	The Science User specifies which file to display and sets visualization parameters. The browse file is now displayed for the user.

3.6.9 Landsat-7 Ordering WRS Scenes Thread

This thread shows how the ECS supports user orders for WRS scenes.

3.6.9.1 Landsat-7 Ordering WRS Scenes Thread Interaction Diagram - Domain View

Figure 3.6.9.1-1 depicts the L-7 Ordering WRS Scenes Interaction.




Figure 3.6.9.1-1. L7 Ordering WRS Scenes Interaction Diagram

3.6.9.2 Landsat-7 Ordering WRS Scenes Thread Interaction Table - Domain View

Table 3.6.9.2-1 provides the Interaction - Domain View: Landsat L-7 Ordering WRS Scenes.

**Table 3.6.9.2-1. Interaction Table - Domain View: L7 Ordering W/Scenes
(1 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precondi tions	Description
F.1	Order Data	Science User	EDG	None	None	Scientist decides to order a number of L7 WRS scenes. Using EDG, scientist selects the scenes of interest and selects order via 8mm tape.
F.2	Order	EDG	V0GWY DORRAN	None	None	EDG submits the Science User's order to the V0 Gateway in ODL format, via a specific socket. The V0GWY sends the request to the LIMGR. The LIMGR gets the advertisement for the acquire. The LIMGR sends the acquire to the V0GWY. The V0GWY sends the acquire to the DORRAN system. The Operator validates the order and DORRAN sends back all the remaining granules to the V0GWY over a specific socket. The DORRAN System performs a Billing & Accounting verification.
F.3	Acquire	V0GWY DORRAN	SDSRV (DSS)	1 L7WRS granules @12 MB	None	The V0 gateway translates the order into an Acquire request. The request is for a set of WRS scenes, via 8mm tape. To fulfill the acquire of WRS scenes, which are virtual granules, the Data Server derives the scenes from their parent subinterval, using internally available subsetting services.
F.4	Create Tape	DSS	Tape Device	None	None	Data Server copies the WRS Scenes granule's files to 8mm tape and marks the order as "Ready to Ship".
F.5	Ship Tape to User	DAAC Ingest Distribution Technician	Science User	None	None	DAAC Ingest/Distribution Technician collects the tape and the packing list, and generates a media shipping label. They label tape, enclose tape and packing list in shipping container and label shipping container. DAAC uses commercial shipping vendor for delivery to Science User.
F.6	Update Order	DAAC Ops (Distribution Tech.)	DSS (DDIST GUI)	None	None	Data Technician marks order as "Shipped" in the DDIST GUI.
F.7	Distribution Notice	DSS	Science User	None	None	Send email notification to Science User, notifying that the ordered WRS scenes have been shipped to their shipping address.

**Table 3.6.9.2-1. Interaction Table - Domain View: L7 Ordering WRS Scenes
(2 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
F.8	Order Data	Science User	EDG	None	None	Scientist decides to order a particular scene of high interest, via ftp Pull.
F.9	Order	EDG	V0GWY DORRAN	None	None	EDG submits the Science User's order to the V0 Gateway in ODL format, via a specific socket. The V0GWY sends the request to the LIMGR. The LIMGR gets the advertisement for the acquire. The LIMGR sends the acquire to the V0GWY. The V0GWY sends the acquire to the DORRAN system. The Operator validates the order and DORRAN sends back all the remaining granules to the V0GWY over a specific socket. The DORRAN System performs a Billing & Accounting verification.
F.10	Acquire	V0GWY DORRAN	DSS	1 WRS scene @ 2M B (nominally)	None	The V0 gateway translates the order into an Acquire request. The request is for a set of WRS scenes, via ftp Pull. To fulfill the acquire of WRS scenes, which are virtual granules, the Data Server derives the scenes from their parent subinterval, using internally available subsetting services.
F.11	Distribution Notice	DSS	Science User	None	None	Send email notification to Science User, notifying them that the requested scene is now available for ftp access.
F.12	Delete Expired Files	Operator	DSS	None	None	The Operator is notified when expired files have to be removed from the Pull Cache. The Operator views and sorts a file display, and deletes files based on expiration status.

3.6.9.3 Landsat-7 Ordering WRS Scenes Thread Component Interaction Table

Table 3.6.9.3-1 provides the Component Interaction: L-7 Ordering WRS Scenes.

Table 3.6.9.3-1. Component Interaction Table: L7 Ordering W/Scenes (1 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.1.1	Select data to be ordered via 8mm tape	Science User	Netscape	GUI	The Science User selects a set of WRS scenes to order for delivery via 8mm tape. When the order is complete it is submitted to the V0 Gateway.
F.2.1	V0 Gateway Order	Netscape	EcDmV0 ToEcsGateway	ODL, over sockets	EDG submits an order to the V0 Gateway, by converting the order into an ODL structure and passing that structure to a socket provided by the Gateway. The correct socket is determined from configuration information in the Valids file. The order contains billing information including billing ID.
F.2.2	Establish ECS User	EcDmV0 ToEcsGateway	EcMsAc RegUser Svr	Distributed Object	V0 Gateway retrieves the User Profile using ECS Authenticator from ODL message, which is an encrypted User ID and Password. The User Registration Server is replicated across DAACs, so the connection is made to the local User Registration Server.
F.2.3	Request Attribute Mapping	EcDmV0 ToEcsGateway	EcDmDictServer	CtLib (RWDBTool)	Gateway translates the V0 terms from ODL into ECS names for request submittal using the DDICT database. Interface is directly to Data Dictionary database. Database name is retrieved from configuration file.
F.2.4	Request L7 Product	EcDmV0 ToEcsGateway	EcDmLim Server	Distributed Object	V0GW sends the request to the LIMGR because the order is for L7OR WRS data and there is no order ID in the message.
F.2.5	Search Advertisements	EcDmLim Server	EcIoAdServer	Distributed Object	The LIMGR sends a request to the ADSRV to obtain the subscription event advertisement for the acquire of data granules.
F.2.6	Request L7 Product	EcDmLim Server	EcDmEcsToV0Gateway	Distributed Object	The LIMGR sends the acquire to the V0GW based on the data being L7OR WRS and the advertisement has a check order parameter in the signature.
F.2.7	Acquire to DORRAN	EcDmV0 ToEcsGateway	DORRAN	Distributed Object	The V0GW sends the acquire to the DORRAN system.
F.2.8	B & A Verification	EcDmV0 ToEcsGateway	DORRAN	Distributed Object	DORRAN validates the request by checking the account level of the requester and the required funding level of the request.
F.2.9	DORRAN Return	DORRAN	EcDmEcsToV0Gateway	Distributed Object	The Operator validates the order and DORRAN sends back all the remaining granules to the V0GW over a specific socket.

Table 3.6.9.3-1. Component Interaction Table: LZ Ordering W/Scenes (2 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.2.10	Create Tracked Order	EcDmV0 ToEcsGateway	EcMsAc OrderSrvr	Distributed Object	Create an order to be tracked within ECS. Initial status set to "Pending."
F.2.11	Store Tracked Order	EcMsAc OrderSrvr	Sybase	CtLib	Save the tracked order to the order database.
F.2.12	Create Tracked Request	EcDmV0 ToEcsGateway	EcMsAc OrderSrvr	Distributed Object	Create the Tracked Request within the Order. Initial status set to "Pending."
F.2.13	Store Tracked Request	EcMsAc OrderSrvr	Sybase	CtLib	Save the tracked request to the order database.
F.2.14	Connect to SDSRV	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The Gateway first connects to the SDSRV. The correct SDSRV is determined by the UR of a granule that is being ordered. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
F.2.15	Add granules to Session	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The V0 Gateway establishes the data context of the session with the SDSRV by adding granules to the session. The Granule UR of the WRS Scene granules to be ordered are added to the ESDT ReferenceCollector.
F.2.16	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
F.3.1	Acquire Data	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	V0Gateway submits the order for WRS Scene granules by submitting an Acquire request for the granules. The Acquire request is for an 8mm tape of all granules in the ESDT ReferenceCollector. This request is asynchronous, meaning that the return of the submit call of the request only contains the status of the request's submittal. The request asks for an email notification to be emailed to the user.
F.3.2	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV requests STMGT to create a Staging Disk for working space, scene files and metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.

Table 3.6.9.3-1. Component Interaction Table: L7 Ordering W/Scenes (3 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.3.3	STMGT Retrieve	EcDsScienceData Server	EcDsStArchiveServer	Distributed Object	SDSRV requests that STMGT retrieve the subinterval granule files that are to be subset. For a WRS Scene, these files include Band files, MSCD, Calibration File, MTA, PCD, and CPF files. This results in the files being staged to the working staging disk area. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request.
F.3.4	L7 Scene creation	EcDsScienceData Server	EcDsHdfEosServer	Distributed Object	Since L7 WRS Scenes are virtual granules (i.e. the granules are represented in the inventory with their metadata, but the files which contain the data don't actually exist), the scene files must be extracted from the scene's parent subinterval. The scenes files are created using internal subinterval subsetting methods. The subset files include Band files, MSCD, Calibration File, MTA and PCD files. Metadata files for each WRS Scene granule are created. Also the SDSRV searches the database for a comparable L7CPF file before performing reformatting. It keys the complete MTP file and creates a Format 1 / Format 2 file. Then the subsetted data is reformatted before passing the request to DDIST.
F.3.5	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each WRS Scene, a reference to the subset and metadata files. Other parameters from the Acquire request are passed to DDIST.
F.3.6	Update Tracked Request Status	EcDsDistributionServer	EcMsAcOrderServer	Distributed Object	Update the status of the tracked request to 'Active'.
F.3.7	Update Tracked Status	EcMsAcOrderServer	Sybase	CtLib	Update the Order Tracking Database with new status.

Table 3.6.9.3-1. Component Interaction Table: LZ Ordering W/Scenes (4 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.3.8	Create Staging Disk	EcDsDistributionServer	EcDsStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file. DDIST copies the reformatted data to the new staging disk. (Note: A packing list is generated in the next series of steps).
F.3.9	Update Tracked Request Status	EcDsDistributionServer	EcMsAcOrderServer	Distributed Object	Update the status of the tracked request to "Staging".
F.3.10	Update Tracked Status	EcMsAcOrderServer	Sybase	CtLib	Update the Order Tracking Database with new status.
F.3.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStagingDiskServer	Distributed Object	DDIST copies the subset and metadata files from the SDSRV's Staging Disk into the staging disk.
F.4.1	Allocate Media Resource	EcDsDistributionServer	EcDsSt8MMTapeServer	Distributed Object	DDIST now creates the Resource manager for 8mm via a STMGT Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (8mm, in this case). The correct 8mm resource is determined from configuration within the resource factory.
F.4.2	Update Tracked Request Status	EcDsDistributionServer	EcMsAcOrderServer	Distributed Object	Update the status of the tracked request to "Transferring".

Table 3.6.9.3-1. Component Interaction Table: LZ Ordering Scenes (5 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.4.3	Update Tracked Status	EcMsAc OrderSrvr	Sybase	CtLib	Update the Order Tracking Database with new status.
F.4.4	Write files to 8mm tape	EcDsDistributionServer	EcDsSt8MMTape Server	Distributed Object	DDIST requests that the tapes held in staging disk be copied to the 8mmtape. Upon completion of the files being copied, the state of the distribution request is marked as Ready for Shipment," which is displayed on the operator GUI. A packing list is generated.
F.4.5	Update Tracked Request Status	EcDsDistributionServer	EcMsAc OrderSrvr	Distributed Object	Update the status of the tracked request to Waiting for Shipment"
F.4.6	Update Tracked Status	EcMsAc OrderSrvr	Sybase	CtLib	Update the Order Tracking Database with new status.
F.5.1	Determine request is ready for shipping	DAAC Ops - Distribution Technician	EcDsDdistGui	GUI	Operator notes that the request is ready for shipping and that it includes the 8mm tape just produced. The 8mm tape slot and stacker id are included in the logs, so that the operator knows which tapes to ship.
F.5.2	Ship Tapes	DAAC Ops - Data Technician	DAAC Ops - Data Technician	Internal	Labels for all media, as well as a shipping label for the package are created manually. Using commercial shipping vendors (determined by DAAC policy), the DAAC Data Technician labels the tape, packages the tape(s) and packing list, labels the package and ships to address provided with the request.
F.6.1	Mark as Shipped	DAAC Ops - Data Technician	EcDsDdistGui	GUI	Using the DSS GUI, the Data Technician marks the request as Shipped"
F.6.2	Update Distribution Request	EcDsDdistGui	EcDsDistributionServer	Distributed Object	DDIST updates the state of the request to Shipped"
F.6.3	Update Tracked Request Status	EcDsDistributionServer	EcMsAc OrderSrvr	Distributed Object	Update the status of the tracked request to Shipped"

Table 3.6.9.3-1. Component Interaction Table: L7 Ordering W/Scenes (6 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.6.4	Update Tracked Status	EcMsAc OrderSrvr	Sybase	CtLib	Update the Order Tracking Database with new status.
F.7.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	Internal	The DDIST builds an email notification that the user's order has been fulfilled. This notification includes the type and format, as well as UR, type and file names and sizes for each granule.
F.7.2	Send E-mail	EcDsDistributionServer	Science User	email	Message is emailed to the Science User's email address, as determined from the User Profile.
F.8.1	Select data to be ordered via ftp Pull	Science User	Netscape	GUI	The Science User selects a specific WRS scene to order for delivery via ftp Pull while the tape order is being processed. When the order is complete it is submitted to the V0 Gateway.
F.9.1	V0 Gateway Order	Netscape	EcDmV0ToEcsGateway	ODL, over sockets	EDG submits an order to the V0 Gateway, by converting the order into an ODL structure and passing that structure to a socket provided by the Gateway. The correct socket is determined from configuration information in the Valids file. The order contains billing information including billing ID.
F.9.2	Establish ECS User	EcDmV0ToEcsGateway	EcMsAcRegUserSrvr	Distributed Object	V0 Gateway retrieves the User Profile using ECS Authenticator from ODL message, which includes an encrypted User ID and Password. The User Registration Server is replicated across DAACs, so the connection is made to the local User Registration Server.
F.9.3	Request Attribute Mapping	EcDmV0ToEcsGateway	EcDmDictServer	CtLib (RWDBTool)	Gateway translates the V0 terms from ODL into ECS names for request submittal using the DDICT database. Interface is directly to Data Dictionary database. Database name is retrieved from configuration file.
F.9.4	Request L7 Product	EcDmV0ToEcsGateway	EcDmLimServer	Distributed Object	V0GW sends the request to the LIMGR because the order is for L7OR WRS data and there is no order ID in the message.
F.9.5	Search Advertisements	EcDmLimServer	EcAdServer	Distributed Object	The LIMGR sends a request to the ADSRV to obtain the subscription event advertisement for the acquire of data granules.

Table 3.6.9.3-1. Component Interaction Table: L7 Ordering W/Scenes (7 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.9.6	Request L7 Product	EcDmLim Server	EcDmEcsToV0Gateway	Distributed Object	The LIMGR sends the acquire to the V0GW based on the data being L7OR WRS and the advertisement has a check order parameter in the signature.
F.9.7	Acquire to DORRAN	EcDmV0ToEcsGateway	DORRAN	Distributed Object	The V0GW sends the acquire to the DORRAN system.
F.9.8	B & A Verification	EcDmV0ToEcsGateway	DORRAN Comp.	Distributed Object	DORRAN validates the request by checking the account level of the requester and the required funding level of the request.
F.9.9	DORRAN Return	DORRAN	EcDmEcsToV0Gateway	Distributed Object	The Operator validates the order and DORRAN sends back all the remaining granules to the V0GW over a specific socket.
F.9.10	Create Tracked Order	EcDmV0ToEcsGateway	EcMsAcOrderServer	Distributed Object	Create an order to be tracked within ECS. Initial status set to "Pending."
F.9.11	Store Tracked Order	EcMsAcOrderServer	Sybase	CtLib	Create a tracked order in the database.
F.9.12	Create Tracked Request	EcDmV0ToEcsGateway	EcMsAcOrderServer	Distributed Object	Create the Tracked Request within the Order. Initial status set to "Pending."
F.9.13	Store Tracked Request	EcMsAcOrderServer	Sybase	CtLib	Create a tracked request in the order database.
F.9.14	Connect to SDSRV	EcDmV0ToEcsGateway	EcDsScienceData Server	Distributed Object	The Gateway first connects to the SDSRV. The correct SDSRV is determined by the UR of a granule that is being ordered. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
F.9.15	Add granules to Session	EcDmV0ToEcsGateway	EcDsScienceData Server	Distributed Object	The V0 Gateway establishes the data context of the session with the SDSRV by adding granules to the session. The Granule UR of the WRS Scene granules to be ordered are added to the ESĐT ReferenceCollector.
F.9.16	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.

Table 3.6.9.3-1. Component Interaction Table: L7 Ordering W/Scenes (8 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.10.1	Acquire Data	EcDmV0ToEcsGateway	EcDsScienceDataServer	Distributed Object	V0Gateway submits the order for WRS Scene granules by submitting an Acquire request for the granules. The Acquire request is for an ftp Pull of a specified granule in the ESDT ReferenceCollector. This request is asynchronous, meaning that the return of the submit call of the request only contains the status of the request's submittal.
F.10.2	Create Staging Disk	EcDsScienceDataServer	EcDsStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for working space, scene files and metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined on a band-by-band basis. The SDSRV requests twice the size of the first band, from metadata in the database, and requests more as needed in order to subset the subsequent files. Each request is for twice the size of the file to be subsetted.
F.10.3	STMGT Retrieve	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that STMGT retrieve the subinterval granule files that are to be subsetted. For a WRS Scene, these files include band files, calibration files, MTA, MSCD and PCD files. This results in the files being staged to the working staging disk area. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request.

Table 3.6.9.3-1. Component Interaction Table: L7 Ordering W/Scenes (9 of 11)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.10.4	L7 Scene creation	EcDsScienceData Server	EcDsHdfEosServer	Distributed Object	Since L7 WRS Scenes are virtual granules (i.e. the granules are represented in the inventory with their metadata, but the files which contain the data don't actually exist), the scene files must be extracted from the scene's parent subinterval. The scenes files are created using internal subinterval subsetting methods. The subsetted files include band files, calibration files, MTA, MSCD, PCD, and CPF files. A metadata file for the WRS Scene is created. Also the SDSRV searches the database for a comparable L7CPF file before performing reformatting. It keys the complete MTP file and creates a Format 1 / Format 2 file. Then the subsetted data is reformatted before passing it to DDIST.
F.10.5	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for the granule, a reference to the metadata file. Other parameters from the Acquire request are passed to DDIST.
F.10.6	Update Tracked Request Status	EcDsDistributionServer	EcMsAcOrderServer	Distributed Object	Update the status of the tracked request to 'Active'.
F.10.7	Update Tracked Status	EcMsAcOrderServer	Sybase	CtLib	Update the Order Tracking Database with new status.
F.10.8	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the subsetted/reformatted data. DDIST copies the reformatted data to the new staging disk.
F.10.9	Update Tracked Request Status	EcDsDistributionServer	EcMsAcOrderServer	Distributed Object	Update the status of the tracked request to 'Staging'.

**Table 3.6.9.3-1. Component Interaction Table: LZ Ordering W/Scenes
(10 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.10.10	Update Tracked Status	EcMsAcOrderSrvr	Sybase	CtLib	Update the Order Tracking Database with new status.
F.10.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the subsetting and metadata files from the SDSRV's Staging Disk into the staging disk.
F.10.12	Update Tracked Request Status	EcDsDistributionServer	EcMsAcOrderSrvr	Distributed Object	Update the status of the tracked request to "Transferring."
F.10.13	Update Tracked Status	EcMsAcOrderSrvr	Sybase	CtLib	Update the Order Tracking Database with new status.
F.10.14	DDIST Pull No Tar	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pull via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftp Pull, in this case). The correct ftp Server is determined from configuration within the resource factory.
F.10.15	Update Tracked Request Status	EcDsDistributionServer	EcMsAcOrderSrvr	Distributed Object	Update the status of the tracked request to "Shipped"
F.10.16	Update Tracked Status	EcMsAcOrderSrvr	Sybase	CtLib	Update the Order Tracking Database with new status.
F.11.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	Internal	DDIST builds a distribution notice indicating that the WRS Scene data is now available. The notice includes the UR of the Scene granule, name of the Scene's files, size of files, the host and directory names where it is available and how long it is available.

**Table 3.6.9.3-1. Component Interaction Table: *L7* Ordering *D*/Scenes
(11 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.11.2	Send E-mail	EcDsDistributionServer	Science User	E-mail	The distribution notice is emailed to the Science User. The e-mail address is obtained from the User Profile.
F.12.1	Operator Notification of Expired files	Operator	EcDsStmgtGui	GUI	Message is sent to the operator when expired files have to be removed from the Pull Cache. The notification can either be a warning, the cache is getting full or an indication of imminent failure. Notification comes to the message screen that is part of the STMGT GUI. There is a configuration parameter, which will allow the software to automatically delete expired files.
F.12.2	View Expired Files	Operator	EcDsStmgtGui	GUI	Operator selects to view the Pull Monitor Server at the Cache Stats tab. The display will contain all of the files currently in the pull cache. The operator can sort the display based on expiration status so that all of the expired files are in the same place on the screen. The operator can then select the files to be deleted and hits the mark delete button. When the operator has marked all of the files for deletion that he/she wants to delete at that time, the operator hits the purge button. This will cause the files to be deleted from the cache and entries will be removed from the database tables CacheFile and FileLocation. Any remaining links will also be cleaned up.

3.6.10 Landsat-7 MOC Interface Thread

This thread shows how the Landsat-7 Mission Operations Center (MOC) interfaces with the ECS for Cloud Cover Assessment (CCA) Data. WRS path and row number, scene center scan time and scene cloud cover assessment information are extracted from the SDSRV inventory database via scripts and transferred via ftp to the MOC. This data is part of the Level 0R metadata files delivered to ECS Ingest by LPS with subinterval data – similar to the LPS Data Insertion Thread shown above.

3.6.10.1 Landsat-7 MOC Interface Thread Interaction Diagram - Domain View

Figure 3.6.10.1-1 depicts the L-7 MOC Interface Interaction - Domain View.




Figure 3.6.10.1-1. L7 MOC Interface Interaction Diagram

3.6.10.2 Landsat-7 MOC Interface Thread Interaction Table - Domain View

Table 3.6.10.2-1 provides the Interaction - Domain View: L-7 MOC Interface.

Table 3.6.10.2-1. Interaction Table - Domain View: L7 MOC Interface

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
G.1	Get SDSRV URs	INS	IOS	None	WRS scene Metadata has been transferred from LPS to be accessed by Ingest.	Upon startup, Ingest gets the SDSRV URs for each data type in its database.
G.2	Insert Data (subinterval)	INS	DSS	For 3 scenes: 13 L70RF1 files @ 732MB, or 7 L70RF2 @ 387MB, from Landsat-7 Team	L70RF1, L70RF2, L70RWRS1, L70RWRS2, ESDTs and Browse Data. (Note: L70RWRS1, L70RWRS2, and Browse Data are derived from the L70RF1 and L70RF2 ESDTs.)	When complete L70RF1 and L70RF2 data are transferred to Ingest staging disks, Ingest validates information (preprocessing) and sends a request for the data to be read by DSS for archival. DSS reads the data from the designated staging disk area. L70RF1 and L70RF2 are combined to form L70R data and L70RWRS1 and L70RWRS2 are combined to form L70RWRS data. Note the number of files depends on the number of scenes. L70RF1 files = 10 + 4 browse file per scene. L70RF2 files = 7 to 9 depending whether Band 8 is processed with 1, 2, or 3 files.
G.3	Run Scripts	DSS	DSS	None	None	Scripts are supplied by Development and are delivered with the software. The scripts can be run on a one-time basis, or set up to run on a set time interval. The scripts run the transfer of data from this step forward.
G.4	Request Metadata	DSS	SDSRV D/B	None	None	The scripts request metadata from the SDSRV database. This metadata is the WRS path number, the WRS row number, scene center scan time and CCA.
G.5	ftp WRS Scene Metadata	DSS	MOC	Nominal 1 MB of Metadata a per day	None	The scene Metadata is transferred via ftp to the MOC. Nominally, this is done on a daily basis.
G.6	E-mail Status	DSS	DAAC Ops	None	None	The L7 MOC CCA responsible engineer (DAAC Operator) is notified of job status and number of scenes ftp'ed to the MOC.

3.6.10.3 Landsat-7 MOC Data Component Interaction Table

Table 3.6.10.3-1 provides the Component Interaction: L-7 MOC Interface.

Table 3.6.10.3-1. Component Interaction Table: L7 MOC Interface (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
G.1.1	Get SDSRV URs from IOS	EclnReqMgr	EcIoAdServer	Distributed Object	Upon startup, Ingest Request Manager requests the SDSRV URs for each data type in its database.
G.2.1	Connect to SDSRV	EclnGran	EcDsScienceDataServer	Distributed Object	Ingest begins a session with the SDSRV by connecting. The correct SDSRV is determined during EclnReqMgr startup, from Advertising, based on the data type.
G.2.2	Get Metadata Configuration File	EclnGran	EcDsScienceDataServer	Distributed Object	Ingest requests the metadata configuration file (mcf) for the data being inserted. The data types being inserted are derived from the DAN messages sent by LPS. Ingest performs preprocessing (correct number of files for data type, etc.).
G.2.3	Validate Metadata	EclnGran	EcDsScienceDataServer	Distributed Object	After building the granule's metadata file, Ingest asks SDSRV to validate the metadata, based on the granule's data type.
G.2.4	Insert Data	EclnGran	EcDsScienceDataServer	Distributed Object	Ingest requests that the files received from LPS to be sent to the MOC are inserted into the Data Server. An Insert request, containing the names of the files comprising the subinterval, is created. The structure of the Insert Request is hard-coded in the granule server. SDSRV validates metadata and determines the archived names of the files. (Note this validation is on a different level than the Ingest validation.)
G.2.5	STMGT Store	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files are archived. The archive server copies the inserted files directly from the Ingest staging disks that they reside on.
G.3.1	Run Scripts	SDSRV scripts	SDSRV scripts	Distributed Object	The script (provided by SDSRV development) is run. This is a set of commands to connect to the inventory database, extract desired information, format it into a file, and ftp it to the MOC. No subprocesses are utilized and no ECS executables are required for these steps (shown below as G.4.1 through G.6.1).

Table 3.6.10.3-1. Component Interaction Table: L7 MOC Interface (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
G.4.1	Request Metadata	SDSRV scripts	SDSRV D/B	Distributed Object	Scripts connects to the SDSRV database and extracts desired metadata information.
G.5.1	ftp Files	SDSRV scripts	Operating System ftp daemon	ftp	The scripts perform the actual ftp put of the files to an ECS/MOC directory on the MOC's open server. The MOC periodically polls this directory for the incoming files.
G.6.1	E-mail Status	SDSRV scripts	DAAC Ops	Unix e-mail	The scripts performs Unix e-mail of job status and number of scenes to Ops. (It is noted that there is also a product report placed by the MOC in the ECS directory and retrieved by the DAAC Operator as a manual process).

3.7 ASTER Scenario

3.7.1 ASTER Scenario Description

This scenario shows how the ECS supports the ASTER mission. ECS provides a mechanism for ECS Users to submit Data Acquisition Requests (DARs). ECS notifies the ECS User when that DAR has been fulfilled. ECS receives ASTER data via tape, from ASTER GDS. These tapes contain L1A and L1B data. This data is provided to ECS regardless of whether or not ECS Users had previously submitted DARs. ECS provides support for users to request processing of the L1A and L1B data to higher information levels, via requests for On-Demand Processing. A request for On-Demand Processing may require a sequence of algorithms to be run on the specified data. Granules produced by On-Demand Processing are not permanently archived. ECS also supports the insertion of ASTER Expedited Data Set (EDS) from EOS Data and Operations System (EDOS), and its immediate availability to selected ASTER Scientists.

The following system functionality is exercised in this scenario:

- Java DARTool usage for DAR submittal (A)
- On-Demand Production (Thread E)
- Data Tape Ingest (Threads B & G)
- Backward Chaining (Thread C)
- Science User metadata update (Thread D)
- Simplified ASTER Expedited Data Support (Thread F)
- Routine Processing Planning for Start/Stop and Insertion time (Threads G & H)

Figure 3.7.1-1 illustrates the relationships between the data types and PGEs used in the ASTER scenario.




Figure 3.7.1-1. ASTER Scenario PGE Data Relationships Diagram

3.7.2 ASTER Scenario Preconditions

The following ESDTs have been inserted into the ECS:

- ASTANC (ASTER Ancillary data)
- ASTEXP (ASTER Expedited L0 data)
- ASTL1A (ASTER L1A data)
- ASTL1B (ASTER L1B data)
- ASTL1BT (ASTER L1B data – Thermal IR Channels)
- AST04 (L2 Brightness Temperature)
- AST05 (L2 Surface Emissivity)
- AST08 (L2 Surface Temperature)
- AST09T (L2 Surface Radiance)
- GDAS0EH (NCEP provided ancillary data)
- PH (Product History)
- PGEEXE (PGE Execution Granule)

The following ASTER PGEs have passed SSI&T and have been inserted into the ECS:

- ACT -- Atmospheric Correction – TIR (Thermal Infrared)
- ETS -- Emissivity/Temperature Separation
- BTS -- Brightness Temperature at Sensor

Ancillary granules (ASTANC and GDAS0EH) have been inserted into the ECS.

The Science User must be a registered ECS User whose profile reflects a user authorized to submit a DAR.

3.7.3 ASTER Scenario Partitions

The ASTER scenario has been partitioned into the following threads:

- **ASTER DAR Submission** (Thread A) - This thread shows the usage of the CLS Java DARTool, and its interaction with GDS and other ECS components (section 3.7.4).
- **ASTER GDS Tape Insertion** (Thread B) - This thread shows how the ECS inserts data provided by GDS on D3 tape (see section 3.7.5).
- **ASTER Backward Chaining** (Thread C) - This thread shows how the system supports requests from ECS users to produce data requiring a sequence of algorithms to be run (see section 3.7.6).

- **ASTER Q Metadata Update** (Thread D) - This thread shows how the ECS supports updating the QA metadata of a specified granule (see section 3.7.7).
- **ASTER On-Demand Production** (Thread E) - This thread shows how the ECS supports users request for On-Demand production (see section 3.7.8).
- **ASTER Simplified Expedited Data Support** (Thread F) - This thread shows how the ECS supports a simplified version of Expedited data support (see section 3.7.9).
- **ASTER Routine Processing Planning Data Start/Stop Time** (Thread G) – This thread shows how planning is done to create data processing jobs for ASTER routine processing (see section 3.7.10).
- **ASTER Routine Processing Planning Insertion Time** (Thread H) – This thread shows how to perform ASTER BTS (Brightness Temperature at Sensor) PGEs (see section 3.7.11).

3.7.4 ASTER DAR Submission Thread

This thread shows the usage of the CLS Java DARTool, and its interaction with GDS and other ECS components.

3.7.4.1 ASTER DAR Submission Thread Interaction Diagram - Domain View

Figure 3.7.4.1-1 depicts the ASTER DAR Submission Thread Interaction - Domain View.




Figure 3.7.4.1-1. ASTER DAR Submission Interaction Diagram

3.7.4.2 DAR Submission Thread Interaction Table - Domain View

Table 3.7.4.2-1 provides the Interaction - Domain View: ASTER DAR Submission.

Table 3.7.4.2-1. Interaction Table - Domain View: ASTER DAR Submission

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Request Data Acquisition	Science User	Java DARTool	None	Currently Java DARTool only available from DAAC.	Scientist uses the Java DARTool to request ASTER data take(s). Scientist inputs, at a minimum, the location of the desired data take. Please note that there is no guarantee that an accepted Data Acquisition Request actually results in an ASTER data take, nor is there any guarantee of when the data take may occur.
A.2	Submit DAR Request	Java DARTool	MOJO	None	None	The Java DAR Tool connects to the MOJO Gateway and submits the request for the ASTER data take(s).
A.3	Submit DAR	MOJO	ASTER GW	None	Science User must be a registered ECS User.	The MOJO Gateway submits the DAR to the ASTER DAR Comm Gateway. ASTER DAR Comm Gateway verifies the Scientist is authorized to submit a DAR. Normally, the ASTER DAR Comm Gateway passes the request to ASTER's GDS, which responds with a XARid. For internal testing purposes in the absence of a live connection with GDS, the ASTER DAR Comm Gateway can be configured such that the interface between itself and GDS is emulated using a server simulator provided by GDS, which uses stubbed versions of the APIs. The ASTER DAR Comm Gateway still responds with a XARid.
A.4	Subscribe	MOJO	SBSRV	None	None	MOJO places a qualified subscription on behalf of the Science User to be notified when AST_L1B granules, with a XARid matching the desired XARid, are inserted.

3.7.4.3 ASTER DAR Submission Thread Component Interaction Table

Table 3.7.4.3-1 provides the Component Interaction: ASTER DAR Submission.

Table 3.7.4.3-1. Component Interaction Table: ASTER DART Submission (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Startup Java DARTool	Science User	EcCIWbjDT	Command	Science User invokes the Java DARTool GUI Application by double clicking on an icon.
A.1.2	Specify Acquisition characteristics	Science User	EcCIWbjDT	GUI	The Science User provides appropriate input to specify the desired data take and any sensor attributes.
A.2.1	Submit DAR Request	EcCIWbjdt	EcCsMojGateway	rpc	The Java DARTool forwards request information to the MOJO Gateway.
A.3.1	Submit DAR	EcCsMojGateway	EcGwDARServer	rpc	The MOJO Gateway sends the DAR to the ASTER DAR Comm Gateway for submittal to ASTER GDS. The correct DAR Gateway is determined by configuration, as there is only one DAR Gateway in ECS, which resides at EDC.
A.3.2	Request User Profile /Verify User is Authorized	EcGwDARServer	MsAcRegUserSrvr	rpc	ASTER DAR Comm Gateway retrieves the Science User's Profile from the MsAcRegUserSrvr. The asterCatalog field of the profile is checked to determine if the Science User is authorized to submit a DAR. If not, the request is rejected.
A.3.3	Submit DAR to GDS	EcGwDARServer	ASTER GDS	sockets	ASTER DAR Comm Gateway establishes communication with GDS, and submits the DAR. GDS responds with the XARid, which is returned to the Java DARTool through the MOJO Gateway. Correct sockets are specified in the ECS-ASTER ICD.
A.4.1	Search for Service Advertisements	EcCsMojGateway	EcIoAdServer	Distributed Object	MOJO searches Advertiser for the service to use for Subscribe to AST_L1BInsert event. This is accomplished via the IoAdApprovedSearchCommand class.
A.4.2	Connect to SBSRV	EcCsMojGateway	EcSbSubServer	Distributed Object	MOJO connects to the subscription server in order to subscribe to AST_L1B granules that match the given XARid. This is a qualified subscription. The correct Subscription server is determined from the Subscribe Advertisement.

Table 3.7.4.3-1. Component Interaction Table: ASTER DAS Submission (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.4.3	Submit Subscription	EcCsMoj Gateway	EcSbSub Server	Distributed Object	Submit the subscription to the Subscription Server. This is accomplished with the EcCISubscription interface class.
A.4.4	Store a Subscription	EcSbSub Server	Sybase	CtLib	Subscription is stored in the Sybase Database.

3.7.5 ASTER GDS Tape Insertion Thread

This thread shows how the ECS inserts data provided by GDS on D3 tape.

3.7.5.1 ASTER GDS Tape Insertion Thread Interaction Diagram - Domain View

Figure 3.7.5.1-1 depicts the ASTER GDS Tape Insertion Interaction.




Figure 3.7.5.1-1. ASTER GDS Tape Insertion Interaction Diagram

3.7.5.2 ASTER GDS Tape Insertion Thread Interaction Table - Domain View

Table 3.7.5.2-1 provides the Interaction - Domain View: ASTER GDS Tape Insertion.

Table 3.7.5.2-1. Interaction Table - Domain View: ASTER~~DS~~ Tape Insertion

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precondi tions	Description
B.1	GDS Ships D3 Tape	GDS	DAAC Ops	None	None	GDS uses commercial shipping vendor, sends a D3 tapes containing AST_L1A or AST_L1B data. Tape contains data takes that are both due to ECS DARs as well as data that wasn't requested via ECS.
B.2	Get SDSRV URs	INS	IOS	None	None	Upon startup, Ingest gets the SDSRV URs for each data type in its database.
B.3	Ingest from D3	DAAC Ingest/Distribution Technician	INS	None	None	DAAC Ingest/Distribution Technician loads the D3 tape and, using an Ingest GUI, begins the reading of data granules from the tape.
B.4	Request Data Insert	INS	DSS	2 granules @ MB	AST_L1B ESDT	Ingest inserts the new ASTER granules into the Data Server.
B.5	Trigger Event	DSS	SBSRV	None	None	Upon successful completion of insertion of each AST_L1B granule, the AST_L1BInsert event is triggered, with the qualifiers including all the XARids attached to that data.
B.6	Send Notification	SBSRV	Science User	None	None	Send notification to Science User that AST_L1B granules for their DAR have been inserted. Notification message includes the UR of the granule, as well as the DAR ids that have been matched.

3.7.5.3 ASTER ~~DS~~ Tape Insertion Thread Component Interaction Table

Table 3.7.5.3-1 provides the Component Interaction: ASTER GDS Tape Insertion.

Table 3.7.5.3-1. Component Interaction Table: ASTER~~DS~~ Tape Insertion (1 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.2.1	Get SDSRV URs from IOS	EclnReq Mgr	EclAdS erver	Distribut ed Object	Upon startup, Ingest Request Manager requests the SDSRV URs for each data type in its database.
B.3.1	Startup Media Ingest GUI	DAAC Ingest Technician	EclnGUI	Comman d	DAAC Ingest Technician invokes the Ingest Media GUI. The DAAC Ingest Technician double clicks on the Ingest GUI icon.

Table 3.7.5.3-1. Component Interaction Table: ASTERBS Tape Insertion (2 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.3.2	Select Ingest Device	DAAC Ingest Technician	EcInGUI	GUI	DAAC Ingest Technician selects the media device (D3) to read data from and selects the data provider. The DAAC Ingest Technician also selects the location of the DDR as embedded in the media and enters the DDR name.
B.4.1	Allocate Media Resource	EcInGUI	EcDsStD3Server	Distributed Object	Ingest now creates the Resource manager for D3 via a Resource Manager Factory. The correct D3 resource is determined from configuration within the resource factory.
B.4.2	Create Staging Disk	EcInGUI	EcDsStStagingDiskServer	Distributed Object	Ingest creates a Staging Disk for the delivery record file.
B.4.3	Read D3 Tape	EcInGUI	EcDsStD3Server	Distributed Object	Ingest reads the delivery record file. From this file the type and amount of data to be read is determined. The delivery record file is in the first tar set on the tape.
B.4.4	Create Staging Disk	EcInGUI	EcDsStStagingDiskServer	Distributed Object	Ingest creates Staging Disk. The reference to the Staging Disk server is determined from the Ingest Database. The amount of staging disk to request is determined from the delivery record file.
B.4.5	Read D3 Tape	EcInGUI	EcDsStD3Server	Distributed Object	Ingest reads data files from the D3 tape.
B.4.6	Send Request	EcInGUI	EcInReqMgr	Distributed Object	Ingest GUI process copies the DDR file read into the remote directory and sends an Ingest Request to the Request Manager. The data provider is passed to the Ingest Request Manager.
B.4.7	Granule Process Request	EcInReqMgr	EcInGran	Distributed Object	Request Manager packages the request into granules and sends them to the Ingest Granule Server.
B.4.8	Connect to SDSRV	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest begins a session with the SDSRV by connecting. The correct SDSRV is determined during EcInReqMgr startup, from Advertising, based on the data type. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode. The data type is determined from the delivery record file.
B.4.9	Request MCF	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests the metadata configuration file (MCF) for the data being inserted.

Table 3.7.5.3-1. Component Interaction Table: ASTERBS Tape Insertion (3 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.4.10	Validate Metadata	EcInGran	EcDsScienceData Server	Distributed Object	After building a metadata file for the input data granule, Ingest asks SDSRV to validate the metadata, based on the granule's data type.
B.4.11	Request Data Insert	EcInGran	EcDsScienceData Server	Distributed Object	Ingest requests that the received files for the data granule are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule, is created. The structure of the Insert Request is hard-coded in the granule server. SDSRV validates metadata and determines the archived names of the files. Upon completion of the insert, the status is asynchronously reflected on the GUI monitor and control screen.
B.4.12	STMGT Store	EcDsScienceData Server	EcDsStArchiveServer	Distributed Object	SDSRV requests that the granule's files are archived. The archive server reads the inserted files directly from the Ingest staging disk on which they are residing. The correct archive object to request is determined by the Archive ID input during ESDT installation.
B.4.13	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/SQLS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
B.5.1	Trigger Event	EcDsScienceData Server	EcSbSub Server	Distributed Object	Upon successful insertion of data granule, the AST_L1BInsert event is triggered. The correct subscription server is determined from SDSRV configuration. The correct events to trigger are determined from the events file, which was populated during ESDT installation. Provided with the event triggering is the UR of the inserted granule.
B.5.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.
B.6.1	Build E-mail	EcSbSub Server	EcSbSub Server	Internal	The SBSRV builds an email notification that the user's subscription on the AST_L1BInsert event has been fired. This notification identifies the event, the subscription ID, the Granule UR that was inserted and the previously supplied User String.
B.6.2	Send Notification	EcSbSub Server	Science User	E-mail	The notice is e-mailed to the Science User. The e-mail address is obtained from the User Profile.

3.7.6 ASTER Backward Chaining Thread

This thread shows how the system supports requests from ECS users to produce data requiring a sequence of algorithms to be run.

3.7.6.1 ASTER Backward Chaining Thread Interaction Diagram - Domain View

Figure 3.7.6.1-1 depicts the ASTER Backward Chaining Interaction.




Figure 3.7.6.1-1. ASTER Backward Chaining Interaction Diagram

3.7.6.2 ASTER Backward Chaining Thread Interaction Table - Domain View

Table 3.7.6.2-1 depicts the Interaction - Domain View: ASTER Backward Chaining.

**Table 3.7.6.2-1. Interaction Table - Domain View: ASTER Backward Chaining
(1 of 3)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.1	Inventory Search	Science User	EDG	None	None	Upon notification of data resulting from the DAR, the Science User looks up the data granule in order to determine its metadata characteristics.
C.2	Search	EDG	V0GWY	None	None	EDG submits the Science User's search criteria to the V0 Gateway in ODL format, via a specific socket.
C.3	Search	V0GWY	SDSRV (DSS)	None	None	The V0 gateway translates the Search criteria from ODL to a query object (using GIParameters), and submits that query to the Search service. The results of this Search are returned synchronously, and are passed back to EDG, which displays them to the Science User.
C.4	Call DAAC	Science User	DAAC User Services Representative	None	None	Upon determining that the data take resulted in useful data, the Scientist decides to call the DAAC, requesting that a L2 Surface Temperature (AST_08) granule be produced from the AST_L1B data. The Scientist request that the AST_08 data be shipped electronically to his/her workstation.
C.5	Lookup Algorithms	DAAC Production Planner	Technical Baseline	None	None	The DAAC Production Planner determines the process to take the AST_L1B data into AST_08 data. The process is a two-stage algorithm sequence: chaining the ACT and ETS algorithms.
C.6	Subscribe	DAAC Production Planner	SBSRV	None	None	The DAAC Production Planner places a subscription for the Science User to receive the resultant AST_08 granule, via a ftpPush.
C.7	Create Production Request	DAAC Production Planner	PLS	None	None	DAAC Production Planner creates DPRs for ACT and ETS PGEs.

**Table 3.7.6.2-1. Interaction Table - Domain View: ASTER Backward Chaining
(2 of 3)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.8	Activate Production Plan	DAAC Production Planner	PLS	None	PGEs passed SSI-Plan already created.	DAAC Production Planner activates a plan, which includes DPRs for ACT and ETS PGEs.
C.9	Submit DPRs	PLS	DPS	None	None	DPRs for ACT and ETS are submitted to DPS.
C.10	Release Job	PLS	DPS	None	None	Since all inputs are available to run the ACT PGE, references to those input granules are passed to DPS, and the ACT job is released.
C.11	Acquire Data	DPS	DSS	24 AST_AN C OMB, 1 GDAS0 ZH OMB, 1 AST_L1 B MB	AST_ANC & GDAS0ZH data already inserted	DPS submits Acquire Request for input granules, via ftpPush, for input to ACT.
C.12	Run PGE	DPS	DPS	AST_09 T MB	None	ACT runs, creating AST_09T granules.
C.13	Get DSS UR	DPS	IOS	None	None	DPS gets the DSS UR from Advertiser.
C.14	Request Data Insert	DPS	DSS	None	AST_09T ESDT	Archive newly created AST_09T granule.
C.15	Trigger Event	SDSRV	SBSRV	None	None	Trigger AST_09TInsert event.
C.16	Notification	SBSRV	PLS	None	PLS Subscriptions for AST_09T Insert event	Send direct notification to PLS, notifying that there is a newly inserted AST_09T granule. Notification message includes the UR of the AST_09T granule.
C.17	Release Job	PLS	DPS	None	None	PLS releases job containing ETS.

**Table 3.7.6.2-1. Interaction Table - Domain View: ASTER Backward Chaining
(3 of 3)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.18	Acquire Data	DPS	DSS	1 AST_AN C @2M B	AST_ANC data already inserted	DPS submits Acquire Request for the ancillary product, AST_ANC, via ftpPush, for input to ETS. Note that other input to ETS, AST_09T, is already available on DPS resources.
C.19	Run PGE	DPS	DPS	1 AST_08 @3 MB, 1 AST_09 T @6MB	None	ETS runs, creating both AST_08 and AST_05 data granules.
C.20	Get DSS UR	DPS	IOS	None	None	DPS gets the DSS UR from Advertiser.
C.21	Request Data Insert	DPS	SDSRV	None	AST_08 and AST_05 ESDTs	Archive newly created AST_08 and AST_05 granules.
C.22	Trigger Event	SDSRV	SBSRV	None	None	Trigger AST_08Insert and AST_05Insert events.
C.23	Notification	SBSRV	Science User	None	None	Send email notification to Science User, notifying that the AST_08 granule has been inserted. Notification message includes the UR of the AST_08 granule.
C.24	Acquire Data	SBSRV	SDSRV	None	None	SDSRV submits an Acquire Request, on behalf of the Science User, to have the AST_08 granule shipped, via ftpPush, to the Scientists workstation.
C.25	ftp Data	DSS	Science User	1 AST_08 @3 MB	None	DSS ftp's the AST_08 data to the Scientist's workstation.
C.26	Distribution Notice	DSS	Science User	None	None	DSS emails notification to the Science User, notifying the presence of the AST_08 data on their workstation.

3.7.6.3 ASTER Backward Chaining Thread Component Interaction Table

Table 3.7.6.3-1 provides the Component Interaction: ASTER Backward Chaining.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(1 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.1.1	Startup EDG	Science User	Netscape	Command	Science User invokes a Netscape browser and navigates to the EOS Data Gateway home page.
C.1.2	Select Inventory Search, Provide Query constraints, Submit Query	Science User	Netscape	GUI	The Science User provides search constraints for the AST_L1B granules desired. When query constraints are completed, the query is submitted.
C.2.1	V0 Gateway Inventory Search	Netscape Internet Site	EcDmV0 ToEcsGateway	ODL, over sockets	EDG submits a search to the V0 Gateway, by converting the search criteria into an ODL structure and passing that structure to a socket provided by the Gateway. The correct socket is determined from configuration information contained in the Valids file.
C.3.1	Establish ECS User	EcDmV0 ToEcsGateway	EcMsAcRegUserServer	Distributed Object	V0 Gateway retrieves the User Profile using ECS Authenticator from ODL message, which includes an encrypted User ID and Password. The User Registration Server is replicated across DAACs, so the connection is made to the local User Registration Server.
C.3.2	Request Attribute Mapping	EcDmV0 ToEcsGateway	EcDmDict Server	CtLib (RWDBTool)	Gateway translates the V0 terms from ODL into ECS names for query submittal. Interface is directly to Data Dictionary database. Database name is retrieved from configuration file.
C.3.3	Connect to SDSRV	EcDmV0 ToEcsGateway	EcDsScienceDataServer	Distributed Object	The Gateway first connects to the SDSRV. The correct SDSRV is determined from configuration information.
C.3.4	SDSRV Query	EcDmV0 ToEcsGateway	EcDsScienceDataServer	Distributed Object	The Gateway translates the query into a DsCIQuery object. This object is handed to the Search interface of the DsCI ESDT ReferenceCollector. This Search method is synchronous, so the results of the search are returned to the calling function. After the search the Gateway receives a list of URs. Then it does an "inspect" to the SDSRV to get the metadata.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(2 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.3.5	Request Metadata	EcDsScienceData Server	Sybase/SQLS	CtLib	The SDSRV breaks down the Query object and translates it into a sequence of calls to the inventory database. Resultant rows are converted into data granules, each with their metadata extracted from the database. These results are packaged and returned to the Query client.
C.3.6	Result Retrieval	Netscape	EcDmV0ToEcsGateway	ODL, over Sockets	When the Gateway gets the results, they are translated into ODL, and passed back to the EDG tool. The correct socket for sending results to EDG is the one used to submit the query. EDG then displays the results of the query to the user.
C.6.1	Startup SBSRV GUI	DAAC User Services Representative	EcSbGui	Xterm	After receiving a call from the user for AST_08 data made from the AST_L1B granules, User Services Representative then calls DAAC Production Planner, communicating the need for the AST_08 product. DAAC Production Planner determines the sequence of algorithms required. The algorithms needed are determined from the Technical Baseline and a series of queries on the PDPS database. DAAC User Services Representative invokes SBSRV GUI application.
C.6.2	Create & Submit Subscription from GUI	DAAC User Services Representative	EcSbGui	Xterm	DAAC User Services Representative represents him/herself as the Science User. The DAAC Operator brings up the GUI and clicks button to create new subscription. A list of events is then displayed from which the op can choose to subscribe. DAAC Operator selects the AST_08Insert Event for subscription. Only one action (besides notification), is available from the SBSRV at this time. FtpPush as a distribution mechanism is input via a GUI button. Other parameters required for FtpPush, including the Science User's host name, target directory, ftp user name, and ftp password, are input via the GUI.
C.6.3	Submit Subscription	EcSbGui	EcSbSub Server	Distributed Object	Submit the subscription to the Subscription Server. This is accomplished with the EcCISubscription interface class. The correct SBSRV is determined via a Server UR, declared in configuration.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(3 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.6.4	Persist a Subscription	EcSbSub Server	Sybase	CtLib	Subscription is stored in the Sybase Database.
C.7.1	Startup Production Request Editor	DAAC Production Planner	EcPIPREditor_IF	GUI	DAAC Planner invokes the Production Request Editor. The planner double clicks on the Planning Workbench icon.
C.7.2	Build Production Requests	DAAC Production Planner	EcPIPREditor_IF	GUI	DAAC Planner creates Production Requests for the ACT and ETS algorithms. Algorithm (ACT and ETS) is selected, along with the time domain of the output (and input) data. Dependency of ETS on ACT, based on ACT output, is established.
C.7.3	Search for Service Advertisements	EcPIPREditor_IF	EcIoAdServer	Distributed Object	In order to ensure that the correct input data is used for the ACT algorithm, the Editor searches Advertiser for the service to Subscribe to AST_L1BInsert event. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used. Note: This (and the following SBSRV steps) only occurs if Planning does not already have a subscription for the AST_L1BInsert event.
C.7.4	Connect to SBSRV	EcPIPREditor_IF	EcSbSub Server	Distributed Object	The Editor connects to the subscription server in order to subscribe for notification of new AST_L1B granules. The correct Subscription server is determined from the Subscribe Advertisement.
C.7.5	Submit Subscription	EcPIPREditor_IF	EcSbSub Server	Distributed Object	Submit the subscription to the Subscription Server. This is accomplished with the EcCISubscription interface class.
C.7.6	Store a Subscription	EcSbSub Server	Sybase	CtLib	Subscription is stored in the Sybase Database.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(4 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.7.7	Search for Service Advertisements	EcPIPREditor_IF	EcIoAdServer	Distributed Object	In order to determine where (which SDSRV) the input data (AST_L1B) is located the Editor searches the Advertiser for a "GetQueryableParameters" service for the desired input data type. This is in lieu of searching for Product Advertisements. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used. Note:AST_ANCE and GDAS02H are considered "static" data, and have references stored after SSI.
C.7.8	Connect to SDSRV	EcPIPREditor_IF	EcDsScienceData Server	Distributed Object	Looking for input granules for the ACT PGE, the Production Request Editor first connects to the SDSRV. The correct SDSRV is determined from the service provider on the GetQueryableParameters Advertisement. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.7.9	SDSRV Query	DpPrDssIF (Library function)	EcDsScienceData Server	Distributed Object	The DpPrDssIF creates an IF object to connect with the Science Data Server and performs the query.
C.7.10	Request Metadata	EcDsScienceData Server	Sybase/SQLS	CtLib	The SDSRV breaks down the Query object and translates it into a sequence of calls to the inventory database. Resultant rows are converted into data granules, each with their metadata extracted from the database. These results are packaged and returned to the Query client. Results are packaged in the ACT DPR.
C.7.11	Inspect Granule Value Parameters	EcPIPREditor_IF	EcDsScienceData Server	Distributed Object	Editor checks the granule's metadata attributes (type, version, file size and temporal range), to establish job dependencies.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(5 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.7.1 2	Search for Service Advertisements	EcPIPREditor_IF	EcIoAdServer	Distributed Object	In order to ensure that the correct input data is used for the ETS algorithm, the Editor searches Advertiser for the service to Subscribe to AST_09Insert event. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used. Note: This (and the following SBSRV steps) only occurs if Planning does not already have a subscription for the AST_09Insert event.
C.7.1 3	Connect to SBSRV	EcPIPREditor_IF	EcSbSubServer	Distributed Object	The Editor connects to the subscription server in order to subscribe for notification of new AST_09 granules. The correct Subscription server is determined from the Subscribe Advertisement.
C.7.1 4	Submit Subscription	EcPIPREditor_IF	EcSbSubServer	Distributed Object	Submit the subscription to the Subscription Server. This is accomplished with the EcCISubscription interface class.
C.7.1 5	Store a Subscription	EcSbSubServer	Sybase	CtLib	Subscription is stored in the Sybase Database.
C.8.1	Startup Planning Workbench	DAAC Operator - Planner	EcPIWb	GUI	DAAC Planner invokes the Planning workbench. The planner double clicks on the Planning Workbench icon.
C.8.2	Create a Plan	DAAC Operator - Planner	EcPIWb	GUI	Planner interacts with Planning Workbench GUI to create a plan with DPRs for the ACT and ETS PGEs.
C.8.3	Create DPR	EcPIWb	EcDpPrJobMgmt	rpc	The Production Planning Workbench sends to DPS the DPRID, a list of predecessor DPRs, and whether the DPR is waiting for external data.
C.9.1	Submit DPRs (Create Job Box)	EcDpPrJobMgmt	Autosys	JIL	The DPRs (one at a time - one for ACT and a dependent one for ETS PGE) in plan are submitted to Autosys by DPS for dependent execution. These jobs are dependent on input data.
C.10. 1	Release Job Request (Start Job Box)	EcDpPrJobMgmt	event_demon	rpc	Job containing ACT is released.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(6 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.10.2	Initiate Job Processing	event_daemon	EcDpPrEM	command line	The job containing the ACT begins processing.
C.10.3	Connect to SDSRV	EcDpPrEM	EcDsScienceData Server	Distributed Object	Processing begins a session with the SDSRV by connecting, in order to acquire the ACT PGE. The correct SDSRV is determined by using the Granule UR of the PGE granule, which is defined in the Production plan and is part of the DPR. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.10.4	Add PGE granule's UR to Session	EcDpPrEM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the PGE granule's UR of the PGE granule to the ESDT ReferenceCollector.
C.10.5	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.
C.10.6	Acquire Data	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for the PGE granule. The Acquire request is for an ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the PGE granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
C.10.7	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for the metadata file, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.10.8	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	The SDSRV creates a file containing the PGE granule's metadata before passing to Distribution.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(7 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.10.9	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.
C.10.10	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.10.11	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the PGE granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
C.10.12	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
C.10.13	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
C.10.14	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
C.10.15	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPREM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the PGE files to the DPS.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(8 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.11.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting. The correct SDSRV is determined by using the Granule UR of the input granule. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.11.2	Add PGE granule's UR to Session	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the input granules (1 AST_L1B, 1 GDAS0ZH and 24 AST_ANC) to the session. The Granule UR of the input granule is added to the ESDT ReferenceCollector. Note that this sequence is performed for each input granule, one at a time.
C.11.3	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granule from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
C.11.4	Acquire Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for those granules. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
C.11.5	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.11.6	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
C.11.7	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(9 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.11.8	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.11.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
C.11.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
C.11.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
C.11.12	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
C.11.13	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrDM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the files to the DPS via the Operating System ftp daemon.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(10 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.12.1	Request Metadata Configuration File	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS gets the metadata configuration file of the output data's ESDT (AST_09T). Data type and version are from PDPS database; correct client name is from configuration file.
C.12.2	Run PGE	EcDpPrRunPGE	PGEACT>	command line	ACT is executed. Output files are placed in the output directory. The directory path is established by using a root, which was established by configuration, and the specific directory by the job id. This disk root is cross-mounted by DPS, SDSRV and STMGT. This is to ensure that they are directly available to the DSS, for archival.
C.13.1	Get DSS UR	EcDpPrDM	EcIoAdServer	Distributed Object	If the DSS UR for this output data type is not already known in the PDPS database, DM searches the Advertiser for a "GetQueryableParameters" service for the desired output data type. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used.
C.14.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting.
C.14.2	Request Data Insert	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG requests that the newly created files for the AST_09T granule is inserted into the Data Server. An Insert request, containing the names of the files comprising the granule, is created for each granule. The structure of the Insert Request is hard-coded. SDSRV validates metadata and determines the archived names of the files.
C.14.3	STMGT Store	EcDsScienceData Server	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files be archived. The archive server must be able to read the inserted files directly from the DPS disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation.
C.14.4	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/SQLS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(11 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.15.1	Trigger Event	EcDsScienceData Server	EcSbSub Server	Distributed Object	Upon successful insertion of AST_09T the AST_09TInsert event is triggered. The correct subscription server is determined from the SDSRV configuration. The correct events to trigger are determined from the events file, where they were stored when the ESDT was installed in the Data Server. Provided with the event triggering is the UR of the inserted granule.
C.15.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query "hit" is an activated subscription and executes independently.
C.16.1	Asynchronous Direct Notification	EcSbSub Server	EcPISub Mgr	Message Passing Mechanism	The SBSRV notifies PLS that there is a new AST_09T granule available. The UR of the granule is passed in the notification to the user, along with a reference to the subscription that is being fulfilled. Direct Notification is to a Queuename (See Message Passing Mechanism) that PLS- Subscription Manager, provided when the subscription was submitted.
C.16.2	Connect to SDSRV	EcPISub Mgr	EcDsScienceData Server	Distributed Object	Subscription Manager begins a session with the SDSRV by connecting, in order to determine the use of the new granule. The correct SDSRV is determined by using the Granule UR in the notification message. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.16.3	Add PGE granule's UR to Session	EcPISub Mgr	EcDsScienceData Server	Distributed Object	Subscription Manager establishes the data context of the session with the SDSRV by adding AST_09 granule's UR to the ESDT ReferenceCollector.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(12 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.16.4	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.
C.16.5	Inspect Granule Value Parameters	EcPISubMgr	EcDsScienceData Server	Distributed Object	Subscription Manager checks the new granule's metadata attributes (type, version, file size and temporal range), to determine which, if any, jobs can use it as input.
C.17.1	Release Job Request	EcPISubMgr	EcDpPrJobMgmt	rpc	Once it ensures that the input granule is to be used to run the job containing ETS from the PDPS database, Planning tells the Job Manager to release the job containing ETS, using the appropriate input granules.
C.17.2	Force Start Job	EcDpPrJobMgmt	event_daemon	rpc	Job containing ETS is released.
C.17.3	Initiate Job Processing	event_daemon	EcDpPrEM	command line	The job containing the ETS begins processing.
C.17.4	Connect to SDSRV	EcDpPrEM	EcDsScienceData Server	Distributed Object	Processing begins a session with the SDSRV by connecting, in order to acquire the ETS PGE. The correct SDSRV is determined by using the Granule UR of the PGE granule, which is defined in the Production plan and is part of the DPR. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.17.5	Add PGE granule's UR to Session	EcDpPrEM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the PGE granule's UR to the ESDT ReferenceCollector.
C.17.6	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(13 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.17.7	Acquire Data	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for the PGE granule. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the PGE granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
C.17.8	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for the metadata file, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.17.9	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	The SDSRV creates a file containing the PGE granule's metadata before passing to Distribution.
C.17.10	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.
C.17.11	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(14 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.17.12	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the PGE granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
C.17.13	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
C.17.14	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
C.17.15	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
C.17.16	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrEM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the PGE files via the Operating System ftp Daemon to the DPS.
C.18.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting. The correct SDSRV is determined by using the Granule UR of the input granule. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.18.2	Add PGE granule's UR to Session	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the input granule (1 AST_ANC) to the session. The Granule UR of the input granule is added to the ESDT ReferenceCollector. Note that this sequence is performed for each input granule, one at a time.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(15 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.18.3	Retrieve Granule Metadata from Inventory	EcDsScienceDataServer	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granule from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
C.18.4	Acquire Data	EcDpPrDM	EcDsScienceDataServer	Distributed Object	DPS requests granules by submitting an Acquire request for those granules. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be emailed. The Acquire request structure is hard-coded.
C.18.5	Create Staging Disk	EcDsScienceDataServer	EcDsStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.18.6	Create Metadata file	EcDsScienceDataServer	EcDsScienceDataServer	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
C.18.7	Distribute Granules, Synchronous	EcDsScienceDataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.
C.18.8	Create Staging Disk	EcDsDistributionServer	EcDsStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(16 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.18.9	STMGT Retrieve	EcDsDistribution Server	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
C.18.10	Link files to Staging Disk	EcDsDistribution Server	EcDsStStagingDisk Server	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
C.18.11	Copy files to Staging Disk	EcDsDistribution Server	EcDsStStagingDisk Server	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
C.18.12	ftpPush Files	EcDsDistribution Server	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
C.18.13	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrDM)	ftp	The EcDsStFtpDisServer performs the ftp of the files via the Operating System ftp Daemon to the DPS.
C.19.1	Request Metadata Configuration File	EcDpPrEM	EcDsScienceDataServer	Distributed Object	DPS gets the metadata configuration file of the output data's ESDT (AST_08 and AST_05). Data type and version are from PDPS database; correct client name is from configuration file.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(17 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.19.2	Run PGE	EcDpPrRunPGE	PGEETS>	command line	ETS is executed. Output files are placed in the output directory. The directory path is established by using a root, which was established by configuration, and the specific directory by the job id. This disk root is cross-mounted by DPS, SDSRV and STMGT. This is to ensure that they are directly available to the DSS, for archival.
C.20.1	Get DSS UR	EcDpPrDM	EcIoAdServer	Distributed Object	If the DSS UR for this output data type is not already known in the PDPS database, DM searches the Advertiser for a "GetQueryableParameters" service for the desired output data type. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used.
C.21.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting.
C.21.2	Request Data Insert	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG requests that the newly created files for the AST_08 and AST_05 granules are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule, is created for each granule. The structure of the Insert Request is hard-coded. SDSRV validates metadata and determines the archived names of the files. Note that these inserts occur one granule at a time.
C.21.3	STMGT Store	EcDsScienceData Server	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files are archived. The archive server must be able to read the inserted files directly from the DPS disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation.
C.21.4	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(18 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.22.1	Trigger Event	EcDsScienceData Server	EcSbSub Server	Distributed Object	Upon successful insertion of AST_08 the AST_08Insert event is triggered. The correct subscription server is determined from the SDSRV configuration. The correct events to trigger are determined from the events file, where they were stored when the ESDT was installed in the Data Server. Provided with the event triggering is the UR of the inserted granule.
C.22.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.
C.23.1	Send Notification	EcSbSub Server	Science User	e-mail	The SBSRV builds an email notification that the user's subscription on the AST_08Insert event has been fired. This notification identifies the event, the subscription ID, the Granule UR that was inserted and the previously supplied User String. The e-mail is sent to the Science User.
C.24.1	Connect to SDSRV	EcSbSub Server	EcDsScienceData Server	Distributed Object	In order to fulfill a standing order, the SBSRV begins a session with the SDSRV, on behalf of the subscription user. The correct SDSRV is determined by the Granule UR provided with the event triggering. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
C.24.2	Add PGE granule's UR to Session	EcSbSub Server	EcDsScienceData Server	Distributed Object	The SBSRV establishes the data context of the session with the SDSRV by adding the input granules to the session. The Granule UR of each input granule is added to the ESDT ReferenceCollector.
C.24.3	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granules from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(19 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.24.4	Acquire Data	EcSbSub Server	EcDsScienceData Server	Distributed Object	SBSRV fulfills the standing order for the AST_08 granule by submitting an Acquire request for the granule. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is asynchronous, meaning that the return of the submit call of the request only contains the status of the request's submittal. This request asks for a distribution notice to be emailed to the client. The Acquire request structure was hard-coded within the subscription server.
C.24.5	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
C.24.6	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
C.24.7	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for the granule, a reference to the metadata file as well as the data file. Other parameters from the Acquire request are passed to DDIST.
C.24.8	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.

**Table 3.7.6.3-1. Component Interaction Table: ASTER Backward Chaining
(20 of 20)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.24.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
C.24.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
C.24.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
C.24.12	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
C.25.1	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (MODIS IT)	ftp	The EcDsStFtpDisServer performs the actual ftp of the files via the Operating System ftp Daemon to the MODIS IT.
C.26.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	Internal	The DDIST builds an email notification that the user's order has been fulfilled. This notification includes the media id, type and format, as well as UR, type and file names and sizes for each granule.
C.26.2	Send E-mail	EcDsDistributionServer	MODIS IT	e-mail	DDIST sends the distribution notice to the user via email. Since Standing Orders are not currently tracked orders, and the user DDIST sends the notification to is determined from the Order, the notice is currently sent to a pre-configured default Email address, for DAAC Distribution Technician parsing and forwarding.

3.7.7 ASTER QA Metadata Update Thread

This thread shows how the ECS supports updating the QA metadata of a specified granule.

3.7.7.1 ASTER QA Metadata Update Thread Interaction Diagram - Domain View

Figure 3.7.7.1-1 depicts the ASTER QA Metadata Update Interaction.




Figure 3.7.7.1-1. ASTER QA Metadata Update Interaction Diagram

3.7.7.2 ASTER QA Metadata Update Thread Interaction Table - Domain View

Table 3.7.7.2-1 provides the Interaction - Domain View: ASTER QA Metadata Update.

Table 3.7.7.2-1. Interaction Table - Domain View: ASTER QA Metadata Update (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precond itions	Description
D.1	View Data	Science User	EOSView	None	None	Upon notification that the AST_08 has been placed on their workstation, the Scientist views the AST_08 data with EOSView.

**Table 3.7.7.2-1. Interaction Table - Domain View: ASTER QA Metadata Update
(2 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precond itions	Description
D.2	Call DAAC	Science User	DAAC Science Data Specialist	None	None	The Scientist QA's the produced data. S/he notifies the DAAC, informing the DAAC Science Data Specialist that the granule's QA flags should be updated.
D.3	Update QA Metadata	DAAC Science Data Specialist	QA Monitor	None	None	DAAC Science Data Specialist uses the QA Monitor tool to update the Science QA metadata of the granule.
D.4	Update	QA Monitor	DSS	None	None	QA Monitor invokes the Update service offered by the Data Server on the granule. The QA Monitor passes the Scientists requested QA values to the DSS for permanent updating of the granule's metadata.

3.7.7.3 ASTER QA Metadata Update Thread Component Interaction Table

Table 3.7.7.3-1 provides the Component Interaction: ASTER QA Metadata Update.

**Table 3.7.7.3-1. Component Interaction Table: ASTER QA Metadata Update
(1 of 2)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.1.1	Invoke EOSView	Science User	EOSView	Command	Science User begins the EOSView application. The user double clicks the EOSView icon.
D.1.2	Display AST_08 Data	Science User	EOSView	GUI	The Science User specifies which file to display and sets visualization parameters. The data file is now displayed for the user.
D.3.1	Invoke DAAC QA Monitor	DAAC Science Data Specialist	EcDpPrQ aMonitor GUI	Command	DAAC Science Data Specialist begins the QA Monitor application.
D.3.2	Establish QA values	DAAC Science Data Specialist	EcDpPrQ aMonitor GUI	GUI	DAAC Science Data Specialist establishes the updated values for selected metadata fields, for the selected granules. Granules are select by selecting data type and temporal range. Fields to update are hardwired.

**Table 3.7.7.3-1. Component Interaction Table: ASTER Metadata Update
(2 of 2)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
D.3.3	Connect to SDSRV	EcDpPrQaMonitor GUI	EcDsScienceData Server	Distributed Object	QA Monitor begins a session with the SDSRV by connecting, in order to find granules to be updated. The correct SDSRV is determined by using the Server UR indicated in configuration, based on data type. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
D.3.4	SDSRV Query	EcDpPrQaMonitor GUI	EcDsScienceData Server	Distributed Object	The QA Monitor builds a DsCIQuery object. This object is handed to the Search interface of the DsCI ESDT ReferenceCollector. This Search method is synchronous, so the results of the search are returned to the calling function. After the search the QA Monitor receives a list of URs. Then it does an "inspect" to the SDSRV to get the metadata.
D.3.5	Request Metadata	EcDsScienceData Server	Sybase/QS	CtLib	The SDSRV breaks down the Query object and translates it into a sequence of calls to the inventory database. Resultant rows are converted into data granules, each with their metadata extracted from the database. These results are packaged and returned to the Query client.
D.3.6	Inspect Granule Value Parameters	EcDpPrQaMonitor GUI	EcDsScienceData Server	Distributed Object	QA Monitor inspects each resultant granule for the values of displayed metadata fields.
D.3.7	Select granules to update	DAAC Science Data Specialist	EcDpPrQaMonitor GUI	GUI	DAAC Science Data Specialist selects granules for updating.
D.4.1	Update Granule metadata	EcDpPrQaMonitor GUI	EcDsScienceData Server	Distributed Object	QA Monitor submits an update request for the granules to be updated (one granule at a time). The structure of the Update request is hard-coded.
D.4.2	Update a metadata inventory	EcDsScienceData Server	Sybase/QS	CtLib	SDSRV updates the metadata inventory attributes for the granules that are being updated.

3.7.8 ASTER On-Demand Production Thread

This thread shows how the ECS supports users request for On-Demand production.

3.7.8.1 ASTER On-Demand Production Thread Interaction Diagram - Domain View

Figure 3.7.8.1-1 depicts the ASTER On-Demand Production Interaction.




Figure 3.7.8.1-1. ASTER On-Demand Production Interaction Diagram

3.7.8.2 ASTER On-Demand Production Thread Interaction Table - Domain View

Table 3.7.8.2-1 provides the Interaction - Domain View: ASTER On-Demand Production.

Table 3.7.8.2-1. Interaction Table - Domain View: ASTER On-Demand Production (1 of 3)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
E.1	Inventory Search	Science User	EDG	None	None	Scientist searches ECS holdings for ASTER images that are over his/her area of study.
E.2	Search	EDG	V0GWY	None	None	EDG submits the Science User's search criteria to the V0 Gateway in ODL format, via a specific socket.

**Table 3.7.8.2-1. Interaction Table - Domain View: ASTER On-Demand Production
(2 of 3)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precondi tions	Description
E.3	Search	V0GWY	SDSRV (DSS)	None	None	The V0 gateway translates the Search criteria from ODL to a query object (using GIParameters), and submits that query to the Search service. The results of this Search are returned synchronously, and are passed back to EDG, which displays them to the Science User.
E.4	Call DAAC	Science User	DAAC Production Planner	None	None	The scientist discovers that one AST_L1B granule in particular is perfectly suited to support his/her science study. The scientist discovers that the granule can be transformed into a L2 Brightness Temperature (AST_04) product. The scientist notifies the DAAC, asking for the granule to be processed to L2, and to be notified when that processing is complete.
E.5	Subscribe	DAAC Production Planner	SBSRV	None	None	The DAAC Production Planner places a subscription for the Science User to be notified when the AST_04 is available.
E.6	Create Production Request	DAAC Production Planner	PLS	None	None	The DAAC Production Planner creates a production request containing the requested BTS algorithm to be run.
E.7	Activate Production Plan	DAAC Production Planner	PLS	None	PGEs passed SSI&. Plan already created.	DAAC Production Planner modifies and activates a plan, which includes a DPR for the BTS PGE to be run on the requested AST_L1B.
E.8	Submit DPRs	PLS	DPS	None	None	DPR for BTS is submitted to DPS.
E.9	Release Job	PLS	DPS	None	None	Since all inputs are available to run the BTS PGE, references to those input granules are passed to DPS, and the BTS job is released.

**Table 3.7.8.2-1. Interaction Table - Domain View: ASTER On-Demand Production
(3 of 3)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
E.10	Acquire Data	DPS	DSS	1 AST_ANC @2MB, 1 AST_L1B @MB	AST_ANC data already inserted	DPS submits Acquire Request for input granules, via ftpPush, for input to BTS.
E.11	Run PGE	DPS	DPS	1 AST_04 @6 MB produced	None	BTS runs, creating AST_04 granules.
E.12	Get DSS UR	DPS	IOS	None	None	DPS gets the DSS UR from Advertiser.
E.13	Request Data Insert	DPS	DSS	None	AST_04 ESDT	Archive newly created AST_04 granule.
E.14	Trigger Event	SDSRV	SBSRV	None	None	Trigger AST_04Insert event.
E.15	Notification	SBSRV	Science User	None	None	Send email notification to Science User, notifying that the AST_04 granule has been produced. Notification message includes the UR of the AST_04 granule.

3.7.8.3 ASTER On-Demand Production Thread Component Interaction Table

Table 3.7.8.3-1 provides the Component Interaction: ASTER On-Demand Production.

**Table 3.7.8.3-1. Component Interaction Table: ASTER On-Demand Production
(1 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.1.1	Startup EDG	Science User	Netscape	Command	Science User invokes a Netscape browser and navigates to the EOS Data Gateway home page.

**Table 3.7.8.3-1. Component Interaction Table: ASTER[®]n-Demand Production
(2 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.1.2	Select Inventory Search, Provide Query constraints, Submit Query	Science User	Netscape	GUI	The Science User provides search constraints and the products desired. When query constraints are completed, the query is submitted.
E.2.1	V0 Gateway Inventory Search	Netscape	EcDmV0 ToEcsGateway	ODL, over sockets	EDG submits a search to the V0 Gateway, by converting the search criteria into an ODL structure and passing that structure to a socket provided by the Gateway. The correct socket is determined from configuration information contained in the Valids file.
E.3.1	Establish ECS User	EcDmV0 ToEcsGateway	EcMsAc RegUser Srvr	Distributed Object	V0 Gateway retrieves the User Profile using ECS Authenticator from ODL message, which includes an encrypted User ID and Password. The User Registration Server is replicated across DAACs, so the connection is made to the local User Registration Server.
E.3.2	Request Attribute Mapping	EcDmV0 ToEcsGateway	EcDmDictServer	CtLib (RWDBTool)	Gateway translates the V0 terms from ODL into ECS names for query submittal. Interface is directly to Data Dictionary database. Database name is retrieved from configuration file.
E.3.3	Connect to SDSRV	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The Gateway first connects to the SDSRV. The correct SDSRV is determined from configuration information.
E.3.4	SDSRV Query	EcDmV0 ToEcsGateway	EcDsScienceData Server	Distributed Object	The Gateway translates the query into a DsCIQuery object. This object is handed to the Search interface of the DsCI ESDT ReferenceCollector. This Search method is synchronous, so the results of the search are returned to the calling function. After the search the Gateway receives a list of URs. Then it does an "inspect" to the SDSRV to get the metadata.
E.3.5	Request Metadata	EcDsScienceData Server	Sybase/SQLS	CtLib	The SDSRV breaks down the Query object and translates it into a sequence of calls to the inventory database. Resultant rows are converted into data granules, each with their metadata extracted from the database. These results are packaged and returned to the Query client.

**Table 3.7.8.3-1. Component Interaction Table: ASTER^{On}-Demand Production
(3 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.3.6	Result Retrieval	Netscape	EcDmV0 ToEcsGateway	ODL, over Sockets	When the Gateway gets the results, they are translated into ODL, and passed back to the EDG tool. The correct socket for sending results to EDG is the one used to submit the query. EDG then displays the results of the query to the user.
E.5.1	Startup SBSRV GUI	DAAC User Services Representative	EcSbGui	Xterm	DAAC User Services Representative invokes SBSRV GUI application.
E.5.2	Create & Submit Subscription from GUI	DAAC User Services Representative	EcSbGui	Xterm	DAAC User Services Representative represents him/herself as the Science User. The DAAC Operator brings up the GUI and clicks button to create new subscription. A list of events is then displayed from which the op can choose to subscribe. DAAC Operator selects the AST_04Insert Event for subscription. Only one action (besides notification), is available from the SBSRV at this time. FtpPush as a distribution mechanism is input via a GUI button. Other parameters required for FtpPush, including the Science User's host name, target directory, ftp user name, and ftp password, are input via the GUI.
E.5.3	Submit Subscription	EcSbGui	EcSbSub Server	Distributed Object	Submit the subscription to the Subscription Server. This is accomplished with the EcCISubscription interface class. The correct SBSRV is determined via a Server UR, declared in configuration.
E.5.4	Store a Subscription	EcSbSub Server	Sybase	CtLib	Subscription is stored in the Sybase Database.
E.6.1	Startup Production Request Editor	DAAC Production Planner	EcPIPREditor_IF	GUI	DAAC Planner invokes the Production Request Editor. The planner double clicks on the Planning Workbench icon.
E.6.2	Build Production Requests	DAAC Production Planner	EcPIPREditor_IF	GUI	DAAC Planner creates Production Requests for the BTS algorithm. Algorithm (BTS) is selected, along with the time domain of the output (and input) data.

**Table 3.7.8.3-1. Component Interaction Table: ASTERn-Demand Production
(4 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.6.3	Search for Service Advertisements	EcPIPREDitor_IF	EcIoAdServer	Distributed Object	In order to ensure that the correct input data is used for the BTS algorithm, the Editor searches Advertiser for the service to Subscribe to AST_L1BInsert event. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used. Note: This (and the following SBSRV steps) only occurs if Planning does not already have a subscription for the AST_L1BInsert event.
E.6.4	Connect to SBSRV	EcPIPREDitor_IF	EcSbSubServer	Distributed Object	The Editor connects to the subscription server in order to subscribe for notification of new AST_L1B granules. The correct Subscription server is determined from the Subscribe Advertisement.
E.6.5	Submit Subscription	EcPIPREDitor_IF	EcSbSubServer	Distributed Object	Submit the subscription to the Subscription Server. This is accomplished with the EcCISubscription interface class.
E.6.6	Store a Subscription	EcSbSubServer	Sybase	CtLib	Subscription is stored in the Sybase Database.
E.6.7	Search for Service Advertisements	EcPIPREDitor_IF	EcIoAdServer	Distributed Object	In order to determine where (which SDSRV) the input data (AST_L1B) is located the Editor searches the Advertiser for a "GetQueryableParameters" service for the desired input data type. This is in lieu of searching for Product Advertisements. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used. Note: AST_ANC is considered "static" data, and has references stored after SSI.
E.6.8	Connect to SDSRV	EcPIPREDitor_IF	EcDsScienceData Server	Distributed Object	Looking for input granules for the BTS PGE, the Editor first connects to the SDSRV. The correct SDSRV is determined from the service provider on the GetQueryableParameters Advertisement. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.

**Table 3.7.8.3-1. Component Interaction Table: ASTER^{On-Demand Production}
(5 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.6.9	SDSRV Query	DpPrDsslF (Library Function)	EcDsScienceData Server	Distributed Object	The DpPrDsslF creates an IF object to connect with the Science Data Server and performs the query.
E.6.10	Request Metadata	EcDsScienceData Server	Sybase/SQLS	CtLib	The SDSRV breaks down the Query object and translates it into a sequence of calls to the inventory database. Resultant rows are converted into data granules, each with their metadata extracted from the database. These results are packaged and returned to the Query client.
E.6.11	Inspect Granule Value Parameters	EcPIPREDitor_IF	EcDsScienceData Server	Distributed Object	Editor checks the granule's metadata attributes (type, version, file size and temporal range), to establish job dependencies. References to desired granules are packaged in the BTS DPR.
E.7.1	Startup Planning Workbench	DAAC Operator - Planner	EcPIWb	GUI	DAAC Planner invokes the Planning workbench. The planner double clicks on the Planning Workbench icon.
E.7.2	Create a Plan	DAAC Operator - Planner	EcPIWb	GUI	Planner interacts with Planning Workbench GUI to create a plan which contains a DPR for the BTS PGE.
E.7.3	Create DPR	EcPIWb	EcDpPrJobMgmt	rpc	The Production Planning Workbench sends to DPS the DPRID, a list of predecessor DPRs, and whether the DPR is waiting for external data.
E.8.1	Submit DPRs	EcDpPrJobMgmt	Autosys	JIL	The DPR (containing BTS PGE) in updated plan are submitted, to Autosys.
E.9.1	Release Job	EcPIWb	EcDpPrJobMgmt	rpc	Planning tells the Job Manager to release the job containing BTS, using the appropriate input granules.
E.9.2	Force Start Job	EcDpPrJobMgmt	event_demon	rpc	Job containing BTS is released.
E.9.3	Initiate Job Processing	event_demon	EcDpPrEM	command line	The job containing the BTS begins processing.
E.9.4	Connect to SDSRV	EcDpPrEM	EcDsScienceData Server	Distributed Object	Processing begins a session with the SDSRV by connecting, in order to acquire the BTS PGE. The correct SDSRV is determined by using the Granule UR of the PGE granule, which is defined in the Production plan and is part of the DPR. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.

**Table 3.7.8.3-1. Component Interaction Table: ASTER[®]n-Demand Production
(6 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.9.5	Add PGE granule's UR to Session	EcDpPrEM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the PGE granule's UR to the ESDT ReferenceCollector.
E.9.6	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested PGE granule from the Sybase/SQS database. The metadata for the PGE granule is passed back to the reference objects for each granule.
E.9.7	Acquire Data	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for the PGE granule. The Acquire request is for a ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the PGE granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be e-mailed. The Acquire request structure is hard-coded.
E.9.8	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for the metadata file, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
E.9.9	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	The SDSRV creates a file containing the PGE granule's metadata before passing to Distribution.
E.9.10	Distribute Granules, Synchronou s	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.7.8.3-1. Component Interaction Table: ASTEROn-Demand Production
(7 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.9.1 1	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
E.9.1 2	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the PGE granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
E.9.1 3	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
E.9.1 4	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
E.9.1 5	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
E.9.1 6	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrEM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the PGE files via the Operating System ftp Daemon to the DPS.
E.10. 1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting. The correct SDSRV is determined by using the Granule UR of the input granule. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.

**Table 3.7.8.3-1. Component Interaction Table: ASTER[®]n-Demand Production
(8 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.10.2	Add PGE granule's UR to Session	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG establishes the data context of the session with the SDSRV by adding the input granules (1 AST_L1B and 1 AST_ANC) to the session. The Granule UR of the input granule is added to the ESDT ReferenceCollector. Note that this sequence is performed for each input granule, one at a time.
E.10.3	Retrieve Granule Metadata from Inventory	EcDsScienceData Server	Sybase/SQS	CtLib	SDSRV completes establishing the data context by retrieving the metadata for the requested granule from the Sybase/SQS database. The metadata for each granule is passed back to the reference objects for each granule.
E.10.4	Acquire Data	EcDpPrDM	EcDsScienceData Server	Distributed Object	DPS requests granules by submitting an Acquire request for those granules. The Acquire request is for an ftpPush of all granules in the ESDT ReferenceCollector. This request is synchronous, meaning that the return of the submit call of the request contains the results of the request. This means that the response is not sent until the granule files have been ftp'ed to the DPS disks. This request asks for no distribution notice to be e-mailed. The Acquire request structure is hard-coded.
E.10.5	Create Staging Disk	EcDsScienceData Server	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
E.10.6	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
E.10.7	Distribute Granules, Synchronou s	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.7.8.3-1. Component Interaction Table: ASTER[®]n-Demand Production
(9 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.10.8	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
E.10.9	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
E.10.10	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
E.10.11	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
E.10.12	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
E.10.13	ftp Files	EcDsStFtpDisServer	Operating System ftp daemon (EcDpPrDM)	ftp	The EcDsStFtpDisServer performs the actual ftp of the files via the Operating System ftp daemon to the DPS.

**Table 3.7.8.3-1. Component Interaction Table: ASTER[®]n-Demand Production
(10 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.11.1	Request Metadata Configuration File	EcDpPrEM	EcDsScienceData Server	Distributed Object	DPS gets the metadata configuration file of the output data's ESDT (AST_04). Data type and version are from PDPS database, correct client name is from configuration file.
E.11.2	Run PGE	EcDpPrRunPGE	PGEBS>	command line	BTS is executed. Output files are placed in the output directory. The directory path is established by using a root, which was established by configuration, and the specific directory by the job id. This disk root is cross-mounted by DPS, SDSRV and STMGT. This is to ensure that they are directly available to the DSS, for archival.
E.12.1	Get DSS UR	EcDpPrDM	EcIoAdServer	Distributed Object	If the DSS UR for this output data type is not already known in the PDPS database, DM searches the Advertiser for a "GetQueryableParameters" service for the desired output data type. This is accomplished via the IoAdApprovedSearchCommand class. Since the Advertiser is based on a replicated database, no specification is required to select the proper Advertiser. The local one is used.
E.13.1	Connect to SDSRV	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG begins a session with the SDSRV by connecting.

**Table 3.7.8.3-1. Component Interaction Table: ASTER[®]n-Demand Production
(11 of 11)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
E.13.2	Request Data Insert	EcDpPrDM	EcDsScienceData Server	Distributed Object	PRONG requests that the newly created files for the AST_04 granule are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule, is created for each granule. The structure of the Insert Request is hard-coded. SDSRV validates metadata and determines the archived names of the files. Note that these inserts occur one granule at a time.
E.13.3	STMGT Store	EcDsScienceData Server	EcDsStArchiveServer	Distributed Object	SDSRV requests that the files are archived. The archive server must be able to read the inserted files directly from the DPS disks that they are residing on. The correct archive object to request is determined by the Archive ID input during ESDT installation.
E.13.4	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/SQLS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
E.14.1	Trigger Event	EcDsScienceData Server	EcSbSubServer	Distributed Object	Upon successful insertion of AST_04 the AST_04Insert event is triggered. The correct subscription server is determined from the SDSRV configuration. The correct events to trigger are determined from the events file, where they were stored when the ESDT was installed in the Data Server. Provided with the event triggering is the UR of the inserted granule.
E.14.2	Retrieve Subscriptions	EcSbSubServer	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query hit is an activated subscription and executes independently.
E.15.1	Send Notification	EcSbSubServer	Science User	e-mail	The SBSRV notifies the Science User that the AST_04 granule is available. The UR of the granule is passed in the notification to the user, along with a reference to the subscription that is being fulfilled.

3.7.9 ASTER Simplified Expedited Data Support Thread

This thread shows how the ECS supports a simplified version of Expedited data support.

3.7.9.1 ASTER Simplified Expedited Data Support Thread Interaction Diagram - Domain View

Figure 3.7.9.1-1 depicts the ASTER Simplified Expedited Data Support Interaction.




Figure 3.7.9.1-1. ASTER Simplified Expedited Data Support Interaction Diagram

3.7.9.2 ASTER Simplified Expedited Data Support Thread Interaction Table - Domain View

Table 3.7.9.2-1 provides the Interaction - Domain View: ASTER Simplified Expedited Data.

Table 3.7.9.2-1. Interaction Table - Domain View: ASTER Simplified Expedited Data (1 of 3)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
F.1	Get SDSRV URs	INS	IOS	None	None	Upon startup, Ingest gets the SDSRV URs for each data type in its database.

**Table 3.7.9.2-1. Interaction Table - Domain View:
ASTER Simplified Expedited Data (2 of 3)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
F.2	Subscribe	DAAC User Services Representative	SBSRV	None	None	The DAAC User Services Representative places a subscription for the Science User to be notified when the AST_EXP is available.
F.3	Polling	INS	directory	None	Entire step is really a precondition.	When system is started, Ingest begins polling a directory, looking for files that meet the following standard: *EDR.XFR, in the pre-configured directory.
F.4	Copy Files	EDOS	directory	None	EDOS knows the host and directory to place files.	EDOS copies the Expedited Data and metadata files to the directory which Ingest is polling.
F.5	Request Data Insert	INS	DSS	1 AST_EXP @ 16.6MB	AST_EXP ESDT	Ingest inserts the new ASTER Expedited granule into the Data Server.
F.6	Trigger Event	DSS	SBSRV	None	None	Upon successful completion of insertion of ASTER Expedited Data, the AST_EXPInsert event is triggered.
F.7	Notification	SBSRV	Email Parser Gateway	None	The Email Parser has a valid email address.	Email Parser is notified, via email, that new ASTER Expedited Data is available. The notification contains the UR of the new AST_EXP granule.
F.8	Inspect	Email Parser Gateway	DSS	None	None	Search archives based on UR to obtain metadata information.
F.9	Send EDN	Email Parser Gateway	MSS Notification Service	None	None	Send Expedited Data Set Notice to the MSS notification service (ASTER Email Header Handler) for inclusion of the header information.
F.10	Forward EDN	MSS Notification Service	ASTER GDS	None	None	MSS sends the EDN to the ASTER GDS.
F.11	Send EDR	ASTER GDS	MSS Notification Service	None	None	The ASTER GDS sends a request to retrieve Expedited Data.

**Table 3.7.9.2-1. Interaction Table - Domain View:
ASTER Simplified Expedited Data (3 of 3)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
F.12	Forward EDR	MSS Notification Service	Email Parser Gateway	None	None	MSS forwards the Expedited Data Request to the Email Parser Gateway after stripping the header information.
F.13	Acquire	Email Parser Gateway	DSS	None	None	The Email Parser Gateway makes an acquire request on behalf of the ASTER GDS to obtain the necessary data granules from DSS. The acquire can be for an ftp push.
F.14	ftp/push data	DSS	ASTER GDS	None	None	The data granules are transferred to the ASTER GDS via ftp Push.

3.7.9.3 ASTER Simplified Expedited Data Support Thread Component Interaction Table

Table 3.7.9.3-1 provides the Component Interaction: ASTER Simplified Expedited Data.

**Table 3.7.9.3-1. Component Interaction Table: ASTER Simplified Expedited Data
(1 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.1.1	Get SDSRV URs from IOS	EcInReq Mgr	EcIoAdServer	Distributed Object	Upon startup, Ingest Request Manager requests the SDSRV URs for each data type in its database.
F.2.1	Startup SBSRV GUI	DAAC User Services Representative	EcSbGui	Xterm	DAAC User Services Representative invokes SBSRV GUI application.

**Table 3.7.9.3-1. Component Interaction Table: ASTER Simplified Expedited Data
(2 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.2.2	Create & Submit Subscription from GUI	DAAC User Services Representative	EcSbGui	Xterm	DAAC User Services Representative represents him/herself as the Science User. The DAAC Operator brings up the GUI and clicks button to create new subscription. A list of events is then displayed from which the op can choose to subscribe. DAAC Operator selects the AST_EXPIInsert Event for subscription. Only one action (besides notification) is available from the SBSRV at this time. FtpPush as a distribution mechanism is input via a GUI button. Other parameters required for FtpPush, including the Science User's host name, target directory, ftp user name, and ftp password, are input via the GUI.
F.2.3	Submit Subscription	EcSbGui	EcSbSub Server	Distributed Object	Submit a subscription with ftp action to the Subscription Server. This is accomplished with the EcCISubscription interface class. The correct SBSRV is determined via a Server UR, declared in configuration.
F.2.4	Store a Subscription	EcSbSub Server	Sybase	CtLib	Subscription is stored in the Sybase Database.
F.3.1	Ingest Polling	EcInPolling	Polling Directory	ftp	Ingest begins polling the configured directory. It periodically looks for files named *.EDR.XFR. The polling periodicity is determined from a configuration file. The mask of the file to look for is determined from the configuration by the Notify Type of the data provider in the Ingest database.
F.4.1	EDOS Copies Files	EDOS	Polling Directory	ftp	EDOS ftp's the ASTER Expedited Data to the predetermined directory. Location, directory, username and password are as per the ASTER-ECS ICD.
F.5.1	Polling Detects Files	EcInPolling	Polling Directory	ftp	Ingest Polling detects files matching the *.EDR.XFR masks.
F.5.2	Send Request	EcInPolling	EcInReq Mgr	Distributed Object	Auto Ingest process copies the .EDR file into the Ingest remote directory and sends a Create Request rpc to the Request Manger. The data source (EDOS), defined on startup, is passed to the Ingest Request Manager.
F.5.3	Granule Process Request	EcInReq Mgr	EcInGran	Distributed Object	Ingest Request Manager packages the request into granules and sends them to the Ingest Granule Server.

**Table 3.7.9.3-1. Component Interaction Table: ASTER Simplified Expedited Data
(3 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.5.4	Connect to SDSRV	EcInGran	EcDsScienceData Server	Distributed Object	Upon detecting an ASTER Expedited data file, Ingest begins a session with the SDSRV by connecting. The correct SDSRV is determined during EcInReqMgr startup, from Advertising, based on the data type.
F.5.5	Request Metadata Configuration File	EcInGran	EcDsScienceData Server	Distributed Object	Ingest requests the metadata configuration file (MCF) for the data being inserted. The data types being inserted are derived from the Ingest Request messages sent by the Polling server.
F.5.6	Validate Metadata	EcInGran	EcDsScienceData Server	Distributed Object	After building a metadata file for the CPF granule, Ingest asks SDSRV to validate the metadata, based on the granule's data type.
F.5.7	Request Data Insert	EcInGran	EcDsScienceData Server	Distributed Object	Ingest requests that the received files for the AST_EXP are inserted into the Data Server. An Insert request, containing the names of the files comprising the Expedited Data granule, is created. The structure of the Insert Request is hard-coded in the granule server process. SDSRV validates metadata and determines the archived names of the files.
F.5.8	STMGT Store	EcDsScienceData Server	EcDsStArchiveServer	Distributed Object	SDSRV requests that the Expedited Data is archived. The archive server reads the inserted files directly from the Ingest polling directory. The correct archive object to request is determined by the Archive ID input during ESDT installation.
F.5.9	Adding a Granule to Inventory	EcDsScienceData Server	Sybase/SQLS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
F.6.1	Trigger Event	EcDsScienceData Server	EcSbSub Server	Distributed Object	Upon successful insertion of AST_EXP granule, the AST_EXPInsert event is triggered. The correct subscription server is determined from SDSRV configuration. The correct events to trigger are determined from the events file, which was populated during ESDT installation. Provided with the event triggering is the UR of the inserted granule.
F.6.2	Retrieve Subscriptions	EcSbSub Server	Sybase	CtLib	SBSRV queries the Sybase database determining which subscriptions need to be activated, or fired. Each query "hit" is an activated subscription and executes independently.

Table 3.7.9.3-1. Component Interaction Table: ASTER Simplified Expedited Data (4 of 6)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.7.1	Send Notification	EcSbSub Server	Email Service	e-mail	The SBSRV notifies the Email Service that an AST_EXP granule and associated signal file is available. The UR of the granule is passed in the notification to the user, along with a reference to the subscription that is being fulfilled.
F.7.2	Store the Email notification	EcCsEM ailParser	Email Service	Sendmail script	The ASTER Email Parser Gateway stores the notification as a text file in a configurable directory location using a Sendmail script. A reference to this script is available in the /etc/mail/aliases file.
F.8.1	Parse notification	EcCsEM ailParser	Unix File System	System calls	The ASTER Email Parser Gateway uses the EDN packager functionality to open the notification text file and reads the contents. It then parses the contents and recovers the Granule UR included in the notification.
F.8.2	Connect to SDSRV	EcCsEM ailParser	EcDsScienceData Server	Distributed Object	The Email Parser Gateway then begins a session with the SDSRV by connecting. The correct SDSRV is determined by using the Server UR embedded in the Granule UR.
F.8.3	Inspect Granule Information	EcCsEM ailParser	EcDsScienceData Server	Distributed Object	The Email Parser Gateway queries the SDSRV for the metadata related to the granule specified in the notification received from the SBSRV using the inspect interface provided by the SDSRV client library. Using this information the Gateway composes an EDN.
F.9.1	Send EDN	EcCsEM ailParser	Email Service	Key Mechanism	The ASTER Email Parser Gateway sends the EDN to the MSS ASTER Email Notification Service by using a configurable Email address.
F.10.1	Add Header	ASTER Filter.pl	Email Service	Sendmail script	The MSS Header Handler adds a pre-defined header to the EDN that it received from the ASTER Email Parser Gateway.
F.10.2	Forward EDN	MSS Email Header Handler	Email Service	Key Mechanism	The MSS Header Handler forwards the EDN to the ASTER GDS using a configurable Email address specified in the ICD.
F.11.1	Send EDR	ASTER GDS	Email Service	Key Mechanism	Upon receiving the EDN, an operator at the ASTER GDS prepares an EDR and sends it to the MSS Email Notification service via email using a configurable address. The operator includes the Granule UR of the Expedited Data Set that he wishes to acquire in the EDR.

**Table 3.7.9.3-1. Component Interaction Table: ASTER Simplified Expedited Data
(5 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.11.2	Strip Header	ASTER cvFilter.pl	Email Service	Sendmail script	The MSS Header Handler strips the header from the EDR that it received from the ASTER GDS.
F.12.1	Forward EDR	MSS Email Header Handler	Email Service	Key Mechanism	The MSS Header Handler forwards the EDR to the ASTER Email Parser Gateway using an Email address.
F.12.2	Store EDR	EcCsEmailParser	Email Service	Sendmail script	The ASTER Email Parser Gateway stores the EDR as a text file in a configurable directory location using a Sendmail script. A reference to this script is available in the /etc/mail/aliases file.
F.12.3	Parse EDR	EcCsEmailParser	Unix File System	System calls	The ASTER Email Parser Gateway opens the notification text file and reads the contents. It then parses the contents and recovers the Granule UR included in the notification.
F.13.1	Connect to SDSRV	EcCsEmailParser	EcDsScienceData Server	Distributed Object	The Email Parser Gateway then begins a session with the SDSRV after connecting. The correct SDSRV is determined by using the Server UR embedded in the Granule UR. This is pertinent if there are multi-SDSRVs in use at one DAAC in one mode.
F.13.2	Acquire	EcCsEmailParser	EcDsScienceData Server	Distributed Object	The Email Parser submits an Acquire request for the granule. The Acquire request is an FTP Pull of all granules in the ESDT Reference Collection.
F.14.1	Create Staging Disk	EcDsScienceData Server	EcDsStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
F.14.2	Create Metadata file	EcDsScienceData Server	EcDsScienceData Server	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.
F.14.3	Distribute Granules, Synchronous	EcDsScienceData Server	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to DDIST.

**Table 3.7.9.3-1. Component Interaction Table: ASTER Simplified Expedited Data
(6 of 6)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
F.14.4	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the SDSRV configuration. The amount of staging disk to request is determined by the size of the metadata file.
F.14.5	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. This returns references to the files in the read-only cache.
F.14.6	Link files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
F.14.7	Copy files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.
F.14.8	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp Pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct ftp Server is determined from configuration within the resource factory. The files, host, location, username and password are all determined from the information provided in the original Acquire request.
F.14.9	ftp/push data	EcDsStFtpDisServer	Operating System ftp daemon	ftp	The EcDsStFtpDisServer performs the actual ftp of the files via the Operating System ftp daemon to the ASTER GDS.

3.7.10 ASTER Routine Processing Planning Data Start/Stop Time Thread

Thread Description

This thread illustrates how to perform ASTER processing for ACT, BTS, and ETS PGEs.

The following system functionality is exercised in this thread:

- The capability to routinely process ASTER data.

Thread Preconditions

The PDPS database, the Science Data Server, the Subscription Server, the Production Request Editor, the Job Management Server, Autosys, and the Planning Workbench must be up and running. Input granules must be available on the Science Data Server. The original Production Request must already be present in the PDPS DB. SSI&T must have set up the ASTER ACT PGE as a data scheduled PGE. The data type of ASTL1B must be set up as non-routine.

3.7.10.1 ASTER Routine Processing Planning Data Start/Stop Time Thread Interaction Diagram

Figure 3.7.10.1-1 depicts the ASTER Routine Processing Planning Data Start/Stop Time Interaction.




Figure 3.7.10.1-1. ASTER Routine Processing Planning Data Start/Stop Time Interaction Diagram

3.7.10.2 ASTER Routine Processing Planning Data Start/Stop Time Interaction Table - Domain View

Table 3.7.10.2-1 provides the interaction Domain View: ASTER Routine Processing Planning Data Start/Stop Time.

**Table 3.7.10.2-1. Interaction Table - Domain View:
ASTER Routine Processing Planning Data Start/Stop Time (1 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
G.1	Ingest ASTER tape	DAAC Ops -	INS	ASTER Level 1 processing is not performed at ECS.	The ASTER PGE must be set up as a data scheduled PGE. The data type AST_L1B must be set up as non-routine.	The tape is provided by the ASTER instrument team.
G.2	Run script	DAAC Ops-	SDSRV DB	Data provided by ASTER tape.	Tape must be successfully ingested.	Script queries for time range needed for Production Request
G.3	Return times	SDSRV DB	DAAC Ops -	Data provided by ASTER tape.	Tape must be successfully ingested.	This start and stop time range is needed by the PLS Production Request Editor.
G.4	Initialize ad hoc reprocessing	DAAC Ops - Production Planner	PLS	The original Production Request must be known and accessible.	The Production Request Editor must be up and running.	Ad hoc reprocessing is initiated by the Production Planner.
G.5	Submit subscription	PLS	SBSRV	Input granules must be available.	The Subscription Server must be up and running.	Subscriptions must be submitted individually for each data type.
G.6	Read data type granules	PLS	PDPS DB	The original Production Request must be present in the DB.	The DB must be up and running.	All the data type granules for the selected input data and time range must be read.
G.7	Determine data to be predicted	PLS	PLS	The original Production Request must be missing data.	None	Data is predicted to substitute for data that is missing from the PDPS DB.
G.8	Query for each input data type	PLS	SDSRV	None	The Science Data Server must be up and running.	Each query is based on a time range.

Table 3.7.10.2-1. Interaction Table - Domain View: ASTER Routine Processing Planning Data Start/Stop Time (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
G.9	Prepare granules and generate DPR	PLS	PLS	None	DCE must be up and running.	Match each SDSRV granule with a PDPS DB granule and then resume normal processing.
G.10	Query for PGE output	PLS	SDSRV	None	DCE must be up and running.	If these outputs are there, skip generating the current DPR to avoid re-generating output products.
G.11	Write DPR(s)	PLS	PDPS DB	None	The DB must be up and running.	The DPR(s) is written to the DB normally.
G.12	Create and activate plan	DAAC Ops - Production Planner	PLS	None	The Production Request Editor and the Planning Workbench must be up and running.	The plan is created and activated normally.
G.13	Create a DPR job for each DPR	PLS	DPS	None	DCE must be up and running.	The DPR job for each DPR is created normally.
G.14	Place jobs in Autosys	DPS	DPS	None	Autosys must be up and running.	The jobs are placed in Autosys normally.

3.7.10.3 ASTER Routine Processing Planning Data Start/Stop Time Component Interaction Table

Table 3.7.10.3-1 provides the Component Interaction: ASTER Routine Processing Planning Data Start/Stop Time.

Table 3.7.10.3-1. Component Interaction Table: ASTER Routine Processing Planning Data Start/Stop Time (1 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
G.1.1	Ingest ASTER tape	DAAC Ops	EclnGUI	GUI	The tape is provided by the ASTER instrument team.
G.2.1	Run script	DAAC Ops	SDSRV DB	shell script (currently unnamed)	Script queries for time range needed for Production Request
G.3.1	Return times	SDSRV DB	DAAC Ops	shell script (currently unnamed)	This start and stop time range is needed by the PLS Production Request Editor.

**Table 3.7.10.3-1. Component Interaction Table:
 ASTER Routine Processing Planning Data Start/Stop Time (2 of 3)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
G.4.1	Start Production Request Editor	DAAC Ops – Production Planner	EcPIPREDitor_IF	GUI	The Production Request Editor is started normally.
G.4.2	Initiate request for Production Request to be reprocessed	DAAC Ops – Production Planner	EcPIPREDitor_IF	GUI	The Production Planner initiates the reprocessing request.
G.4.3	Change PR type	DAAC Ops – Production Planner	EcPIPREDitor_IF	GUI	The Production Planner changes the PR type from Routine to Ad Hoc Reprocessing.
G.4.4	Save Production Request	DAAC Ops – Production Planner	EcPIPREDitor_IF	GUI	The Production Planner saves the Production Request under a new, unique name.
G.5.1	Submit subscription	EcPISubMgr	EcSbSubServer	Distributed Object	The subscriptions are submitted for each data type individually.
G.6.1	Read data type granules	EcPIPREDitor_IF	PDPS DB	CtLib	All of the data type granules for input data and time range are read.
G.7.1	Determine data to be predicted	EcPIPREDitor_IF	PDPS DB	CtLib	This determination is based on the data missing in the PDPS DB.
G.8.1	Query for each input data type	EcPIPREDitor_IF	EcDsScienceDataServer	CtLib	These queries are based on a time range.
G.9.1	Inspect and match granules	EcPIPREDitor_IF	EcPIPREDitor_IF	CtLib	Each SDSRV granule is matched with a PDPS DB granule.
G.9.2	Generate DPR(s)	EcPIPREDitor_IF	EcPIPREDitor_IF	CtLib	The DPS(s) are generated.
G.10.1	Query for PGE output	EcPIPREDitor_IF	EcDsScienceDataServer	Distributed Object	If these outputs are there, skip generating the current DPR to avoid re-generating output products.
G.11.1	Write DPR(s) to DB	EcPIPREDitor_IF	PDPS DB	CtLib	The DPR(s) are written to the DB.

**Table 3.7.10.3-1. Component Interaction Table:
ASTER Routine Processing Planning Data Start/Stop Time (3 of 3)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
G.12.1	Shut down Production Request Editor	DAAC Ops – Production Planner	EcPIPREDitor_IF	GUI	The Production Planner shuts down the Production Request Editor.
G.12.2	Start up Planning Workbench	DAAC Ops – Production Planner	EcPIWb	GUI	The Production Planner starts up the Planning Workbench.
G.12.3	Select Production Request and create a plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner selects a Production Request and creates a plan.
G.12.4	Activate the plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner activates the plan.
G.13.1	Create a DPR job for each DPR	EcPIWb	EcDpPrJob Mgmt	Distributed Object	A DPR job is created for each DPR.
G.14.1	Jobs placed in Autosys	EcDpPrJobMgmt	Autosys	rpc (COTS)	The job can now be run in Autosys.

3.7.11 ASTER Routine Processing Planning Insertion Time Thread

This thread illustrates how to perform ASTER processing using the tar file insertion time instead of the usual data start and stop times for ASTER BTS (Brightness Temperature at Sensor) PGEs. → Note that this option is not available for ASTER ACT (Atmospheric Correction – TIR) and ETS (Emissivity/Temperature Separation) PGEs.

The following system functionality is exercised in this scenario:

- The capability to routinely process ASTER data using the time that the tar file was inserted.

Thread Preconditions

The PDPS database, the Science Data Server, the Subscription Server, the Production Request Editor, the Job Management Server, Autosys, and the Planning Workbench must be up and running. Input granules must be available on the Science Data Server. The original Production Request must already be present in the PDPS DB. SSI&T must have set up the ASTER ACT PGE as a data scheduled PGE – see the ASTER Routine Processing Planning Data Start/Stop Time Thread. The data type of ASTL1BT must be set up as non-routine.

3.7.11.1 ASTER Routine Processing Planning Insertion Time Thread Interaction Diagram -Domain View

Figure 3.7.11.1-1 depicts the ASTER Routine Processing Planning Insertion Time Thread Interaction.




Figure 3.7.11.1-1. Routine Processing Planning Insertion Time Thread Interaction Diagram

3.7.11.2 Routine Processing Planning Insertion Time Interaction Table - Domain View

Table 3.7.11.2-1 provides the Interaction – Domain View: Routine Processing Planning Insertion Time Interaction.

Table 3.7.11.2-1. Interaction Table - Domain View: ASTER Routine Processing Planning Insertion Time (1 of 2)

Step	Interaction	Interface Client	Interface Provider	Data Issues	Preconditions	Description
H.1	Ingest ASTER tape	DAAC Ops -	Ingest	ASTER Level 1 processing is not performed at ECS.	The ASTER PGE must be set up as a data scheduled PGE. The data type AST_L1BT must be set up as non-routine.	Tape is provided by the ASTER instrument team.
H.2	Initialize ASTER processing	DAAC Ops - Production Planner	PLS	The original Production Request must be known and accessible.	The Production Request Editor must be up and running.	Ad hoc reprocessing is initiated by the Production Planner using tar file insertion time.
H.3	Submit subscription	PLS	SBSRV	Input granules must be available.	The Subscription Server must be up and running.	Subscriptions must be submitted individually for each data type.
H.4	Read data type granules	PLS	PDPS DB	The original Production Request must be present in the DB.	The DB must be up and running.	All the data type granules for the selected input data and time range must be read.
H.5	Determine gaps for query	PLS	PDPS DB	None	None	The Production Request Editor determines the time ranges for upcoming SDSRV query.
H.6	Query for each input data type	PLS	SDSRV	None	The Science Data Server must be up and running.	Each query is based on a time range and uses a tar file insertion time.
H.7	Prepare granules and generate DPR	PLS	PLS	None	DCE must be up and running.	Match each SDSRV granule with a PDPS DB granule and then resume normal processing.
H.8	Write DPR(s)	PLS	PDPS DB	None	The DB must be up and running.	The DPR(s) is written to the DB normally.
H.9	Create and activate plan	DAAC Ops - Production Planner	PLS	None	The Production Request Editor and the Planning Workbench must be up and running.	The plan is created and activated normally.

Table 3.7.11.2-1. Interaction Table - Domain View: ASTER Routine Processing Planning Insertion Time (2 of 2)

Step	Interaction	Interface Client	Interface Provider	Data Issues	Preconditions	Description
H.10	Create a DPR job for each DPR	PLS	DPS	None	DCE must be up and running.	The DPR job for each DPR is created normally.
H.11	Place jobs in Autosys	DPS		None	Autosys must be up and running.	The jobs are placed in Autosys normally.

3.7.11.3 Routine Processing Planning Insertion Time Thread Component Interaction Table

Table 3.7.11.3-1 provides the Component Interaction: Routine Processing Planning Insertion Time Thread.

Table 3.7.11.3-1. Component Interaction Table: ASTER Routine Processing Planning Insertion Time (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
H.1.1	Ingest ASTER tape	DAAC Ops -	EcInGUI	GUI	Tape is provided by the ASTER instrument team.
H.2.1	Start Production Request Editor	DAAC Ops - Production Planner	EcPIPREditor_IF	GUI	The Production Request Editor is started normally.
H.2.2	Initiate request for Production Request to be reprocessed	DAAC Ops - Production Planner	EcPIPREditor_IF	GUI	The Production Planner initiates the reprocessing request.
H.2.3	Change PR type	DAAC Ops - Production Planner	EcPIPREditor_IF	GUI	The Production Planner changes the PR type from Routine to Ad Hoc Reprocessing.
H.2.4	Save Production Request	DAAC Ops - Production Planner	EcPIPREditor_IF	GUI	The Production Planner saves the Production Request under a new, unique name.
H.3.1	Submit subscription	EcPISub Mgr	EcSbSub Server	Distributed Object	The subscriptions are submitted for each data type individually.
H.4.1	Read data type granules	EcPIPREditor_IF	PDPS DB	CtLib	All of the data type granules for input data and time range are read.

**Table 3.7.11.3-1. Component Interaction Table: ASTER Routine Processing
Planning Insertion Time (2 of 2)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
H.5.1	Determine gaps for query	EcPIPREditor_IF	PDPS DB	CtLib	Determine time ranges for upcoming SDSRV query.
H.6.1	Query for each input data type	EcPIPREditor_IF	EcDsScienceData Server	CtLib	These queries are based on a time range.
H.7.1	Inspect and match granules	EcPIPREditor_IF	EcPIPREditor_IF	CtLib	Each SDSRV granule is matched with a PDPS DB granule.
H.7.2	Generate DPR(s)	EcPIPREditor_IF	EcPIPREditor_IF	CtLib	The DPS(s) are generated.
H.8.1	Write DPR(s) to DB	EcPIPREditor_IF	PDPS DB	CtLib	The DPR(s) are written to the DB.
H.9.1	Shut down Production Request Editor	DAAC Ops - Production Planner	EcPIPREditor_IF	GUI	The Production Planner shuts down the Production Request Editor.
H.9.2	Start up Planning Workbench	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner starts up the Planning Workbench.
H.9.3	Select Production Request and create a plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner selects a Production Request and creates a plan.
H.9.4	Activate the plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner activates the plan.
H.10.1	Create a DPR job for each DPR	EcPIWb	EcDpPrJobMgmt	Distributed Object	A DPR job is created for each DPR.
H.11.1	Jobs placed in Autosys	EcDpPrJobMgmt	Autosys	rpc (COTS)	The job can now be run in Autosys.

3.8 Planning Scenario

3.8.1 Planning Scenario Description

This scenario shows all the planning and any processing threads (including re-processing of a data processing request) that apply to all instrument scenarios which utilize the ECS planning and data processing functions. These threads apply to the MODIS and ASTER scenarios.

3.8.2 Planning Scenario Preconditions

There are no overall preconditions, however, applicable preconditions are provided for each thread. The following threads are supplemental to the basic operations of the PDPS which are illustrated in the MODIS and ASTER scenarios. The point of these scenarios is to illustrate different twists in the interactions that were not specified in the MODIS and ASTER scenarios. Each of the following scenarios was developed to highlight a specific part of the overall functionality for the purpose of clarification. Therefore, there is no flow between these individual threads in this document and no thread letters identified with these threads except where thread groups are shown in this section (i.e. the Resource Planning Group, the SSAP group and the Metadata group). Thread descriptions indicate where these threads would logically apply in the MODIS and ASTER scenarios. This thread application would not necessarily be a direct patch into the scenario, but is a representation of the general expansion of that scenario. Some specific modification may be needed for a given specific scenario. Individual thread preconditions are identified with each thread.

3.8.3 Planning Scenario Partitions

The Planning Scenario has been partitioned into the following threads:

- **Resource Planning Group** - This Group consists of the Ground Events Job Thread and the Resource Planning Thread:
 - **Ground Events Job** (Thread A) - This thread illustrates how a ground event marks a resource as unavailable for a specified time (see section 3.8.4).
 - **Resource Planning** (Thread B) - This thread illustrates a means to gather a set of resources to be used by Resource Planning (see section 3.8.5).
- **Science Software Archive Package** - The Science Software Archive Package (SSAP) is a precondition for the MODIS Scenario (Section 3.5) and the ASTER Scenario (Section 3.7), and has been partitioned into the following threads:
 - **SSAP Insertion** (Thread A) - This thread illustrates how a new SSAP is inserted into the Data Server (see section 3.8.6).
 - **SSAP Update** (Thread B) - This thread illustrates how an existing SSAP in the Data Server can be updated (see section 3.8.7).
 - **Archive PGE Executable TAR File** (Thread C) - This thread illustrates the archiving of a PGE executable tar file, and is implemented at the time of PGE

registration. This thread would also follow the SSAP Insertion Thread (A) if no update takes place (see section 3.8.8).

- **Metadata Query for Dynamic Input Granules** - This thread group is needed to determine the inputs to DPRs which use time dependent granules (dynamic) based on a metadata query, and is partitioned into the following threads:
 - **Dynamic Granule Currently Available** (Thread A) - This thread illustrates what happens when a dynamic granule is currently available from the Science Data Server (see section 3.8.9).
 - **Dynamic Granule Available in the Future** (Thread B) - This thread illustrates what happens when a dynamic granule is not currently available but will be available in the future from the Science Data Server (see section 3.8.10).
- **Metadata Based Activation** - This thread illustrates the activation (run/no run) of a DPR based on a metadata value, and takes place before the MODIS Standard Production Thread (Section 3.5.5) and before the “Activate Plan” step (C.8) of the ASTER Backward Changing Thread (Section 3.7.6). (See section 3.8.11).
- **Ad Hoc Reprocessing** - This thread illustrates how to reprocess a DPR without affecting previously processed jobs. This thread would apply after the MODIS Standard Production Thread (Section 3.5.5) or the ASTER On-Demand Production Thread (Section 3.7.8). (See section 3.8.12).
- **Delete DPR** - This thread illustrates the deletion of a DPR job, and would apply after the MODIS Failed PGE Handling Thread (Section 3.5.6). (See section 3.8.13).
- **Most Recent Granule** – This thread illustrates how to process DPR whose data is not yet available by searching back in time for available data. (See section 3.8.14).

3.8.4 Ground Events Obs Thread (Thread A)

This thread illustrates how a ground event marks a resource as unavailable for a specified time. A ground event is composed of a start time, duration, and a resource.

This thread applies to any resource except Autosys.

The following system functionality is exercised in this thread:

- The capability to recognize already allocated resources identified by a ground event job, and to not schedule additional jobs using resources already covered by an existing ground event job for that ground event duration.

Thread Preconditions

The PDPS database, Resource Planning, Autosys, and the Job Management Server must all be up and running.

The Planning Workbench cannot be up.

3.8.4.1 Ground Events Jobs Thread Interaction Diagram - Domain View

Figure 3.8.4.1-1 depicts the Ground Events Jobs Thread Interaction - Domain View.




Figure 3.8.4.1-1. Ground Events Jobs Thread Interaction Diagram - Domain View

3.8.4.2 Ground Events Jobs Thread Interaction Table - Domain View

Table 3.8.4.2-1 provides the Ground Events Jobs Thread Interaction - Domain View.

Table 3.8.4.2-1. Interaction Table - Domain View: Ground Events Jobs (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Create the ground event	DAAC Ops - Production Planner	PLS	The resources to be allocated for the ground event must be known.	Resource Planning must be up and running.	The Production Planner uses Resource Planning to allocate given resources in a ground event. The Planning Workbench is brought up.
A.2	Perform planning	PLS	PLS	None	None	The Production Planner performs planning in the normal fashion.

Table 3.8.4.2-1. Interaction Table - Domain View: Ground Events Jobs (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.3	Activate Plan	PLS	DPS	The ground event message includes a resource ID, a start time, and duration.	The Planning Workbench and the Job Management Server must be up and running.	A ground event message is sent along with the DPRs in the plan.
A.4	Processes ground event job	DPS	DPS	None	The Job Management Server must be up and running.	The ground event job is processed.

3.8.4.3 Ground Events Jobs Thread Component Interaction Table

Table 3.8.4.3-1 provides the Ground Events Jobs Thread Interaction.

Table 3.8.4.3-1. Component Interaction Table: Ground Events Jobs (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Create the ground event	DAAC Ops - Production Planner (Operator)	EcPIRpre	GUI	The Production Planner uses Resource Planning to allocate given resources in a ground event.
A.2.1	Create plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner creates a plan in the normal fashion.
A.2.2	Submit plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner submits the plan in the normal manner.
A.3.1	Activate Plan	EcPIWb	EcDpPrJob Mgmt	Distributed Object	A ground event message is sent along with the DPRs in the plan, if any.
A.4.1	Job Appears in Autosys	EcDpPrJob Mgmt	EcDpPrJob Mgmt	Internal	This newly created job must have the same name as the ground event job.
A.4.2	Job starts running	EcDpPrGE	EcDpPrGE	Internal	The DPS Ground Event job begins to run.

Table 3.8.4.3-1. Component Interaction Table: Ground Events dbs (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.4.3	Job looks up resource	EcDpPrGE	Sybase	CtLib	The DB lookup is accomplished using the primary key.
A.4.4	Set the field onLineStyle to offLine	EcDpPrGE	Sybase	CtLib	By setting the DB field onLineStyle to the value offLine, further use of that resource is eliminated until either the job wakes up or is killed.
A.4.5	Job sleeps for the duration time of the ground event	EcDpPrGE	EcDpPrGE	Internal	The resource(s) allocated by the ground event remains allocated for the duration of the ground event.
A.4.6	Set the field onLineStyle to onLine	EcDpPrGE	Sybase	CtLib	When either the job wakes up, or if the job is killed, the DB field onLineStyle is reset to onLine.

3.8.5 Resource Planning Thread (Thread B)

This thread illustrates a means to gather a set of resources to be used by Resource Planning.

This thread applies to all instruments.

The following system functionality is exercised in this thread:

- The capability to obtain from MSS a baseline configuration file of resources and resource descriptions.

Resource Planning Thread Preconditions

A directory must have been created to house the baseline configuration file. The PDPS DB must be up and running. The MSS CM server must be on-line. Tivoli, configured to support the Baseline Manager/Resource Planning interface, must be running on the MSS server, the MSS CM server and the Planning workstation. Resource Planning must be running.

3.8.5.1 Resource Planning Thread Interaction Diagram - Domain View

Figure 3.8.5.1-1 depicts the Resource Planning Interaction Diagram - Domain View.




Figure 3.8.5.1-1. Resource Planning Interaction Diagram - Domain View

3.8.5.2 Resource Planning Thread Interaction Table - Domain View

Table 3.8.5.2-1 provides the - Domain View: Resource Planning.

Table 3.8.5.2-1. Interaction Table - Domain View: Resource Planning (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.1	Fetch baseline	DAAC Ops - Production Planner	PLS	The baseline date must be known.	The Resource Editor must be up and running.	The Production Planner performs the baseline fetch steps using the Resource Planner.
B.2	Request resource configuration file	PLS	MSS	None	Tivoli, configured to support the Baseline Manager/ Resource Planning IF, must be running on the MSS server.	The resource configuration file is provided via Tivoli.

Table 3.8.5.2-1. Interaction Table - Domain View: Resource Planning (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.3	Send resource configuration file	MSS	PLS	None	The MSS and CM servers must be up and running.	Several Tivoli jobs and an XRP-II script are run.
B.4	Notify operator	MSS	DAAC Ops - Production Planner	None	GUI: Resource Editor and the MSS server must be up and running.	A registered Production Planner can browse the Tivoli messages to verify status of the planned resource.

3.8.5.3 Resource Planning Thread Component Interaction Table

Table 3.8.5.3-1 provides the Component Interaction: Resource Planning

Table 3.8.5.3-1. Component Interaction Table: Resource Planning (1 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Bring up the Resource Definition screen	DAAC Ops - Production Planner	EcPIRpRe	GUI	The Production Planner brings up the Resource Definition screen of the Resource Planner.
B.1.2	Click the Fetch Baseline button	DAAC Ops - Production Planner	EcPIRpRe	GUI	The Production Planner selects the Fetch Baseline button.
B.1.3	Enter baseline date	DAAC Ops - Production Planner	EcPIRpRe	GUI	The Production Planner enters the baseline date and clicks OK.
B.2.1	Start Tivoli process	EcPIRpRe	Tivoli	command line "tivoli"	Tivoli starts a Tivoli client process.
B.2.2	Invoke get_resource_configuration job	EcPIRpRe	Tivoli	command line "wrunjob"	The PLS Resource Editor starts a job in a Tivoli task library. The command passes the name of the library and job, the user specified configuration date for the baseline, and a Resource Planning code (RP) to be used in conjunction with notification of job status.

Table 3.8.5.3-1. Component Interaction Table: Resource Planning (2 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.3.1	Issue "resplan" data request	wrunjob	Tivoli	command line "resplan"	Tivoli invokes the XRP-II resplan script on the MSS CM server, forwarding the baseline date and notification code as arguments.
B.3.2	Send resplan data	resplan	wrunjob XRP-II	command line "wrunjob"	XRP-II extracts from the Baseline Manager database records tagged as planning resources that are part of the baseline having status of production and in effect at the site on the requested job date. Using this data, it creates resource configuration records in a well-defined format, prefixes them with an informational message, and makes them available to Tivoli via standard output for delivery to resource planning.
B.3.3	Send resplan signal	resplan	wasync Tivoli	Tivoli command command line "wasync"	XRP-II signals the Tivoli Sentry module when resplan has processed the data request. The signal employs a special code and contains a status message. The code, used by Sentry to determine what action to take, contains the base string GRC_for_ followed by the RP notification code that had been passed as an argument to resplan.
B.3.4	Store resource configuration file	wrunjob	Tivoli	Command line	Tivoli writes the formatted data XRP-II placed on the standard output into a file named /usr/ecs/OPS/CUSTOM/data/PLS/ResPlan/resource_config.dat on the PLS workstation.

Table 3.8.5.3-1. Component Interaction Table: Resource Planning (3 of 3)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.4.1	Issue notification	Tivoli	DAAC Ops - Production Planner	Tivoli sentry monitor	In response to a GRC_for_RP signal, a Tivoli Sentry monitor produces a popup window for all users logged onto the PLS workstation who have a Tivoli client process running and are registered to receive GRC_for_RP notices. The window displays the status message from resplan together with some ancillary information. The monitor also writes the status message and ancillary information to the Tivoli Sentry-log notice group.
B.4.2	Browse notices	DAAC Ops - Production Planner	Tivoli	GUI	Planners registered as Tivoli administrators who subscribe to the Sentry-log notice group can view a chronological list of GRC_for_RP messages by clicking on their Tivoli desktop Notices icon and selecting the Sentry-log group.

3.8.6 Science Software Archive Package Thread - SSAP Insertion (Thread A)

This thread illustrates how a new SSAP is inserted into the Data Server

This thread effects all instruments.

The following system functionality is exercised in this thread:

- The capability to insert a SSAP into the Data Server

Thread Preconditions

The following servers/services must be up and running: Science Data Server, the Advertising Server, and Storage Management.

The SSAP Editor must be up and running and the added SSAP should appear in the window of the “main” tab.

3.8.6.1 Science Software Archive Package Insertion Thread Interaction Diagram - Domain View

Figure 3.8.6.1-1 depicts the Science Software Archive Package Insertion Interaction - Domain View.




Figure 3.8.6.1-1. SSAP Diagram - Domain View

3.8.6.2 Science Software Archive Package Insertion Thread Interaction Table - Domain View

Table 3.8.6.2-1 depicts the Interaction Table - Domain View: SSAP Insertion.

Table 3.8.6.2-1. Interaction Table - Domain View: SSAP Insertion

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Enter SSAP data	DAAC Ops - SSIT Operator	AITTL	The SSAP data to be entered must be known.	None	The SSIT Operator enters the science software archive package data.
A.2	Get Data Server UR	AITTL	IOS/ADV	None	The IOS Advertising Server must be up and running.	The Science Data Server universal reference is requested from the Advertising Server.
A.3	UR for Data Server	IOS/ADV	AITTL	None	The IOS Advertising Server must be up and running.	The Science Data Server universal reference is provided by the Advertising Server.
A.4	Insert DAP and SSAP components	AITTL	SDSRV	None	The Science Data Server specified by the UR is up and running.	The DAP and SSAP components are inserted into the appropriate Science Data Server.
A.5	Return UR of SSAP granules	SDSRV	AITTL	None	The Science Data Server specified by the UR is up and running.	The UR of the SSAP granules is returned by the Science Data Server.
A.6	Display insertion message	AITTL	DAAC Ops- SSIT Operator	None	None	The Science Data Server insertion message is displayed to the SSIT Operator.

3.8.6.3 Science Software Archive Package Insertion Thread Component Interaction Table

Table 3.8.6.3-1 depicts the Science Software Archive Package Component Interaction - SSAP Insertion.

Table 3.8.6.3-1. Component Interaction Table: SSAP Insertion (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Select SSIT Manager:Tools: Data Server: SSAP Editor	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator brings up the SSAP Editor.
A.1.2	Click on Create button	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator clicks on the Create button.
A.1.3	Enter name of the SSAP in the first field	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator enters the name of the SSAP in the first field.
A.1.4	Enter the SSAP version in the second field	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator enters the SSAP version in the second field.
A.1.5	Click OK	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator clicks on OK.
A.1.6	Click on File List tab	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator clicks on the File List tab.
A.1.7	Click on File Type button	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator clicks on the File Type button.
A.1.8	Choose one menu item	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator chooses one menu item.
A.1.9	Select a file(s) from the left window	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator selects a file or files from the left window.
A.1.10	Click the Add Arrow	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator clicks on the add arrow.
A.1.11	Click on Metadata tab	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator clicks on the Metadata tab.
A.1.12	Change values as necessary & click OK	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator changes the values as necessary and clicks OK.
A.1.13	Click the Edit Assoc Collections button	DAAC Ops - SSIT Operator	EcDpAtSS APGui	GUI	The SSIT Operator clicks the Assoc Collections button.

Table 3.8.6.3-1. Component Interaction Table: SSAP Insertion (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.14	Enter a short name of an existing ESDT	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator enters a short name of an existing ESDT.
A.1.15	Enter the version	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator enters the version.
A.1.16	Click OK	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on OK.
A.1.17	Click Done	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on Done.
A.1.18	Select Metadata tab:Save	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator selects the Metasave pulldown Save option.
A.1.19	Select Main tab: Submit	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator selects the Main tab Submit option.
A.2.1	Get Data Server UR	EcDpAtSS APGui	EcloAdServer	Distributed Object	The Science Data Server universal reference is requested from the Advertising Server.
A.3.1	Data Server UR	EcloAdServer	EcDpAtS SAPGui	Distributed Object	The Science Data Server universal reference is provided by the Advertising Server.
A.4.1	Insert DAP	EcDpAtSS APGui	EcDsScienceData Server	GUI	The DAP is inserted into the appropriate Science Data Server.
A.4.2	Insert SSAP components	EcDpAtSS APGui	EcDsScienceData Server	Distributed Object	The SSAP components are inserted into the appropriate Science Data Server.
A.5.1	UR of SSAP granules	EcDsScienceDataServer	EcDpAtS SAPGui	Distributed Object	The UR of the SSAP granules is returned by the Science Data Server.
A.6.1	Display insertion message	EcDpAtSS APGui	DAAC Ops-SSIT Operator	GUI	The Science Data Server insertion message is displayed to the SSIT Operator.

3.8.7 SSAP Update Thread (Thread B)

This thread illustrates how an existing SSAP in the Data Server can be updated.

This thread effects all instruments.

The following system functionality is exercised in this thread:

- The capability to update an existing SSAP in the Data Server

SSAP Update Thread Preconditions

The following servers/services must be up and running: Data Server, the Advertising Server, and Storage Management.

For the SSAP Update thread, an SSAP must have already been inserted into the Data Server.

3.8.7.1 SSAP Update Thread Interaction Diagram - Domain View

Figure 3.8.7.1-1 depicts the SSAP Update Thread Interaction - Domain View.




Figure 3.8.7.1-1. SSAP Update Interaction Diagram - Domain View

3.8.7.2 SSAP Update Thread Interaction Table - Domain View

Table 3.8.7.2-1 provides the SSAP Update Interaction - Domain View.

Table 3.8.7.2-1. Interaction Table - Domain View: SSAP Update

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.1	Enter SSAP update data	DAAC Ops - SSIT Operator	AITTL	The SSAP update data must be known.	A science software archive package (SSAP) must have already been inserted into the Science Data Server. The SSAP editor must be up and running and the inserted SSAP should appear in the window of the Main tab.	The SSIT Operator enters the SSAP update data.
B.2	Get Data Server UR	AITTL	IOS/ADV	None	The IOS Advertising Server must be up and running.	The UR of the correct Science Data Server is requested from the Advertising Server.
B.3	Data Server UR	IOS/ADV	AITTL	None	The IOS Advertising Server must be up and running.	The UR of the correct Science Data Server is provided by the Advertising Server.
B.4	Get metadata	AITTL	SDSRV	None	The correct Science Data Server must be up and running.	Request the previously inserted (current) SSAP metadata from the Science Data Server.
B.5	Current metadata	SDSRV	AITTL	None	The correct Science Data Server must be up and running.	The Science Data Server provides the previously inserted (current) metadata.
B.6	Insert and update data	AITTL	SDSRV	None	The correct Science Data Server must be up and running.	New data is inserted into the Science Data Server, and existing data is updated in the Science Data Server.
B.7	UR of updated granules	SDSRV	AITTL	None	The correct Science Data Server must be up and running.	The Science Data Server returns the UR of the updated granules.
B.8	Display insertion message	AITTL	DAAC Ops - SSIT Operator	None	None	The Science Data Server insertion message is displayed to the SSIT Operator.

3.8.7.3 SSAP Update Thread Component Interaction Table

Table 3.8.7.3-1 provides the SSAP Update Component Interaction.

Table 3.8.7.3-1. Component Interaction Table: SSAP Update (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Click on existing SSAP in the Main display	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on the existing SSAP in the Main display.
B.1.2	Click on the Metadata tab	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on the Metadata tab.
B.1.3	Click on the Algorithm Version field & enter a new version	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on the Algorithm Version field and enters a new version. This new version must be different from the existing version
B.1.4	Update any other fields you wish to change	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator updates any other fields that he wishes to change at this point. A new Associated Collection can be added here by clicking on the Assoc Collection button and following the steps described in Creating an SSAP.
B.1.5	Click Save	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator click on Save before he leaves the Metadata tab.
B.1.6	Click on the File List tab	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on the File List tab to set up new SSAP components.
B.1.7	Click on the File Type button	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on the file Type button to select the additional SSAP component to manipulate. If the file type already exists, the existing information is acquired from the Science Data Server.
B.1.8	Choose one of the menu items	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator chooses one of the menu items.
B.1.9	Select file(s) from the left window	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator selects file(s) from the left window to add to the component.

Table 3.8.7.3-1. Component Interaction Table: SSAP Update (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.10	Click the Add Arrow button	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on the Add Arrow button to add the files. They appear in the right window because they are now part of that SSAP Component.
B.1.11	Click Main	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on Main to get back to the Main tab.
B.1.12	On the Main tab, click Submit	DAAC Ops - SSIT Operator	EcDpAtS SAPGui	GUI	The SSIT Operator clicks on Submit to send the new SSAP to the Science Data Server.
B.2.1	Get Data Server UR	EcDpAtS SAPGui	EcLoAdS erver	Distributed Object	The UR of the correct Science Data Server is requested from the Advertising Server.
B.3.1	Data Server UR	EcLoAdS erver	EcDpAtS SAPGui	Distributed Object	The UR of the correct Science Data Server is provided by the Advertising Server.
B.4.1	Get metadata	EcDpAtS SAPGui	EcDsScienceData Server	Distributed Object	Request the previously inserted (current) SSAP metadata from the Science Data Server.
B.5.1	Current metadata	EcDsScienceData Server	EcDpAtS SAPGui	Distributed Object	The Science Data Server provides the previously inserted (current) metadata.
B.6.1	Insert new Archive Package (DAP)	EcDpAtS SAPGui	EcDsScienceData Server	Distributed Object	New data is inserted into the Science Data Server.
B.6.2	Insert SSAP	EcDpAtS SAPGui	EcDsScienceData Server	Distributed Object	New SSAP components are inserted into the Science Data Server.
B.6.3	Update old components	EcDpAtS SAPGui	EcDsScienceData Server	Distributed Object	Existing data is updated in the Science Data Server.
B.7.1	UR of updated granules	EcDsScienceData Server	EcDpAtS SAPGui	Distributed Object	The Science Data Server returns the UR of the updated granules.
B.8.1	Display insertion message	EcDpAtS SAPGui	DAAC Ops - SSIT Operator	GUI	SSAP successfully inserted into the Data Server message is displayed to the SSIT Operator.

3.8.8 Archive PGE Executable TAR File Thread (Thread C)

This thread illustrates the archiving of a PGE executable tar file.

This thread effects all instruments.

The following system functionality is exercised in this thread:

- The capability to archive a PGE executable tar file.

Thread Preconditions

The following servers must be up and running: the Data Server, the Advertising Server, and Storage Management. The PGE executable ESDT must have been installed on the Data Server. A PGE executable metadata file must have been created. The PGE must be defined in the PDPS database via the science update tool.

3.8.8.1 Archive PGE Executable TAR File Thread Interaction Diagram - Domain View

Figure 3.8.8.1-1 depicts the Archive PGE Executable TAR File Interaction - Domain View.




Figure 3.8.8.1-1. Archive PGE Executable TAR File Interaction Diagram - Domain View

3.8.8.2 Archive PGE Executable TAR File Thread Interaction Table - Domain View

Table 3.8.8.2-1 provides the Archive PGE Executable TAR Interaction - Domain View.

Table 3.8.8.2-1. Interaction Table - Domain View: Archive PGE Executable Tar File

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.1	Enter PGE data	DAAC Op - SSIT Operator	AITTL	The PGE tar file information must be known.	The PGE executable must have been installed on the data server. A PGE executable metadata file must have been created. The PGE must be defined in the PDPS DB.	The SSIT Operator enters the PGE data.
C.2	Get UR for Data Server	AITTL	IOS/ADV	None	The IOS Advertising Server must be up and running.	This is a request for the specific Science Data Server that is housing the data.
C.3	UR for Data Server	IOS/ADV	AITTL	None	The IOS Advertising Server must be up and running.	The object address for the correct Science Data Server is provided by the Advertising Server.
C.4	Insert PGE	AITTL	SDSRV	None	The correct Science Data Server and Storage Management must be up and running.	The PGE is inserted into the proper Science Data Server.
C.5	Return UR	SDSRV	AITTL	None	The correct Science Data Server and Storage Management must be up and running.	The Universal Reference of the inserted PGE is returned.
C.6	Display UR	AITTL	DAAC Op - SSIT Operator	None	None	The Universal Reference of the inserted PGE is displayed to the SSIT Operator.

3.8.8.3 Archive PGE Executable TAR File Thread Component Interaction Table

Table 3.8.8.3-1 provides the Archive PGE Executable TAR File Component Interaction - Domain View.

Table 3.8.8.3-1. Component Interaction Table: Archive PGE Executable Tar File

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.1.1	Select Tools>Data Server:Ins EXE TAR	DAAC Ops - SSIT Operator	EcDpAtMgr	GUI	The SSIT Operator selects the Insert Executable Tar File option.
C.1.2	Enter for default: ../cfg/EcDpAtInsertExeTarFile.CFG	DAAC Ops - SSIT Operator	EcDpAtInsertExeTarFile	command line	The SSIT Operator enters the tar file location.
C.1.3	Enter mode	DAAC Ops - SSIT Operator	EcDpAtInsertExeTarFile	command line	The SSIT Operator enters the mode.
C.1.4	Enter PGE Name	DAAC Ops - SSIT Operator	EcDpAtInsertExeTarFile	command line	The SSIT Operator enters the PGE name.
C.1.5	Enter version	DAAC Ops - SSIT Operator	EcDpAtInsertExeTarFile	command line	The SSIT Operator enters the version.
C.1.6	Enter the Top level shell filename within tar file	DAAC Ops - SSIT Operator	EcDpAtInsertExeTarFile	command line	The SSIT Operator enters the top-level shell file name within the tar file.
C.2.1	Get Data Server UR	EcDpAtInsertExeTarFile	EcAdServer	Distributed Object	This is a request for the specific Science Data Server that is housing the data.
C.3.1	Data Server UR	EcAdServer	EcDpAtInsertExeTarFile	Distributed Object	The object address for the correct Science Data Server is provided by the Advertising Server.
C.4.1	Insert PGE	EcDpAtInsertExeTarFile	EcDsScienceDataServer	Distributed Object	The PGE is inserted into the proper Science Data Server.
C.5.1	Return PGE UR	EcDsScienceDataServer	EcDpAtInsertExeTarFile	Distributed Object	The Universal Reference of the inserted PGE is returned.
C.6.1	Display PGE UR	EcDpAtInsertExeTarFile	DAAC Ops - SSIT Operator	command line	The Universal Reference of the inserted PGE is displayed to the SSIT Operator.

3.8.9 Metadata Query for Current Dynamic Input Granules (Thread A)

This thread illustrates what happens when a dynamic granule is available from the Science Data Server at a current time of operations.

3.8.9.1 Metadata Query for Current Dynamic Input Granules Interaction Diagram - Domain View

Figure 3.8.9.1-1 depicts the Current Dynamic Granule Interaction - Domain View.




Figure 3.8.9.1-1. Metadata Query for Current Dynamic Granule Interaction Diagram - Domain View

3.8.9.2 Metadata Query for Current Dynamic Input Granules Interaction Table - Domain View

Table 3.8.9.2-1 provides the Current Dynamic Granule Interaction - Domain View.

Table 3.8.9.2-1. Interaction Table - Domain View: Current Dynamic Granule (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Create a Production Request	DAAC Ops - Production Planner	PLS	None	None	The Production Planner creates a Production Request.

Table 3.8.9.2-1. Interaction Table - Domain View: Current Dynamic Granule (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Pre-conditions	Description
A.2	Compare DPR stop time with current time	PLS	PLS	None	None	DPR stop time must be less than or equal to current time to proceed with this scenario. If it is not, this case becomes a Dynamic Granule Available in the Future Thread (see next Thread).
A.3	Query for dynamic granule	PLS	SDSRV	None	None	Request the dynamic granule to the Science Data Server is based on metadata conditions.
A.4	Update DB query status	PLS	PDPS DB	None	None	The DB is updated only if dynamic granule query was successful. If the dynamic granule query was unsuccessful, the DPR is deleted from the DB and an error message is written to the Production Request Editor ALOG.

3.8.9.3 Metadata Query for Current Dynamic Input Granules Component Interaction Table - Domain View

Table 3.8.9.3-1 provides the Current Dynamic Granule Component Interaction.

Table 3.8.9.3-1. Component Interaction Table: Current Dynamic Granule

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Create a Production Request	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner creates a Production Request by entering the start and stop time and clicking on the "Save PR" button.
A.2.1	Compare DPR stop time with current time	EcPIPREDitor_IF	EcPIPREDitor_IF	None	The DPR stop time must be less than the current time to proceed with this scenario.
A.3.1	Query for dynamic granule	EcPIPREDitor_IF	EcDsScienceDataServer	Distributed Object	The request for the dynamic granule to the Science Data Server is based on the metadata conditions.
A.4.1	Update DB to indicate success	EcPIPREDitor_IF	Sybase	CtLib	If query for dynamic granule was successful, the DB is updated.
A.4.2	Delete granule from DB	EcPIPREDitor_IF	Sybase	CtLib	If query for dynamic granule was unsuccessful, the DPR is deleted.

3.8.10 Dynamic Granule Available in the Future Thread (Thread B)

This thread illustrates what happens when a dynamic granule is not currently available but will be available in the future from the Science Data Server.

3.8.10.1 Interaction Diagram - Domain View

Figure 3.8.10.1-1 depicts the Future Dynamic Granule Interaction - Domain View.




Figure 3.8.10.1-1. Future Dynamic Granule Interaction - Domain View.

3.8.10.2 Future Dynamic Granule Interaction Table - Domain View

Table 3.8.10.2-1 provides the Future Dynamic Granule Interaction - Domain View.

Table 3.8.10.2-1. Interaction Table - Domain View: Dynamic Granule Available in the Future (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.1	Create a Production Request	DAAC Ops - Production Planner	PLS	ESDTs must be installed. SSI& must be completed on the PGE. Input granules must be available.	The Production Request Editor must be up and running. The PDPS DB must be up and running.	The Production Planner creates a Production Request.

Table 3.8.10.2-1. Interaction Table - Domain View: Dynamic Granule Available in the Future (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
B.2	Compare DPR stop time with current time	PLS	PLS	None	The Production Request Editor must be up and running. The PDPS DB must be up and running.	The DPR stop time must be greater than the current time to proceed with this scenario.
B.3	Create and store query timer	PLS	PDPS DB	None	The PDPS DB must be up and running.	The query timer is created and stored in the DB timer table.
B.4	Periodically monitor query timer	PLS	PDPS DB	None	The PDPS DB must be up and running.	The query timer in the DB timer table is periodically monitored.
B.5	Query for granule when timer expires	PLS	SDSRV	None	The Science Data Server must be up and running. The Subscription Manager must be up and running.	When the timer expires, query for the granule based on metadata conditions.
B.6	Update DB	PLS	PDPS DB	None	The PDPS DB must be up and running.	The DB is updated only if dynamic granule query was successful. If the dynamic granule query was unsuccessful, the DPR is deleted from the DB and an error message is written to the Production Request Editor ALOG.

3.8.10.3 Future Dynamic Granule Interaction Component Interaction Table - Domain View

Table 3.8.10.3-1 provides the Future Dynamic Granule Component Interaction.

Table 3.8.10.3-1. Component Interaction Table: Dynamic Granule Available in the Future

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Create a Production Request	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner creates a Production Request.
B.2.1	Compare DPR stop time with current time	EcPIPREDitor_IF	EcPIPREDitor_IF	None	The DPR stop time must greater than the current time to proceed with this scenario.
B.3.1	Create and store the query timer	EcPIPREDitor_IF	Sybase	CtLib	The query timer is created and stored in the DB timer table.
B.4.1	Periodically monitor query timer	EcPISubMgr	Sybase	CtLib	The query timer in the DB timer table is periodically monitored. Proceed when timer expires.
B.5.1	Query for granules	EcPISubMgr	EcDsScienceDataServer	Distributed Object	When the timer expires, query for the granule based on metadata conditions.
B.6.1	Update DB to indicate success	EcPIPREDitor_IF	Sybase	CtLib	If dynamic granule query was successful, update the DB with fresh granule information.
B.6.2	Delete granule from DB	EcPIPREDitor_IF	Sybase	CtLib	If query for dynamic granule was unsuccessful, the granule is deleted from the DB.
B.6.3	Log error message	EcPIPREDitor_IF	EcPIPREDitor_IF	None	If query for dynamic granule was unsuccessful, an error message is written to the Production Request Editor ALOG.

3.8.11 Metadata Based Activation Thread

This thread illustrates the activation (run/no run) of a PGE job.

This thread applies to all instruments.

The following system functionality is exercised in this thread:

- The capability to make a run/no run decision based on information contained in the granule metadata.

Thread Preconditions

The following must be present in order to perform this thread: the Subscription Manager must be running, the PDPS database must be up and running, ESDTs must be installed, SSI&T must be completed on the PGE, PRs must have been entered, input granules must be available, and the Planning Workbench must be up and running.

3.8.11.1 Metadata Based Activation Thread Interaction Diagram - Domain View

Figure 3.8.11.1-1 depicts the Metadata Based Activation Interaction - Domain View.




Figure 3.8.11.1-1. Metadata Based Activation Interaction Diagram - Domain View

3.8.11.2 Metadata Based Activation Thread Interaction Table

Table 3.8.11.2-1 provides the Metadata Based Activation Interaction.

Table 3.8.11.2-1. Interaction Table - Domain View: Metadata Based Activation (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
1	Data receipt notification	SBSRV	PLS	The data in question must have been received by the Science Data Server.	The Science Data Server must be up and running. The Science Data Server has notified the Subscription Server with an Event Trigger.	A notification of the data receipt is sent.
2	Query for data and metadata	PLS	SDSRV	None	The Science Data Server must be up and running.	The data and the accompanying metadata are requested from the Science Data Server.

Table 3.8.11.2-1. Interaction Table - Domain View: Metadata Based Activation (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
3	Store information about data and metadata	PLS	PDPS DB	None	The PDPS DB must be up and running.	The information about the data and the accompanying metadata is stored in the PDPS DB.
4	Perform metadata values check	PLS	PLS	None	None	While creating the PGE job, a check is performed on the metadata values.
5	Release PGE job	PLS	DPS	None	The PGE job is released only if the metadata values check succeeded.	The PGE job is released.

3.8.11.3 Metadata Based Activation Thread Component Interaction Table

Table 3.8.11.3-1 provides the Metadata Based Activation Component Interaction.

Table 3.8.11.3-1. Component Interaction Table: Metadata Based Activation

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
1.1	Data receipt notification	EcSbSub Server	EcPISub Mgr	Distributed Object	A notification of the data receipt is sent.
2.1	Query for data and metadata	EcPISub Mgr	EcDsScienceData Server	Distributed Object	The data and the accompanying metadata are requested from the Science Data Server.
3.1	Store information about data and metadata	EcPISub Mgr	Sybase	CtLib	The information about the data and the accompanying metadata is stored in the PDPS DB.
4.1	Perform metadata check	EcPISub Mgr	EcPISub Mgr	None	While creating the PGE job, a check is performed on the metadata values. If the check identifies errors, the job is not released and error messages are logged.
5.1	Release PGE job	EcPISub Mgr	EcDpPrJobMgmt	Distributed Object	The PGE job is released.

3.8.12 Ad Hoc Reprocessing Thread

This thread illustrates how to reprocess a DPR without affecting previously processed jobs.

This thread applies to all instruments.

The following system functionality is exercised in this thread:

- The capability to recreate a DPR without overwriting the original.

Thread Preconditions

The PDPS database, the Science Data Server, the Subscription Server, the Production Request Editor, the Job Management Server, and Autosys must be up and running. Input granules must be available on the Science Data Server. The original Production Request must already be present in the PDPS DB.

The Planning Workbench must be down.

3.8.12.1 Ad Hoc Reprocessing Thread Interaction Diagram - Domain View

Figure 3.8.12.1-1 depicts the Ad Hoc Reprocessing Interaction - Domain View.




Figure 3.8.12.1-1. Ad Hoc Reprocessing Interaction Diagram - Domain View

3.8.12.2 Ad Hoc Reprocessing Thread Interaction Table - Domain View

Table 3.8.12.2-1 provides the Interaction - Domain View: Ad Hoc Reprocessing.

Table 3.8.12.2-1. Interaction Table - Domain View: Ad Hoc Reprocessing (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
1	Initialize ad hoc reprocessing	DAAC Ops - Production Planner	PLS	The original Production Request must be known and accessible.	The Production Request Editor must be up and running.	The Production Planner initiates ad hoc reprocessing.
2	Submit subscription	PLS	SBSRV	Input granules must be available.	The Subscription Server must be up and running.	Subscriptions must be submitted individually for each data type. This step does not normally apply if a routine PR has been entered.
3	Read data type granules	PLS	PDPS DB	The original Production Request must be present in the DB.	The DB must be up and running.	All the data type granules for the selected input data and time range must be read.
4	Determine data to be predicted	PLS	PLS	The original Production Request must be missing data.	None	Data is predicted to substitute for data that is missing from the PDPS DB. This step does not normally apply if a routine PR has been entered.
5	Write predicted data	PLS	PDPS DB	None	The DB must be up and running.	Write missing predicted data to the DB, thus filling in the blank.
6	Query for each input data type	PLS	SDSRV	None	The Science Data Server must be up and running.	Each query is based on a time range.
7	Prepare granules and generate DPR	PLS	PLS	None	DCE must be up and running.	Match each SDSRV granule with a PDPS DB granule and then resume normal processing.
8	Write DPR(s)	PLS	PDPS DB	None	The DB must be up and running.	The DPR(s) is written to the DB normally.

Table 3.8.12.2-1. Interaction Table - Domain View: Ad Hoc Reprocessing (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
9	Create and activate plan	DAAC Ops - Production Planner	PLS	The Planning Workbench must be brought up.	None	The plan is created and activated normally.
10	Create a DPR job for each DPR	PLS	DPS	None	DCE must be up and running.	The DPR job for each DPR is created normally.
11	Place jobs in Autosys	DPS	DPS	None	Autosys must be up and running.	The jobs are placed in Autosys normally.

3.8.12.3 Ad Hoc Reprocessing Thread Component Interaction Table

Table 3.8.12.3-1 provides the Component Interaction: Ad Hoc Reprocessing.

Table 3.8.12.3-1. Component Interaction Table: Ad Hoc Reprocessing (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
1.1	Start Production Request Editor	DAAC Ops - Production Planner	EcPIPREdit or_IF	GUI	The Production Request Editor is started normally.
1.2	Initiate request for Production Request to be reprocessed	DAAC Ops - Production Planner	EcPIPREdit or_IF	GUI	The Production Planner initiates the reprocessing request.
1.3	Change PR type	DAAC Ops - Production Planner	EcPIPREdit or_IF	GUI	The Production Planner changes the PR type from Routine to Ad Hoc Reprocessing.
1.4	Save Production Request	DAAC Ops - Production Planner	EcPIPREdit or_IF	GUI	The Production Planner saves the Production Request under a new, unique name.
2.1	Submit subscription	EcPIPREdit or_IF	EcSbSubServer	Distributed Object	The subscriptions are submitted for each data type individually.
3.1	Read data type granules	EcPIPREdit or_IF	Sybase	CtLib	All of the data type granules for input data and time range are read.
4.1	Determine data to be predicted	EcPIPREdit or_IF	Sybase	CtLib	This determination is based on the data missing in the PDPS DB.

Table 3.8.12.3-1. Component Interaction Table: Ad Hoc Processing (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
5.1	Write predicted data	EcPIPREditor_IF	Sybase	CtLib	The missing data is filled in with predicted data.
6.1	Query for each input data type	EcPIPREditor_IF	EcDsScienceDataServer	CtLib	These queries are based on a time range.
7.1	Inspect and match granules	EcPIPREditor_IF	EcPIPREditor_IF	CtLib	Each SDSRV granule is matched with a PDPS DB granule.
7.2	Generate DPR(s)	EcPIPREditor_IF	EcPIPREditor_IF	CtLib	The DPR(s) are generated.
8.1	Write DPR(s) to DB	EcPIPREditor_IF	Sybase	CtLib	The DPR(s) are written to the DB.
9.1	Shut down Production Request Editor	DAAC Ops - Production Planner	EcPIPREditor_IF	GUI	The Production Planner shuts down the Production Request Editor.
9.2	Start up Planning Workbench	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner starts up the Planning Workbench.
9.3	Select Production Request and create a plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner selects a Production Request and creates a plan.
9.4	Activate the plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner activates the plan.
10.1	Create a DPR job for each DPR	EcPIWb	EcDpPrJobMgmt	DCE	A DPR job is created for each DPR.
11.1	Jobs placed in Autosys	EcDpPrJobMgmt	Autosys	rpc (COTS)	The job can now be run in Autosys.

3.8.13 Delete DPR Thread

This thread illustrates the deletion of a DPR job.

This thread applies to all instruments.

The following system functionality is exercised in this thread:

- The capability to delete an existing DPR from either Autosys or the PDPS database.

Thread Preconditions

The following must be present in order to perform this thread: the Production Request Editor must be running, the PDPS database must be up and running, and the Job Management Server must be up and running.

3.8.13.1 Delete DPR Thread Interaction Diagram - Domain View

Figure 3.8.13.1-1 depicts the Delete DPR Interaction - Domain View.




Figure 3.8.13.1-1. Delete DPR Interaction Diagram - Domain View

3.8.13.2 Delete DPR Thread Interaction Table - Domain View

Table 3.8.13.2-1 provides the Interaction - Domain View: Delete DPR.

Table 3.8.13.2-1. Interaction Table - Domain View: Delete DPR (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
1	Initiate DPR deletion process	DAAC Ops - Production Planner	PLS	None	The Production Request Editor must be up and running.	The Production Planner initiates the deletion process.
2	Get list of available PRs	PLS	PDPS DB	None	The DB must be up and running.	The list of available PRs is obtained from the DB.

Table 3.8.13.2-1. Interaction Table - Domain View: Delete DPR (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
3	Select a Production Request	DAAC Ops - Production Planner	PLS	The affected Production Request must be known.	The Production Request Editor must be up and running.	The Production Planner selects a specific Production Request.
4	Get list of DPRs	PLS	PDPS DB	None	The DB must be up and running.	The list of DPRs for the PR is obtained from the DB.
5	Select DPR to be deleted	DAAC Ops - Production Planner	PLS	The DPR to be deleted must be known.	The Production Request Editor must be up and running.	Each DPR to be deleted must be selected individually.
6	Get current state of selected DPR	PLS	PDPS DB	None	The DB must be up and running.	The current state of each DPR to be deleted must be retrieved from the DB.
7	Delete DPR from Autosys	PLS	DPS	None	Autosys must be up and running.	If selected DPR is also in Autosys, then the DPR must be deleted from Autosys.
8	Delete DPR from PDPS DB	PLS	PDPS DB	None	The DB must be up and running.	The selected DPR is deleted from the DB.

3.8.13.3 Delete DPR Thread Component Interaction Table

Table 3.8.13.3-1 provides the Component Interaction: Delete DPR.

Table 3.8.13.3-1. Component Interaction Table: Delete DPR (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
1.1	Select DPR list	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner selects the DPR list tab from Production Request Editor main screen.
1.2	Select Production Request pull-down	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner clicks on the Production Request box arrow.
2.1	Get list of available PRs	EcPIPREDitor_IF	Sybase	CtLib	The list of available Production Requests is retrieved from the DB.

Table 3.8.13.3-1. Component Interaction Table: Delete DPR (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
3.1	Click on chosen Production Request	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner selects a Production Request from those presented on the scrollable list.
3.2	Click on Filter	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner clicks on the Filter button.
4.1	Get list of DPRs	EcPIPREDitor_IF	Sybase	CtLib	The list of DPRs related to the chosen PR is retrieved from the DB.
5.1	Click on a Data Processing Request from the list presented	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner selects a Data Processing Request from the list presented.
5.2	Select Edit: Delete	DAAC Ops - Production Planner	EcPIPREDitor_IF	GUI	The Production Planner selects the Delete option from the Edit pulldown menu.
6.1	Get current state of DPR	EcPIPREDitor_IF	Sybase	CtLib	The current state of the selected DPR is retrieved from the DB.
7.1	Delete DPR from Autosys	EcPIPREDitor_IF	EcDpPrJobMgmt	rpc (COTS)	If the DPR is in Autosys, the DPR is deleted from Autosys.
8.1	Delete DPR from PDPS DB	EcPIPREDitor_IF	Sybase	CtLib	The DPR is deleted from the DB.

3.8.14 Most Recent Granule Thread

3.8.14.1 Scenario Description

This scenario illustrates how to process a DPR whose data is not yet available.

This scenario applies to all instruments.

The following system functionality is exercised in this scenario:

- The capability to process a DPR whose data is not yet available by searching back in time for available data.

Scenario Preconditions

The PDPS database, the Science Data Server, the Subscription Server, the Production Request Editor, the Job Management Server, Autosys, and the Planning Workbench must be up and running. Input granules must be available on the Science Data Server.




Figure 3.8.14.1-1. Most Recent Granule Interaction Diagram - Domain View

3.8.14.2 Interaction Table - Domain View

Table 3.8.14.2-1 provides the Interaction – Domain View: Most Recent Granule.

Table 3.8.14.2-1. Interaction Table - Domain View: Most Recent Granule (1 of 2)

Step	Interaction	Interface Client	Interface Provider	Data Issues	Preconditions	Description
1	Initialize PR generation	DAAC Ops - Production Planner	PLS	The original Production Request must be known and accessible.	The Production Request Editor must be up and running.	PR generation is initiated by the Production Planner.
2	Submit subscription	PLS	SBSRV	Input granules must be available.	The Subscription Server must be up and running.	Subscriptions must be submitted individually for each data type.
3	Query for each input data type	PLS	SDSRV	None	The Science Data Server must be up and running.	Each query is based on a time range.

Table 3.8.14.2-1. Interaction Table - Domain View: Most Recent Granule (2 of 2)

Step	Interaction	Interface Client	Interface Provider	Data Issues	Preconditions	Description
4	Read most recent granule query time delta and maximum number of tries	PLS	PDPS DB	None	The DB must be up and running	Read the most recent granule time delta (length of time that the search goes back each time) and the maximum number of searches.
5	Extend time query range using query time delta	PLS	PLS	None	The Production Request Editor must be up and running	Prepare the query for the most recent granule.
6	Query for data using new time range	PLS	SDSRV	None	The Science Data Server must be up and running	Repeat steps 6 and 7 if no data is returned until the maximum number of queries has been performed. Stop here if no data is found after the maximum number of tries has been met.
7	Prepare granules and generate DPR	PLS	PLS	None	DCE must be up and running.	Match each SDSRV granule with a PDPS DB granule and then resume normal processing.
8	Write DPR(s)	PLS	PDPS DB	None	The DB must be up and running.	The DPR(s) is written to the DB normally.
9	Create and activate plan	DAAC Ops - Production Planner	PLS	None	The Production Request Editor and the Planning Workbench must be up and running.	The plan is created and activated normally.
10	Create a DPR job for each DPR	PLS	DPS	None	DCE must be up and running.	The DPR job for each DPR is created normally.
11	Place jobs in Autosys	DPS	DPS	None	Autosys must be up and running.	The jobs are placed in Autosys normally.

3.8.14.3 Most Recent Granule Component Interaction Table

Table 3.8.14.3-1 provides the Component Interaction: Most Recent Granule

Table 3.8.14.3-1. Component Interaction Table: Most Recent Granule (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
1.1	Start Production Request Editor	DAAC Ops – Production Planner	EcPIPREditor_IF	GUI	The Production Request Editor is started normally.
1.2	Initiate request for Production Request to be reprocessed	DAAC Ops – Production Planner	EcPIPREditor_IF	GUI	The Production Planner initiates the processing request.
1.3	Save Production Request	DAAC Ops – Production Planner	EcPIPREditor_IF	GUI	The Production Planner saves the Production Request under a new, unique name.
2.1	Submit subscription	EcPIPREditor_IF	EcSbSubServer	Distributed Object	The subscriptions are submitted for each data type individually.
3.1	Query for each input data type	EcPIPREditor_IF	EcDsScienceDataServer	CtLib	Each query is based on a time range.
4.1	Read most recent granule query time delta and maximum number of tries	EcPIPREditor_IF	Sybase	CtLib	Read the most recent granule time delta (the length of time that the search goes back each try) and the maximum number of searches.
5.1	Extend time query range using query time delta	EcPIPREditor_IF	EcPIPREditor_IF	CtLib	Prepare the query for the most recent granule.
6.1	Query for data using new time range	EcPIPREditor_IF	EcDsScienceDataServer	CtLib	Repeat steps 6.1 and 7.1 if no data is returned until the maximum number of queries has been performed. Stop here if no data is found after the maximum number of tries has been met.
7.1	Inspect and match granules	EcPIPREditor_IF	EcPIPREditor_IF	CtLib	Each SDSRV granule is matched with a PDPS DB granule.
7.2	Generate DPR(s)	EcPIPREditor_IF	EcPIPREditor_IF	CtLib	The DPR(s) are generated.
8.1	Write DPR(s) to DB	EcPIPREditor_IF	Sybase	CtLib	The DPR(s) are written to the DB.
9.1	Shut down Production Request Editor	DAAC Ops – Production Planner	EcPIPREditor_IF	GUI	The Production Planner shuts down the Production Request Editor.

Table 3.8.14.3-1. Component Interaction Table: Most Recent Canule (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
9.2	Start up Planning Workbench	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner starts up the Planning Workbench.
9.3	Select Production Request and create a plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner selects a Production Request and creates a plan.
9.4	Activate the plan	DAAC Ops - Production Planner	EcPIWb	GUI	The Production Planner activates the plan.
10.1	Create a DPR job for each DPR	EcPIWb	EcDpPrJobMgmt	DCE	A DPR job is created for each DPR.
11.1	Jobs placed in Autosys	EcDpPrJobMgmt	Autosys	rpc (COTS)	The job can now be run in Autosys.

3.9. EDOS/FDS/EMOS Interfaces Scenario

3.9.1 EDOS/FDS/EMOS Interfaces Scenario Description

This scenario illustrates the ability to process orbit, attitude, and ephemeris data into toolkit native format and HDF, and process data for the Detailed Activity Schedule (DAS).

This scenario effects all instruments.

The following system functionality is exercised in this scenario:

- Ability to process EDOS Level 0 ancillary data (thread A).
- Ability to process FDS (Flight Dynamics System) AM-1 attitude data (thread B).
- Ability to produce data to fill significant gap(s) in ECS processed EDOS Level 0 ancillary data (thread C).
- Ability to interface with EMOS (Eclipse Mission Operations System).

3.9.2 EDOS/FDS/EMOS Interfaces Scenario Preconditions

The input data must be available for EDOS to transfer to a disk area for Ingest to read in the corresponding form. The following ESDTs have been inserted into the ECS:

- AM1ANC (AM-1 Ancillary APIDx4)
- AM1ATTN0 (Preprocessed AM-1 Platform Attitude Data from L0 in Native format)
- AM1ATTH0 (Preprocessed AM-1 Platform Attitude Data from L0 in HDF format)
- AM1EPHN0 (Preprocessed AM-1 Platform Ephemeris Data from L0 in Native format)
- AM1EPHH0 (Preprocessed AM-1 Platform Ephemeris Data from L0 in HDF format)
- AM1ATTF (Definitive Attitude Data from AM-1 ingested from the FDF)
- AM1ATTNF (Preprocessed AM-1 Platform Attitude Data from FDF in Native format)
- AM1ATTHF (Preprocessed AM-1 Platform Attitude Data from FDF in HDF format)
- AM1EPHF (Repaired Ephemeris Data from FDF)
- ActSched (Detailed Activity Schedule)

3.9.3 EDOS/FDS/EMOS Interfaces Scenario Partitions

This scenario has been partitioned into the following threads:

- **EDOS Level 0 Ancillary Data** (Thread A) - This thread illustrates the acquisition and processing of EDOS supplied Level 0 Ancillary data to toolkit native format and HDF. Gaps up to 60 seconds in ephemeris data are filled in using the interpolation algorithms provided by the FDS (see Section 3.9.4).

- **BS Definitive Attitude Data** (Thread B) - This thread illustrates the acquisition and processing of FDS supplied definitive attitude data to toolkit native format and HDF (see Section 3.9.5).
- **BS Repaired Ephemeris Data** (Thread C) – This thread illustrates the request, acquisition, and processing of FDS repaired ephemeris data to fill an existing gap of >60 seconds in the EDOS AM-1 ephemeris data (AM1EPHN0 and AM1EPHH0) produced in Thread A. See Section 3.9.6 for Thread C.
- **Capability to Interface with EMOS** (No thread shown) – This capability involves EMOS, a nominal SDPS external data provider, being able to store data via Polling Ingest without delivery record into the SDPS and being able to retrieve this data at a later time. This data is the Detailed Activity Schedule (DAS) which has an ESDT inserted (ActSched). Refer to the ASTER ICD Section 5.3.5 for a detailed description of the DAS format. See Section 3.9.7 for more information on this interface.

3.9.4 EDOS Level 0 Ancillary Data Thread

The thread shows the processing of Ancillary data from EDOS. The Ancillary data contains both ephemeris data and attitude data. The attitude data is utilized as backup attitude data.

Thread Preconditions

The following must be present in order to perform this thread: the Science Data Server has installed the ESDTs. The PGE has been registered by the SSIT Manager with the PDPS database. The Production Planner has created a Production Request (PR), and created and scheduled a plan.

3.9.4.1 EDOS Level 0 Ancillary Data Interaction Diagram - Domain View

Figure 3.9.4.1-1 depicts the EDOS Level 0 Ancillary Data Interaction - Domain View.




Figure 3.9.4.1-1. EDOS Level 0 Ancillary Data Interaction - Domain View

3.9.4.2 EDOS Level 0 Ancillary Data Interaction Table - Domain View

See Table 3.9.4.2-1 for the EDOS L0 Ancillary Data Interaction - Domain View.

Table 3.9.4.2-1. Interaction Table - Domain View: EDOS 0 Ancillary Data (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Request UR for SDSRV	INS	IOS/ADV	None	The IOS Advertising Server must be up and running.	Upon startup, Ingest obtains the SDSRV URs for each data type in its database.
A.2	Polling directory	INS	Ingest directory	None	Entire step is a precondition	When the system is started, Ingest begins polling a directory, looking for files that meet the following standard: *PDR.XFR in the pre-configured directory.
A.3	EDOS copies file	EDOS	Ingest directory	None	EDOS knows the host and directory for file placement	EDOS copies Ancillary Packets to a local disk on the Ingest host for Ingest access.
A.4	Request Data Insert	INS	SDSRV	None	EDOS level 0 ephemeris data	Archive newly received EDOS Ancillary Packets for ESDT AM1ANC.
A.5	Trigger insert event	SDSRV	SBSRV	None	None	Trigger EDOS Ancillary Packets insert event
A.6	Notification	SBSRV	PLS	None	PLS subscription for EDOS level 0 ephemeris data	Send direct notification to PLS to inform that there are newly inserted Ancillary Packets.
A.7	Release job	PLS	DPS	None	None	PLS releases job to process EDOS level 0 data
A.8	Acquire data	DPS	SDSRV	The input data must have been received.	The Science Data Server must be up and running.	DPS submits an acquire request for the EDOS Ancillary Packets that were inserted in step A.4.
A.9	Request DSS UR	DPS	IOS/ADV	None	The IOS Advertising Server must be up and running.	These URs will be used to acquire the metadata control files, one for each data type to be produced.
A.10	Acquire MCFs	DPS	SDSRV	None	The Science Data Server must be up and running.	Metadata Control Files, one for each data type to be produced, are acquired from the SDSRV.

Table 3.9.4.2-1. Interaction Table - Domain View: EDOS D Ancillary Data (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.11	Process EDOS Level 0 data	DPS	DPS	None	None	Toolkit native format and HDF Level 0 ephemeris data and metadata files are generated. Gaps up to 60 seconds are filled in using an interpolation algorithm provided by the FDS.
A.12	Request DSS UR	DPS	IOS/ADV	None	The IOS Advertising Server must be up and running.	URs to be used by the Data Server for the storage of the generated files are obtained from the Advertising Server.
A.13	Request Data Insert	DPS	SDSRV	None	The Science Data Server must be up and running.	The toolkit native format and HDF output files are archived. These cover ESDTs AM1ATTN0, AM1ATTH0, AM1EPHN0, and AM1EPHH0.

3.9.4.3 EDOS Level 0 Ancillary Data Component Interaction Table

See Table 3.9.4.3-1 for the EDOS L0 Ancillary Data Component Interaction.

Table 3.9.4.3-1. Component Interaction Table: EDOS D Ancillary Data (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Request UR for SDSRV	EcInReq Mgr	EcIoAdServer	Distributed Object	Upon startup, Ingest obtains the SDSRV URs for each data type in its database.
A.2.1	Polling directory	EcInPolling	Directory	ftp	When the system is started, Ingest begins polling a directory, looking for files that meet the following standard: *PDR.XFR in the pre-configured directory. The polling periodicity is determined from a configuration file. The mask of the file to look for is determined from the Notify Type of the data provider in the Ingest database.
A.3.1	EDOS copies file	EDOS	EcInPolling	ftp	EDOS copies Ancillary Packets to a local disk on the Ingest host for Ingest access.
A.4.1	Request Data Insert	EcInGran	EcDsScienceDataServer	Distributed Object	Archive newly received EDOS Ancillary Packets for ESDT AM1ANC.
A.5.1	Trigger insert event	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Trigger EDOS Ancillary Packets insert event
A.6.1	Notification	EcSbSubServer	EcPISubMgr	Distributed Object	Send direct notification to PLS to inform that there are newly inserted Ancillary Packets.
A.7.1	Release job	EcPIWb	EcDpPrJobMgmt	Distributed Object	PLS releases job to process EDOS level 0 data
A.8.1	Acquire data	EcDpPrDM	EcDsScienceDataServer	Distributed Object	A request is sent to obtain the data which was inserted into the SDSRV.
A.9.1	Request DSS UR	EcDpPrEM	EcIoAdServer	Distributed Object	These URs will be used to acquire the metadata control files, one for each data type to be produced.
A.10.1	Acquire MCFs	EcDpPrEM	EcDsScienceDataServer	Distributed Object	Metadata Control Files, one for each data type to be produced, are acquired from the SDSRV.
A.11.1	Process EDOS Level 0 ephemeris data into toolkit native format	EcDpPrAm1AncillaryDPREP	EcDpPrAm1AncillaryDPREP	None	Toolkit native format Level 0 ephemeris data and metadata files are generated. Gaps up to 60 seconds are filled in using an interpolation algorithm provided by the FDS.

Table 3.9.4.3-1. Component Interaction Table: EDOS D Ancillary Data (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.11.2	Process EDOS Level 0 ephemeris data into HDF	EcDpPrAm1AncillaryDPREP	EcDpPrAm1AncillaryDPREP	None	HDF Level 0 ephemeris data and metadata files are generated. Gaps up to 60 seconds are filled in using an interpolation algorithm provided by the FDS.
A.12.1	Obtain UR for Data Server	EcDpPrDM	EcloAdServer	Distributed Object	URs to be used by the Data Server for the storage of the generated files are obtained from the Advertising Server.
A.13.1	Insert toolkit native format EDOS Level 0 ephemeris data	EcDpPrDM	EcDsScienceDataServer	Distributed Object	The toolkit native format output files are stored -ESDTs AM1ATTN0 and AM1EPHN0.
A.13.2	Insert HDF EDOS Level 0 ephemeris data	EcDpPrDM	EcDsScienceDataServer	Distributed Object	The HDF output files are stored -ESDTs AM1ATTH0 and AM1EPHH0.

3.9.5 FDS Definitive Attitude Data Thread

This thread illustrates the acquisition and processing of FDS supplied definitive attitude data to toolkit native format and HDF.

Thread Preconditions

The following must be present in order to perform this thread: the Science Data Server has installed the ESDTs. The PGE has been registered by the SSIT Manager with the PDPS database. The Production Planner has created a Production Request (PR), and created and scheduled a plan.

3.9.5.1 FDS Definitive Attitude Data Thread - Domain View

See Figure 3.9.5.1-1 for the FDS Definitive Attitude Data diagram.




Figure 3.9.5.1-1. FDS Definitive Attitude Data Diagram

3.9.5.2 FDS Definitive Attitude Data Thread Interaction Table - Domain View

See Table 3.9.5.2-1 for the FDS Definitive Attitude Data Interaction.

Table 3.9.5.2-1. Interaction Table - Domain View: FDS Definitive Attitude Data (1 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Pre-conditions	Description
B.1	Request UR for SDSRV	INS	IOS/ADV	None	The IOS Advertising Server must be up and running.	Upon startup, Ingest obtains the SDSRV URs for each data type in its database.
B.2	Polling directory	INS	Ingest directory	None	Entire step is a precondition	When the system is started, Ingest begins polling a directory at a given location and name for FDS Definitive Attitude data. This is polling without Delivery Record, thus, Ingest formulates a Delivery Record internally.
B.3	FDS copies file	FDS	Ingest directory	None	FDS knows the host and directory for file placement	FDS copies Definitive Attitude files every 2 hours to a local disk on the FDS host for Ingest access. The source of the FDS data is EDOS via the EDOS Operations Center (EOC).
B.4	Request Data Insert	INS	SDSRV	None	FDS Definitive Attitude data	Ingest inserts the FDS Definitive Attitude data into the Science Data Server for ESDT AM1ATTF.
B.5	Trigger insert event	SDSRV	SBSRV	None	None	Trigger FDS Definitive Attitude data insert event.
B.6	Notification	SBSRV	PLS	None	PLS subscription for FDS Definitive Attitude data	Send direct notification to PLS to inform that there is newly inserted FDS Definitive Attitude data.
B.7	Release job	PLS	DPS	None	None	PLS releases job to process FDS Definitive Attitude data
B.8	Acquire data	DPS	SDSRV	The input data must have been received.	The Science Data Server must be up and running.	DPS submits an acquire request for the FDS Definitive Attitude data that was inserted in step B.4.

Table 3.9.5.2-1. Interaction Table - Domain View: FDS Definitive Attitude Data (2 of 2)

Step	Event	Interface Client	Interface Provider	Data Issues	Step Precond itions	Description
B.9	Request DSS UR	DPS	IOS/ADV	None	The IOS Advertising Server must be up and running.	These URs will be used to acquire the metadata control files, one for each data type to be produced.
B.10	Acquire MCFs	DPS	SDSRV	None	The Science Data Server must be up and running.	Metadata Control Files, one for each data type to be produced, are acquired from the SDSRV.
B.11	Process FDS Definitive Attitude data	DPS	DPS	None	None	Toolkit native format and HDF FDS Definitive Attitude data and metadata files are generated.
B.12	Request DSS UR	DPS	IOS/ADV	None	The IOS Advertising Server must be up and running.	URs to be used by the Data Server for the storage of the generated files are obtained from the Advertising Server.
B.13	Request Data Insert	DPS	SDSRV	None	The Science Data Server must be up and running.	The toolkit native format and HDF output files are archived for ESDTs AM1ATTNF and AM1ATTHF.

3.9.5.3 FDS Definitive Attitude Data Thread Component Interaction Table

See Table 3.9.5.3-1 for the FDS Definitive Attitude Data Component Interaction.

**Table 3.9.5.3-1. Component Interaction Table: FDS Definitive Attitude Data
(1 of 2)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.1.1	Request UR for SDSRV	EcInReqMgr	EcIoAdServer	Distributed Object	Upon startup, Ingest obtains the SDSRV URs for each data type in its database.
B.2.1	Polling directory	EcInPolling	Polling Directory	ftp	When the system is started, Ingest begins polling a directory at a given location and name for FDS Definitive Attitude data. This is polling without Delivery Record, thus, Ingest formulates a Delivery Record internally.
B.3.1	FDS copies file	FDS	EcInPolling	ftp	FDS copies their Definitive Attitude files every 2 hours to a local disk on the FDS host for Ingest access. The source of the FDS data is EDOS via the EOS Operations Center (EOC).
B.4.1	Request Data Insert	EcInGran	EcDsScienceDataServer	Distributed Object	Archive newly received FDS Definitive Attitude data for ESDT AM1ATTF.
B.5.1	Trigger insert event	EcDsScienceDataServer	EcSbSubServer	Distributed Object	Trigger FDS Definitive Attitude data insert event.
B.6.1	Notification	EcSbSubServer	EcPISubMgr	Distributed Object	Send direct notification to PLS to inform that there is newly received FDS Definitive Attitude data.
B.7.1	Release job	EcPIWb	EcDpPrJobMgmt	Distributed Object	PLS releases job to process FDS Definitive Attitude data.
B.8.1	Acquire data	EcDpPrDM	EcDsScienceDataServer	Distributed Object	A request is sent to obtain the data which was inserted into the SDSRV.
B.9.1	Request DSS UR	EcDpPrEM	EcIoAdServer	Distributed Object	These URs will be used to acquire the metadata control files, one for each data type to be produced.
B.10.1	Acquire MCFs	EcDpPrEM	EcDsScienceDataServer	Distributed Object	Metadata Control Files, one for each data type to be produced, are acquired from the SDSRV.
B.11.1	Process FDS Definitive Attitude data into toolkit native format	EcDpPrAm1FddAttitudeDPREP	EcDpPrAm1FddAttitudeDPREP	None	Toolkit native format FDS Definitive Attitude data and metadata files are generated.

Table 3.9.5.3-1. Component Interaction Table: FDS Definitive Attitude Data (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
B.11.2	Process FDS Definitive Attitude data into HDF	EcDpPrAm1FddAttitudeDPREP	EcDpPrAm1FddAttitudeDPREP	None	HDF FDS Definitive Attitude data and metadata files are generated.
B.12.1	Obtain UR for Data Server	EcDpPrDM	EcIoAdServer	Distributed Object	URs to be used by the Data Server for the storage of the generated files are obtained from the Advertising Server.
B.13.1	Insert toolkit native format FDS Definitive Attitude data	EcDpPrDM	EcDsScienceDataServer	Distributed Object	The toolkit native format output files are stored for ESDT AM1ATTNF.
B.13.2	Insert HDF FDS Definitive Attitude data	EcDpPrDM	EcDsScienceDataServer	Distributed Object	The HDF output files are stored for ESDT AM1ATTHF.

3.9.6 FDS Repaired Ephemeris Data Thread

This thread illustrates the acquisition and processing of FDS supplied repaired ephemeris data to toolkit native format and HDF.

Thread Preconditions

The following must be present in order to perform this thread: Thread A has created AM1EPHNO and AM1EPHNO granules with gaps of greater than 60 seconds. That data has been archived. The archiving of that data has triggered an insert event to the Subscription Server. The Science Data Server has installed the ESDTs. The PGE has been registered by the SSIT Manager with the PDPS database.

3.9.6.1 FDS Repaired Ephemeris Data Thread - Domain View

See Figure 3.9.6.1-1 for the FDS Repaired Ephemeris Data diagram.




Figure 3.9.6.1-1. FDS Repaired Ephemeric Data Diagram

3.9.6.2 FDS Repaired Ephemeric Data Thread Interaction Table - Domain View

See Table 3.9.6.2-1 for the FDS Repaired Ephemeric Data Interaction.

**Table 3.9.5.2-1. Interaction Table - Domain View: FDS Repaired Ephemeris Data
(1 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.1	E-mail	SBSRV	DAAC Ops – Production Planner	A gap greater than 60 seconds has occurred in the AM1EPH NO and AM1EPH HO files.	The EDOS Level 0 Ancillary Data in question has already been processed.	An e-mail message is sent to the Production Planner, alerting him to the > 60 second gap in the processed EDOS AM-1 Ephemeris Data file.
C.2	Call FDS (via telephone)	DAAC Ops – Production Planner	FDS	Missing data is > 60 seconds.	The gap has been identified.	The Production Planner contacts the FDS and requests repaired ephemeris data for the missing time span.
C.3	Create a PR	DAAC Ops – Production Planner	PLS	None	In preparation for the receipt of the repaired ephemeris data from the FDS	The Operator creates a production request.
C.4	Activate Plan	DAAC Ops – Production Planner	PLS	None	In preparation for the receipt of the repaired ephemeris data from the FDS	The Operator activates a plan.
C.5	Request UR for SDSRV	INS	IOS/ADV	None	The IOS Advertising Server must be up and running.	Upon startup, Ingest obtains the SDSRV URs for each data type in its database.
C.6	Polling directory	INS	Ingest directory	None	Entire step is a precondition	When the system is started, Ingest begins polling a directory at a given location and name for FDS Repaired Ephemeris data.
C.7	FDS copies file	FDS	Ingest directory	None	FDS knows the host and directory for file placement	FDS copies Repaired Ephemeris file to a local disk on the FDS host for Ingest access.
C.8	Request Data Insert	INS	SDSRV	None	FDS Repaired Ephemeris data	Ingest inserts the FDS Repaired Ephemeris data into the Science Data Server for ESDT AM1EPHF.

**Table 3.9.5.2-1. Interaction Table - Domain View: FDS Repaired Ephemeris Data
(2 of 2)**

Step	Event	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
C.9	Trigger insert event	SDSRV	SBSRV	None	None	Trigger FDS Repaired Ephemeris data insert event.
C.10	Notification	SBSRV	PLS	None	PLS subscription for FDS Repaired Ephemeris data	Send direct notification to PLS to inform that there is newly inserted FDS Repaired Ephemeris data.
C.11	Release job	PLS	DPS	None	None	PLS releases job to process FDS Repaired Ephemeris data
C.12	Acquire data	DPS	SDSRV	The input data must have been received.	The Science Data Server must be up and running.	DPS submits an acquire request for the FDS Repaired Ephemeris data that was inserted in step C.8.
C.13	Request DSS UR	DPS	IOS/ADV	None	The IOS Advertising Server must be up and running.	These URs will be used to acquire the metadata control files, one for each data type to be produced.
C.14	Acquire MCFs	DPS	SDSRV	None	The Science Data Server must be up and running.	Metadata Control Files, one for each data type to be produced, are acquired from the SDSRV.
C.15	Process FDS AM-1 repaired ephemeris data	DPS	DPS	The gap is > 60 seconds	FDS has supplied Repaired Ephemeris Data for the gap.	Toolkit native format and HDF EDOS AM-1 Ephemeris with gaps > 60 seconds are repaired using FDS Repaired Ephemeris data.
C.16	Request DSS UR	DPS	IOS/ADV	None	The IOS Advertising Server must be up and running.	Urs to be used by the Data Server for the storage of the generated files are obtained from the Advertising Server.
C.17	Insert data	DPS	SDSRV	None	The Science Data Server must be up and running.	The toolkit native format and HDF repaired output files are archived for ESDTs AM1EPHNO and AM1EPHNO.

3.9.6.3 FDS Repaired Ephemeris Data Thread Component Interaction Table

See Table 3.9.6.3-1 for the FDS Repaired Ephemeris Data Component Interaction.

**Table 3.9.6.3-1. Component Interaction Table: FDS Repaired Ephemeris Data
(1 of 2)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.1.1	E-mail	EcSbSubServer	EcSbSub Server	e-mail	An e-mail message is sent to the Production Planner, alerting him to the > 60 second gap in the processed EDOS AM-1 Ephemeris Data file.
C.3.1	Create production request	DAAC Ops – Production Planner	EcPIPREditor_IF	GUI	The Operator creates a production request.
C.4.1	Activate plan	DAAC Ops – Production Planner	EcPIPREditor_IF	GUI	The Operator activates a plan.
C.5.1	Request UR for SDSRV	EcInReqMgr	EcIoAdServer	Distributed Object	Upon startup, Ingest obtains the SDSRV Urs for each data type in its database.
C.6.1	Polling directory	EcInPolling	Polling Directory	ftp	When the system is started, Ingest begins polling a directory at a given location and name for FDS Repaired Ephemeris data.
C.7.1	FDS copies file	FDS	EcInPolling	ftp	FDS copies their Repaired Ephemeris files every 2 hours to a local disk on the FDS host for Ingest access. The source of the FDS data is EDOS via the EOS Operations Center (EOC).
C.8.1	Request Data Insert	EcInGran	EcDsScienceData Server	Distributed Object	Archive newly received FDS Repaired Ephemeris data for ESDT AM1ATTF.
C.9.1	Trigger insert event	EcDsScienceDataServer	EcSbSub Server	Distributed Object	Trigger FDS Repaired Ephemeris data insert event.
C.10.1	Notification	EcSbSubServer	EcPISubMgr	Distributed Object	Send direct notification to PLS to inform that there is newly received FDS Repaired Ephemeris data.
C.11.1	Release job	EcPIWb	EcDpPrJobMgmt	Distributed Object	PLS releases job to process FDS Repaired Ephemeris data.
C.12.1	Acquire data	EcDpPrDM	EcDsScienceData Server	Distributed Object	A request is sent to obtain the data which was inserted into the SDSRV.

**Table 3.9.6.3-1. Component Interaction Table: FDS Repaired Ephemeris Data
(2 of 2)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
C.13.1	Request DSS UR	EcDpPrEM	EcloAdServer	Distributed Object	These URs will be used to acquire the metadata control files, one for each data type to be produced.
C.14.1	Acquire MCFs	EcDpPrEM	EcDsScienceData Server	Distributed Object	Metadata Control Files, one for each data type to be produced, are acquired from the SDSRV.
C.15.1	Process FDS Repaired Ephemeris data into toolkit native format	EcDpPrAm1FddAttitudeDPR EP	EcDpPrAm1FddAttitudeDPR EP	None	Toolkit native format FDS Repaired Ephemeris data and metadata files are generated.
C.15.2	Process FDS Repaired Ephemeris data into HDF	EcDpPrAm1FddAttitudeDPR EP	EcDpPrAm1FddAttitudeDPR EP	None	HDF FDS Repaired Ephemeris data and metadata files are generated.
C.16.1	Obtain UR for Data Server	EcDpPrDM	EcloAdServer	Distributed Object	URs to be used by the Data Server for the storage of the generated files are obtained from the Advertising Server.
C.17.1	Insert toolkit native format FDS Repaired Ephemeris data	EcDpPrDM	EcDsScienceData Server	Distributed Object	The toolkit native format output files are stored for ESDT AM1ATTNF.
C.17.2	Insert HDF FDS Repaired Ephemeris data	EcDpPrDM	EcDsScienceData Server	Distributed Object	The HDF output files are stored for ESDT AM1ATTHF.

3.9.7 Capability to Interface with EMOS (No thread shown)

This capability involves EMOS, a nominal SDPS external data provider, being able to store data via Polling Ingest without delivery record into the SDPS and being able to retrieve this data at a later time. This data is the Detailed Activity Schedule (DAS) which has an ESDT inserted (ActSched). Refer to the ASTER ICD Section 5.3.5 for a detailed description of the DAS format. A diagram and detailed information for this thread is not shown since this is regarded as a standard external data provider interfacing with SDPS with nominal interfaces already described in this document.

The input side of this interface is similar to the first four steps in Thread B (see Figure 3.9.5.1-1: FDS Definite Attitude Data Diagram). Upon startup, Ingest interfaces with IOS to obtain the SDSRV UR for the appropriate data type in the SDSRV database. Ingest polls a directory at a given location and name (polling without delivery record) for the DAS. EMOS copies the DAS files via ftp into the given location for access by Ingest. Ingest initiates the process to store the data into the SDSRV. Ingest performs directory cleanup and logs a completion of request.

The output side of this interface is simply the acquire process outlined in several other scenarios. (For example, see step E.6 of the L-7 Search and Browse Thread – Table 3.6.8.3-1). The EMOS interfaces with DSS directly to acquire DAS archived data.

3.10 Cross Mode / DAAC Scenario

3.10.1 Cross Mode / DAAC Scenario Description

This scenario shows how ECS supports the interface between one Mode and or DAAC (System A) and a different Mode and or DAAC (System B).

The following system functionality is exercised in this scenario:

- cross System data ingest

3.10.2 Cross Mode / DAAC Scenario Preconditions

- The ESDTs for the data which is to be ingested have been inserted into the ECS.
- The data which is to be distributed has already been generated in the mode/DAAC of ECS from which the distribution is to take place.

3.10.3 Cross Mode / DAAC Scenario Partitions

The cross mode / DAAC scenario is contained in the following thread:

- Cross Mode / DAAC Insertion (Thread A) - This thread shows how the ECS inserts data provided from a different mode and or DAAC by Data Distribution.

3.10.4 Cross Mode / DAAC Insertion Thread

This scenario shows how ECS supports the archival of data distributed by ECS. The data being distributed by ECS comes from a different mode or DAAC than the mode or DAAC in which the archival is being done. The interface between Data Distribution and Ingest is via e-mail. Ingest receives an e-mail delivery notification from Data Distribution after the delivered files are ftp'd to an Ingest directory. Ingest then uses the information in the delivery notification to create a PDR (product delivery record) and puts the PDR in a polling directory. Then the data is ingested via a standard polling mechanism managed by Ingest.

3.10.4.1 Cross Mode / DAAC Insertion Thread Interaction Diagram - Domain View

Figure 3.10.4.1-1 depicts the Cross Mode / DAAC Insertion Thread - Domain View.




Figure 3.10.4.1-1. Cross Mode /DAAC Insertion Interaction Diagram

3.10.4.2 Cross Mode Insertion Thread Interaction Table - Domain View

Table 3.10.4.2-1 provides the Interaction - Domain View: Cross Mode / DAAC Insertion.

**Table 3.10.4.2-1. Interaction Table - Domain View: Cross Mode /DAAC Insertion
(1 of 2)**

Step	Interaction	Interface Client	Interface Provider	Data Issues	Preconditions	Description
A.1	Directory Polling for PDRs	INS B	directory	None	Entire step is really a precondition.	When system is started, Ingest begins polling a directory, looking for files that meet the following standard: *PDR, in the preconfigured directory.
A.2	Directory Polling for Distribution Notice Files	INS B	directory	None	Entire step is really a precondition.	When system is started, Ingest begins polling a directory, looking for files that meet the following standard: *notify, in the preconfigured directory.
A.3	Acquire Data	Data User	DSS A	None	None	The Client or Subscription Server submits an Acquire request for granules, via ftp Push.
A.4	Ftp Data	DSS A	directory	None	None	DSS ftps the data files to a directory.
A.5	Distribution Notice	DSS A	INS B	None	The Ingest Email Parser has a valid e-mail address.	Send e-mail notification to Ingest on System B that the requested granules are now available on System A.
A.6	Put Distribution Notice in a File	INS B	directory	None	None	Store e-mail notification into a file.
A.7	Read Distribution Notice	INS B	directory	None	None	Ingest reads the distribution notice file.
A.8	Create PDR and put it in Polling Directory	INS B	directory	None	None	Ingest creates a PDR file from the data in the distribution notice file and puts the PDR file in a polling directory.

**Table 3.10.4.2-1. Interaction Table - Domain View: Cross Mode /DAAC Insertion
(2 of 2)**

Step	Interaction	Interface Client	Interface Provider	Data Issues	Preconditions	Description
A.9	Get SDSRV URS	INS B	IOS	None	None	When Ingest receives a request for which it does not already have the SDSRV URs, it gets the SDSRV URs from IOS.
A.10	Insert Data	INS B	DSS B	None	DSS must have the appropriate ESDTs installed.	Ingest sends the data to DSS for archival.
A.11	Send PAN	INS B	Data User A	None	The Data User's e-mail address needs to be in the Ingest database.	When the Ingest request is complete, a Production Acceptance Notification (PAN) is e-mailed to the Data User indicating either success or errors found.

3.10.4.3 Cross Mode / DAAC Insertion Thread Component Interaction Table

Table 3.10.4.3-1 provides the Component Interaction: Cross Mode / DAAC Insertion.

**Table 3.10.4.3-1. Component Interaction Table: Cross Mode /DAAC Insertion
(1 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Ingest Polling for PDRs	EcInPolling	Directory	ftp	Ingest begins polling the configured directory. It periodically looks for files named *PDR. The polling periodicity is determined from a configuration file.
A.2.1	Ingest Polling for Distribution Notice Files	EcInEmailGWServer	Directory	ftp	Ingest begins polling the configured directory. It periodically looks for files names *.notify. The polling periodicity is determined from the Ingest database.
A.3.1	Acquire Data	EcSbSubServer or Client	EcDsScienceDataServer	Distributed Object	SBSRV or Client submits an Acquire request for granules via ftpPush. This request is asynchronous, meaning that the return of the submit call of the request only contains the status of the request's submittal. The request asks for an e-mail notification to be e-mailed to the Ingest.
A.3.2	Create Staging Disk	EcDsScienceDataServer	EcDsStStagingDiskServer	Distributed Object	SDSRV creates Staging Disk for metadata files, which allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the ArchiveID metadata of the granules to be distributed. The amount of staging disk to request is determined from collection level metadata from the ESDT's Descriptor file.
A.3.3	Create Metadata File	EcDsScienceDataServer	EcDsScienceDataServer	Distributed Object	For each granule referenced in the Acquire request, the SDSRV creates a file containing the granule's metadata before passing to Distribution.

**Table 3.10.4.3-1. Component Interaction Table: Cross Mode /DAAC Insertion
(2 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.3.4	Distribute Granules, Synchronous	EcDsScience DataServer	EcDsDistributionServer	Distributed Object	SDSRV submits a request to Data Distribution. The request includes, for each granule, a reference to the metadata file as well as all data files. Other parameters from the Acquire request are passed to Data Distribution.
A.3.5	Create Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST creates a Staging Disk for the granule files in the archive. This allocates space and passes back a reference to that disk space. The reference to the Staging Disk is determined from the information passed by the SDSRV in the distribution request, which was the ArchiveID metadata parameter of the granule to be staged. The amount of staging disk to request is calculated from the file sizes in the information passed in the Distribution Request.
A.3.6	STMGT Retrieve	EcDsDistributionServer	EcDsStArchiveServer	Distributed Object	DDIST requests that STMGT retrieve the granule file that is archived. This results in the file being staged to read-only cache disks. This means that all files needed to fulfill the distribution request are on disk, and ready to be copied. The correct archive object to request is determined from the information provided by the SDSRV in the distribution request. The returns references to the files in the read-only cache.
A.3.7	Link Files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST links the files from the read-only cache into the staging disk.
A.3.8	Copy Files to Staging Disk	EcDsDistributionServer	EcDsStStagingDiskServer	Distributed Object	DDIST copies the metadata files from the SDSRV's Staging Disk into the staging disk.

**Table 3.10.4.3-1. Component Interaction Table: Cross Mode /DAAC Insertion
(3 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.3.9	ftpPush Files	EcDsDistributionServer	EcDsStFtpDisServer	Distributed Object	DDIST now creates the Resource manager for ftp pushes via a Resource Manager Factory. The correct resource manager is determined from the Media Type handed to the resource factory (ftpPush, in this case). The correct FtpServer is determined from configuration within the resource factory. The files, host location, username and password are all determined from the information provided in the original Acquire request.
A.4.1	ftp Files	EcDsStFtpDisServer	ftp daemon	ftp	CSS performs the actual low level ftp of the files.
A.5.1	Build Distribution Notice	EcDsDistributionServer	EcDsDistributionServer	e-mail	DDIST builds an e-mail notification that the user's order has been fulfilled. This notification includes the media id, type and format, as well as UR, type and the file names and sizes for each granule.
A.5.2	Send E-mail	EcDsDistributionServer	E-mail Service	e-mail	DDIST sends the distribution notice to Ingest via e-mail.
A.6.1	Put Distribution Notice in a File	EcInEmailGWServer	E-mail Service	Sendmail script	The Ingest Email Parser stored the distribution notice as a text file in a configurable directory location using a Sendmail script. A reference to this script is available in the /etc/mail/aliases file.
A.7.1	Ingest Email Parser Detects Files	EcInEmailGWServer	EcInEmailGWServer	Distributed Object	Ingest Email Parser detects files matching the *notify mask.
A.8.1	Create PDR	EcInEmailGWServer	EcInEmailGWServer	Distributed Object	Ingest Email Parser parses the distribution notice file and uses the ESDT, FTPHOST, FTPDIR, FILENAME, and FILESIZE fields to generate a PDR file. It will set the ORIGINATING_SYSTEM in the PDR to DDIST.
A.8.2	Put PDR in Polling Directory	EcInEmailGWServer	Directory	copy function	Ingest Email Parser copies the PDR file to the predetermined directory.
A.8.3	Polling Detects Files	EcInPolling	Directory	ftp	Ingest Polling detects files matching the *PDR mask.

**Table 3.10.4.3-1. Component Interaction Table: Cross Mode /DAAC Insertion
(4 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.8.4	Ingest Request	EcInPolling	EcInReqMgr	Distributed Object	Polling Ingest process packages the PDR information into an Ingest Request. The originating system (DDIST) is passed to the Ingest Request Manager.
A.9.1	Get SDSRV URS from IOS	EcInReqMgr	EcIoAdServer	Distributed Object	When Ingest Request Manager receives a request for which it does not already have the SDSRV URs for each data type in the request, it gets the SDSRV URs from Advertising.
A.10.1	Ingest Granules	EcInReqMgr	EcInGran	Distributed Object	Ingest Request Manager packages the request into granules and sends them to the appropriate Ingest Granule Server.
A.10.2	Connect to SDSRV	EcInGran	EcDsScienceDataServer	Distributed Object	Upon receiving the message to ingest a granule, the Ingest Granule Server begins a session with the SDSRV by connecting. The correct SDSRV is determined from the SDSRV UR received from IOS by the Ingest Request Manager, based on the data type.
A.10.3	Insert Data	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest replaces the InputGranulePointers in the .met file with RE-INGEST FROM DISTRIBUTION - INPUTS UNKNOWN ^a and then requests that the files in the granule are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule is created. SDSRV validates the metadata and determines the archived names of the files.
A.10.4	STMGT Store	EcDsScienceDataServer	EcDsStArchiveServer	Distributed Object	SDSRV requests that the granule is archived. The archive server reads the inserted files directly from the disks that they are residing on. The correct archive object to request is determined from collection level metadata for the ESDT, defined in the ESDT's descriptor.

**Table 3.10.4.3-1. Component Interaction Table: Cross Mode /DAAC Insertion
(5 of 5)**

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.10.5	Adding a Granule to Inventory	EcDsScience DataServer	Sybase/SQS	CtLib	The validated metadata is parsed and added to the inventory of the SDSRV.
A.11.1	Send PAN	EcInReqMgr	E-mail Server	e-mail	The Ingest Request Manager creates a PAN and sends it to the Data User.

3.11 Science Investigator-Led Processing Systems (SIPS) Scenario

3.11.1 SIPS Scenario Description

This scenario shows how ECS supports the archival of SIPS data. SIPS provides metadata, standard product data granules, browse data, ancillary data, production history, algorithm package TAR files and file linkage information to ECS. The interface between SIPS and ECS is through a standard polling (with delivery record) mechanism managed by Ingest.

(SIPS receives data files including Level 0 data, ancillary data and orbit and attitude data via ECS standard data distribution services including search and order.)

The following system functionality is exercised in this scenario:

- SIPS-driven data ingest

3.11.2 SIPS Scenario Preconditions

- The ESDTs for the SIPS data have been inserted into the ECS.

3.11.3 SIPS Scenario Partitions

The SIPS scenario is contained in the following thread:

- SIPS Data Insertion (Thread A) - This thread shows how the ECS inserts data provided by SIPS.

3.11.4 SIPS Data Insertion Thread

This thread shows how the ECS inserts data provided by SIPS.

3.11.4.1 SIPS Data Insertion Thread Interaction Diagram - Domain View

Figure 3.11.4.1-1 depicts the SIPS Data Insertion Thread - Domain View.




Figure 3.11.4.1-1. SIPS Data Insertion Interaction Diagram

3.11.4.2 SIPS Data Insertion Thread Interaction Table - Domain View

Table 3.11.4.2-1 provides the Interaction - Domain View: SIPS Data Insertion.

Table 3.11.4.2-1. Interaction Table - Domain View: SIPS Data Insertion

Step	Interaction	Interface Client	Interface Provider	Data Issues	Step Preconditions	Description
A.1	Get SDSRV URs	INS	IOS	None	None	Upon startup, Ingest gets the SDSRV URs for each data type in its database.
A.2	Directory Polling	INS	directory	None	Entire step is really a precondition.	When system is started, Ingest begins polling a directory, looking for files that meet the following standard:.*PDR, in the preconfigured directory.
A.3	SIPS copies files	SIPS	directory	None	SIPS knows the host and directory to place files.	SIPS copies the data and metadata files to the directory which Ingest is polling.
A.4	Translate LocalGranule IDs into URs	INS	DSS	None	None	Ingest submits a query to DSS to search for the LocalGranuleID parameter for the particular data type and version ID.
A.5	Insert Data	INS	DSS	None	DSS must have the appropriate ESDTs installed.	Ingest sends the data to DSS for archival.
A.6	Send PAN	INS	SIPS	None	The SIPS e-mail address needs to be in the Ingest database.	When the Ingest request is complete, a Production Acceptance Notification (PAN) is e-mailed to the SIPS indicating either success or errors found.
A.7	Request Data	SIPS Investigator	DSS	None	None	At a later time Data is sent via ftp from DSS to the SIPS Investigator upon request.
A.8	Distribution Notice	DSS	SIPS Investigator	None	None	DSS e-mails notification to the SIPS Investigator notifying the presence of data at their location.

3.11.4.3 SIPS Data Insertion Thread Component Interaction Table

Table 3.11.4.3-1 provides the Component Interaction: SIPS Scenario, SIPS Data Insertion.

Table 3.11.4.3-1. Component Interaction Table: SIPS Data Insertion (1 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.1.1	Get SDSRV URs from IOS	EcInReqMgr	EcIoAdServer	Distributed Object	Upon startup, Ingest Request Manager requests the SDSRV URs for each data type in its database.
A.2.1	Ingest Polling for PDRs	EcInPolling	Directory	ftp	Ingest begins polling the configured directory. It periodically looks for files named *PDR. The polling periodicity is determined from a configuration file.
A.3.1	SIPS Copies Files	SIPS	Directory	ftp	SIPS ftp's the data files and the PDR file to the predetermined directory.
A.4.1	Polling Detects Files	EcInPolling	Directory	ftp	Ingest Polling detects files matching the *PDR mask.
A.4.2	Ingest Request	EcInPolling	EcInReqMgr	Distributed Object	Polling Ingest process packages the PDR information into an Ingest Request. The originating system is passed to the Ingest Request Manager.
A.4.3	Ingest Granules	EcInReqMgr	EcInGran	Distributed Object	Ingest Request Manager packages the request into granules and sends them to the appropriate Ingest Granule Server.
A.4.4	Connect to SDSRV	EcInGran	EcDsScienceDataServer	Distributed Object	Upon detecting the presence of granule files, the Ingest Granule Server begins a session with the SDSRV by connecting. The correct SDSRV is determined from the SDSRV UR received from IOS by the Ingest Request Manager, based on the data type.
A.4.5	Translate LocalGranule IDs into URs	EcInGran	EcDsScienceDataServer	Distributed Object	The Ingest Granule Server submits a query to SDSRV to search for the LocalGranuleID parameter for the particular data type and version ID. It then replaces the LocalGranuleID in the InputGranulePtr field in the metadata file with the returned UR.

Table 3.11.4.3-1 Component Interaction Table: SIPS Data Insertion (2 of 2)

Step	Event	Interface Client	Interface Provider	Interface Mech.	Description
A.5.1	Insert Data	EcInGran	EcDsScienceDataServer	Distributed Object	Ingest requests that the files in the granule are inserted into the Data Server. An Insert request, containing the names of the files comprising the granule is created. SDSRV validates the metadata and determines the archived names of the files.
A.6.1	Send PAN	EcInReqMgr	Email Server	e-mail	The Ingest Request Manager creates a PAN and sends it to the appropriate SIPS.
A.7.1	Request Data	SIPS ftp utility	ftp_popen	ftp	The SIPS uses ftp to get requested data.
A.8.1	Distribution Notice	EcDsDistributionServer	SIPS gateway	e-mail	DDIST builds an e-mail notification that the user's order has been fulfilled, and sends a distribution notice to the user via e-mail.

3.12 Fault Recovery

Fault recovery is an automated process. In any scenario, client or server failures could occur which would cause certain recovery events to take place. These events are outlined in this section for applicable combinations of single point failures, and these events would apply to any operational scenario. This section does not show a step by step scenario as in previous sections, but outlines the recovery steps which would be part of any scenario which would have a fault as outlined below. Note that Operator procedures are detailed in the 611 document. Multiple point failures result in a large variability in the System behavior, and may be analyzed to some extent for a future Release.

The HPOV initially brings up Clients and Servers. If the HPOV is unable to bring up a Server in the correct temperature (i.e. warm, cold) then the Operator, who is on the Host where the Server is to run, would go to /usr/ocs/|MODE|CUSTOM/utilities. In that directory, there are start scripts for all the servers on that Host.

The syntax would be `script nameStart |MODE|StartTemperature temperature>`

Example: `EcDsStStagingDiskServerStart OPS StartTemperature cold` - This would bring up the Staging Disk Server in Ops Mode Cold.

Integration and testing focused on ASTER and Landsat 7 performing inserts (Ingest and PDPS) and acquires (PDPS and SBSRV). It is currently assumed that the system would only have to recover from a single point of failure - either a client or a server crash. When clients/servers fail to connect, messages identifying the error condition and the time are placed into the message log. The number of retries to connect that a server attempts is a server by server configurable condition.

In general, the crashed server/client may be brought back up in a cold start or a warm restart state. The degree of persistent data available to that client/server will determine which state the crashed object will be brought back up. No knowledge of its condition prior to the crash will result in a cold start. Fault handling and recovery involved the following clients and servers with the identified restart conditions:

CLIENT SIDE

- PDPS No cold start. Warm re-start with reproducible RPC-ID
- INGEST Cold Start - will require all servers in INGEST to be re-started. Warm restart internally with SRF - externally with Reproducible RPC-ID
- SBSRV Cold Start with Reproducible RPC-ID
- SDSRV Cold Start with Reproducible RPC-ID and persistent (warm) Subscription Queues
- DDIST Cold Start with Reproducible RPC-ID. Warm restart with Reproducible RPC-ID

SERVER SIDE

- PDPS NA (This is a senior Client which does a re-submit with the same RPC-ID)
- INGEST Checkpointing on all interfaces except Gateways
- SDSRV Loss of context - no checkpointing, except for persistent (warm) Subscription Queues
- STMGT Checkpointing on all interfaces, ownership on all resources, removal of resources on client death (Cold Start), time based removal of non-media resources based on inactivity. Cleans up upon Cold Start of Server or Cold Restart of Client. (Server gets a Cold Restart notification from Client). Resource managers for D3, 8mm, Print, Ingest FTP and FTP DIS do not have failure recovery built in.
- DDIST Checkpointing on all interfaces, ownership on all resources, no removal of resources on client death (Cold Start) - continue processing expect reproducible RPC-ID to allow for restarting, history maintained to allow restarting

Table 3.12-1 shows which conditions have been designed to accommodate client crashes.

Table 3.12-1. Client Fault Recovery Conditions

Client / Server >	PDPS	Ingest	SDSRV	STMGT	DDIST
PDPS			1,6	4	3
Ingest		8		7	
SBSRV	5		5		
SDSRV				2,7	2
DDIST				7	

Notes:

- 1 If SDSRV has already activated STMGT, when PDPS is brought back up, SDSRV will pass the third request (second try after failure, first will fail) to STMGT. STMGT will immediately send a success and SDSRV will successfully finish the insert.
- 2 If SDSRV crashes after activating STMGT and DDIST for an acquire, when SDSRV is brought back up, DDIST and/or STMGT continue processing the acquire without interruption returning to SDSRV a success upon completion.
- 3 If DDIST crashes in a middle of an acquire, PDPS receives a fault message and retries the request automatically. DDIST and/or STMGT identifies that this request is in process and then continues the acquire without interruption.
- 4 If STMGT crashes in a middle of an acquire, PDPS receives a fault message and retries the request automatically. DDIST and/or STMGT identifies that this request is in process and then continues the acquire without interruption.

- 5 If SDSRV has notified SBSRV of a subscribable event, and SBSRV crashes prior to submitting the acquire request to SDSRV, SDSRV resends the notification to SBSRV after it is brought back up and then SBSRV issues the acquire request. This works for multiple subscription notifications.
- 6 If the PDPS deletion server crashes before receiving an acknowledgment back from SDSRV that the granule has been deleted, the deletion server will try to delete the granule upon being brought back up.
- 7 A) Client crash impacts on Staging Disk Server:

If Ingest (electronic or media), DDIST, or SDSRV allocates a persistent STMGT Staging Disk and then crashes, the staging disk will be reconnected using the same RPC ID upon bringing the Ingest back up warm.

If Ingest (electronic or media), DDIST, or SDSRV allocates a persistent or non-persistent STMGT Staging Disk and then crashes, the staging disk will be destroyed and removed upon bringing the crashed client back up cold. If the client tries to reconnect using the same RPC ID, the request will be refused as the disk has been allocated and subsequently destroyed. Note that there will be a mnemonic with the request refusal notification indicating Client restart.

If Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk (non-persistent) and then crashes, the staging disk will be destroyed and removed upon bringing the client back up warm. If the client tries to reconnect using the same RPC ID, the request will be refused as the disk has been allocated and subsequently destroyed. Note that there will be a mnemonic with the request refusal notification indicating Client restart.

If Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk (non-persistent), and one of the other clients connects to the same staging disk, claims ownership and makes it persistent, then the original client crashes, the staging disk remains present and populated regardless of whether the crashed client comes up warm or cold. Responsibility for freeing the staging disk rests with the client which claimed ownership.

If Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk (non-persistent), and one of the other clients connects to the same staging disk and makes it persistent, then the second client crashes, the staging disk remains present and populated if the crashed client comes up warm.

If Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk (persistent or non-persistent), and one of the other clients (second client) connects to the same staging disk, claims ownership, and makes it persistent, then the second client crashes, the staging disk will be destroyed and removed upon bringing the crashed client back up cold. If either client tries to reconnect by submitting the same allocation with the same RPC ID, the request is refused. If the original client tries to reconnect by submitting the same allocation with the same RPC ID, the request is refused with a warning mnemonic indication ownership transferred. However, if the second client tries

to reconnect with the same allocation and same RPC ID, the request is failed fatally with a mnemonic indicating client restart.

7 B) Client crash impacts on Archive Server (store procedure):

Either DDIST or SDSRV clients connect to the Archive Server and each submits a multiple-file store request. If either client crashes, its request stops at the crash point while the other request successfully completes. Restarting the crashed client warm will result in the store request picking up from where it was terminated and completing successfully.

Either DDIST or SDSRV clients connect to the Archive Server and each submits a multiple-file store request. If either client crashes, its request stops at the crash point while the other request successfully completes. Restarting the crashed client cold will result in the request being removed from the Archive Checkpoint Table. If the client brought back up cold now re-submits the request, it is treated as a new request by the Archive Server.

7 C) Client crash impacts on Archive Server (retrieve procedure):

Any two of DDIST or SDSRV clients connect to the Archive Server and each submits a multiple-file retrieve request. If either client crashes, its request stops at the crash point while the other request successfully completes. Files staged by the request from the crashed client remain in the read-only cache with an access count of zero. Restarting the crashed client warm and either retrying or re-submitting (manually) the request will result in the request completing successfully.

7 D) Client crash impacts on Distribution FTP Operation:

Any two DDIST or SDSRV clients connect to the Distribution FTP Server and each submits a multiple-file distribution request. If either client crashes, its request stops at the crash point while the other request successfully completes. Restarting the crashed client warm and either retrying or re-submitting (manually) the distribution request will result in the request picking up from where it was terminated and completing successfully.

Any two of DDIST or SDSRV clients connect to the Distribution FTP Server and each submits a multiple-file distribution request. If either client crashes, its request stops at the crash point while the other request successfully completes. Restarting the crashed client cold will result in the request being removed from the FTP Checkpoint Table. If the client brought back up cold now re-submits the request, it is treated as a new request.

7 E) Ingest Client crash impacts on Ingest FTP Operation:

An Ingest Client submits a request to pull a large file and once the FTP has begun, the client crashes. The FTP does not complete, completes successfully or fails with an error. If the client is restarted and the request is re-submitted, the Ingest FTP server automatically responds to the request with the status from the checkpoint in the database. If the FTP had previously completed successfully, the FTP Server does not perform an additional FTP. If the FTP failed with a fatal error, the status is returned as failed and the

FTP is not returned. If the FTP failed with a re-triable error or the original FTP never finished, then the FTP is retried.

8 A) Internal Ingest interactions with warm starts:

A request is sent to Auto and Auto crashes before it can send the request to the Request Manager. Auto restarts warm and the request is sent to Request Manager and Granule Server.

A PDR file is placed in the Polling directory and Polling crashes before it can send the request to the Request Manager. Upon warm restart of Polling, the request gets sent to Request Manager and Granule Server.

An Ingest client sends a request to Request Manager. Granule Server crashes before Request Manager sends it the request. Upon a warm restart of the Granule Server, it receives the request.

8 B) Internal Ingest interactions with cold starts:

A request is sent to Auto and Auto crashes before it can send the request to the Request Manager. Auto restarts cold and the request is set to Terminated.

A PDR file is placed in the Polling directory and Polling crashes before it can send the request to the Request Manager. Upon cold restart of Polling, the request state gets set to Terminated and, if the PDR file is left in the Polling Directory, then polling will re-submit the request.

An Ingest client sends a request to Request Manager. The Request Manager crashes after it sends the request to Granule Server. Upon a cold restart of the Request Manager, the request completes successfully.

Table 3.12-2 shows which conditions have been designed to accommodate server crashes.

Table 3.12-2. Server Fault Recovery Conditions

Server / Client >	PDPS	Ingest	SBRV	SDSRV	DDIST
Ingest		5			
SDSRV	3		2		
STMGT	1	4		4	4

Notes:

- 1 If a STMGT server crashes during a PDPS insert (i.e., losses the connection to SDSRV), an error message denoting such will be entered into the log file. Once STMGT server is brought back up, SDSRV will perform a retry of the insert which succeeds.

Note that PDPS is not a direct client of STMGT but of SDSRV.

Note that PDPS does not retry an insert on context errors. The insert will fail because SDSRV won't find the metadata file.

- 2 If SBSRV is down and a subscribable data event has been inserted, SDSRV notifies SBSRV of the new data once SDSRV is brought up. SDSRV acquires the data and it is FTP'ed to the subscriber.
- 3 If PDPS deletion server directs SDSRV to delete a granule and SDSRV crashes in the middle of the delete, the second retry deletes the granule once SDSRV is brought back up.
- 4 A) Staging Disk Server crash impact on Client:

If Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk and then the STMGT Staging Disk Server crashes, and if the STMGT Staging Disk Server comes back up warm, the staging disks will still be present and populated. The clients can then continue other operations on their appropriate staging disks without explicitly reconnecting.

If Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk and then the STMGT Staging Disk Server crashes, and if the STMGT Staging Disk Server comes back up cold, the staging disk will have been destroyed and removed. If the client tries to perform another operation with out reallocating a new staging disk, the operation will fail.

If either Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk (non-persistent), and one of the other clients connects to the same staging disk and makes it persistent, then the Staging Disk Server crashes, upon restarting the Staging Disk Server warm, the staging disk is still present and populated and the clients can reconnect.

If either Ingest (electronic or media), DDIST, or SDSRV allocates a STMGT Staging Disk (non-persistent), and one of the other clients connects to the same staging disk and makes it persistent, then the Staging Disk Server crashes, upon restarting the Staging Disk Server cold, the staging disk will have been destroyed and removed. If either client tries to reconnect by submitting the same allocation with the same RPC ID, the request is refused.

- 4 B) Archive Server crash impacts on Client (store procedure):

A DDIST or SDSRV client connects to the Archive Server and submits a multiple-file store request. If the Archive Server crashes and is restarted warm, the request is automatically re-submitted and the Archive Server picks up from where it was terminated and completing successfully.

A DDIST or SDSRV client connects to the Archive Server and submits a multiple-file store request. If the Archive Server crashes and is restarted cold, the request is failed back to the client and is flagged as failed in the database.

- 4 C) Archive Server crash impacts on Client (retrieve procedure):

A DDIST or SDSRV client connects to the Archive Server and submits a multiple-file retrieve request. If the Archive Server crashes and is restarted warm, the request is

automatically re-submitted;the Archive Server picks up from where it was terminated and completed successfully;the retrieve files are left with the proper access counts in the read-only cache.

A DDIST or SDSRV client connects to the Archive Server and submits a multiple-file retrieve request. If the Archive Server crashes and is restarted cold, the request is automatically re-submitted and the request is failed back to the client and is flagged as failed in the database.

4 D) Distribution FTP Server crash impacts on Client:

An DDIST or SDSRV client connects to the Distribution FTP Server and submits a multiple-file retrieve distribution request. If the Distribution FTP Server crashes and is restarted warm, the request is automatically re-submitted and the Archive Server picks up from where it was terminated and completes successfully;the retrieve files are left with the proper access counts in the read-only cache.

An DDIST or SDSRV client connects to the Distribution FTP Server and submits a multiple-file retrieve request. If the Distribution FTP Server crashes and is restarted cold, the request is automatically re-submitted and the request is failed back to the client and is flagged as failed in the database.

5 A) Internal Ingest interactions upon warm restart:

An Ingest client sends a request to Request Manager. The Request Manager crashes before it sends the request to Granule Server. Upon a warm restart of Request Manager, the request gets sent to Granule Server.

An Ingest client sends a request to Granule Server. Granule Server crashes during, preprocessing, processing, or insertion. Upon a warm restart of the Granule Server, the granule completes.

5 B) Internal Ingest interactions upon cold restart:

An Ingest client sends a request to Request Manager. The Request Manager crashes before it sends the request to Granule Server. Upon a cold restart of Request Manager, the request state is set to Terminated.

Operator considerations

If either EcInGran or EcInReqMgr are cold started, then all of Ingest must be cold started.

Abbreviations and Acronyms

ACL	Access Control List
ACMHW	Access Control and Management HWCI
ACFG	Management Agent Configuration file
ACT	Atmosphere Correction TIR
ADC	Affiliated Data Center
ADSHW	ADvertising Service HWCI
ADSRV	ADvertising Service CSCI
AI	Artificial Intelligence
AI&T	Algorithm Integration and Test
AIT	Algorithm Integration Team
AITHW	Algorithm Integration and Test HWCI
AITT	Algorithm Integration and Test Team
AITTL	Algorithm Integration and Test Tools (CSCI)
AM-1	EOS AM Project spacecraft 1, morning spacecraft series ASTER, CERES, MISR, MODIS and MOPITT
ANSI	American National Standards Institute
API	Application Program (or programming) Interface
AQAHW	Algorithm QA HWCI
AQAHWCI	Algorithm Quality Assurance Hardware Configuration Item
ASCII	American Standard Code for Information Interchange
ASF	University of Alaska Synthetic Aperture Radar (SAR) Facility
AST	Algorithm Support Team
ASTER	Advanced Space-borne Thermal Emission and reflection Radiometer
AVHRR	Advanced Very High-Resolution Radiometer
BAAS	Billing and Accounting Application Service
BOA	Basic Object Adapter
BPS/bps	bits per second
Bps/bps	bytes per second

BTS	Brightness Temperature at Sensor
CASE	Computer Aided Software Engineering
CCA	Cloud Cover Assessment (Landsat scene information)
CCS	CSMS Communications System (CSCI)
CD	Compact Disk
CD-ROM	Compact Disk - Read Only Memory
CDE	Common Desktop Environment
CDHF	Central Data Handling Facility
CDR	Critical Design Review
CDS	Cell Directory Service
CDRL	Contract Data Requirements List
CERES	Clouds and Earth's Radiant Energy System
CI	Configuration Item
CIDM	Client, Interoperability and Data Management
CLS	Client Subsystem
CORBA	Common Object Request Broker Architecture
COSS	Common Object Services Specifications
COTS	Commercial Off-The-Shelf (hardware or software)
CPF	Calibration Parameter File
CPU	Central Processing Unit
CS	Computer Software
CS	Client Server
CSC	Computer Software Component
CSCI	Computer Software Configuration Item
CSDTs	Computer Science Data Types
CSMS	Communications and Systems Management Segment (ECS)
CSS	Communication Subsystem (CSMS)
CtLib	Call to Library
DAA	Data Availability Acknowledgment
DAAC	Distributed Active Archive Center

DADS	Data Archive and Distribution Service
DAN	Data Availability Notice
DAO	Data Assimilation Office
DAP	Delivered Algorithm Package
DAS	Data Assimilation System (at DAO)
DAS	Data Availability Schedule
DAS	Detailed Activity Schedule
DAR	Data Acquisition Request (ASTER)
DB	Database (Note: "D/B" and "db" are also utilized)
DBA	Database Administrator
DBMS	Database Management System
DCCI	Distributed Computing software Configuration Item
DCE	Distributed Communication Environment
DCE	Distributed Computing Environment (OSF)
DCF	Data Capture Facility
DCHCI	Distributed Communications Hardware Configuration Item
DCHCI	Distributed Computing Hardware CI
DDA	Data Delivery Acknowledgment
DDICT	Data Dictionary CSCI
DDIST	Data Distribution services CSCI
DDL	Data Definition Language
DDN	Data Delivery Notice
DDSRV	Document Data Server CSCI in the Data Server Subsystem - SDPS
DEF	Data Exchange Format
DEM	Digital Elevation Model
DES	Data Encryption Standard
DESK	Desktop CI
DESK	Desktop CSCI
DFS	Distributed File System
DIB	Directory Information Base

DID	Data Item Description
DIM	Distributed Information Manager
DIMGR	Distributed Information Manager
DIMGR	Distributed Information Manager CSCI
DIPHW	Distribution and Ingest Peripheral HWCI
DIPHW	Distribution and Ingest Peripheral Management HWCI
DIS	Data Information System
DLPDU	Data Link Protocol Data Unit
DM	Data Management
DMGHW	Data Management HWCI
DMS	Data Management Subsystem
DNS	Domain Name System
DNS	Domain Name Services
DOC	Distributed Object Computing
DOF	Distributed Object Framework
DORRAN	Distributed Ordering, Reporting, Researching, and Accounting Network (EDC)
DPR	Data Processing Request
DPREP	Data Pre-Processing CSCI
DPS	Data Processing Subsystem
DRPHW	Data Repository HWCI
DS	Data Server
DSS	Data Server Subsystem
e-mail	electronic mail
email	electronic mail
EAS	ECS Advertising Service
ECS	EOSDIS Core System
EDC	EROS Data Center (DAAC)
EDF	ECS Development Facility
EDG	EOS Data Gateway (V0 Client – replacement of B0SOT)
EDOS	EOS Data and Operations System

EDU	EDOS Data Unit
EMC	Enterprise Monitoring and Coordination
EMOS	Eclipse Mission Operations System
EOC	EOS Operations Center
EOS AM	EOS AM Project (morning spacecraft series)
EOS	Earth Observing System
EOS-AM-1	EOS Morning Crossing (Descending) Mission
EOS-PM	EOS Afternoon Crossing (Ascending) Mission (afternoon spacecraft series) (see AIRS, AMSU-A, MHS, MIMR, CERES and MODIS)
EOSDIS	Earth Observing System (EOS) Data and Information System (DIS)
ERD	Entity Relationship Diagram
EROS	Earth Resources Observation System
ESA	European Space Agency
ESDD	Earth Science Data Directory
ESDIS	Earth Science Data and Information System (<u>GSFC Code 505</u>)
ESDT	Earth Science Data Types
ESFU	Enhanced Standard Format Unit
ESH	EDOS Service Header
ESN	EOSDIS Science Network (ECS)
ETM+	Enhanced Thematic Mapper Plus
ETS	Emissivity/Temperature Separation
FDD	Flight Dynamics Division
FDDI	Fiber Distributed Data Interface
FDF	Flight Dynamics Facility
FDS	Flight Dynamics System
FOS	Flight Operations Segment (ECS)
FOT	Flight Operations Team
FSMS	File Storage Management System
FTP	File Transfer Protocol
ftpd	file transfer protocol daemon

G/B	Gateway/Bridge
GAC	Global Area Coverage (AVHRR)
Gb	gigabits (10 ⁹)
Gbps/GBps	gigabit/gigabyte per second
GByte	gigabyte (10 ⁹)
GCDIS	Global Change Data and Information System
GCMD	Global Change Master Directory
GCP	Ground Control Point
GDAO	GSFC Data Assimilation Office
GDS	Ground Data System
GFE	Government Furnished Equipment
GIS	Geographic Information System
GNMP	GOSIP Network Management Protocol
GOES	Geo-stationary Operational Environmental Satellite
GSFC	Goddard Space Flight Center
GTWAY	Version 0 Interoperability Gateway CSCI (Also V0GWY)
GUI	Graphical User Interface
GV	Ground Validation
GV	TRMM Ground Validation Data
GV	TRMM Ground Verification
H&S	Health and Safety
H/K	Housekeeping
H/W	hardware
HCL	Hughes Class Library
HDF	Hierarchical Data Format
HMI	Human Machine Interface
HP	Hewlett-Packard Corporation
HPOV	Hewlett-Packard Open View
HTML	Hypertext Markup Language
HTTP	Hypertext Transport Protocol

HWCI	Hardware Configuration Item
I/F	interface
I/O	input/output
ICD	Interface Control Document
ICL	Ingest Client
ICLHW	Ingest Client HWCI
ICMP	Internet Control Management Protocol
ICMP	Internet Control Message Protocol
IDD	Interface Definition Document
IDL	Interactive Data Language
IDL	interface definition language
IMS	Information Management System
INCI	Internetworking CI
INGST	Ingest services CI
INHCI	Internetworking Hardware CI
INS	Ingest Subsystem - SDPS
IOS	Interoperability subsystem
IOT	Instrument Operations Team
IP	Internet Protocol
IR-1	Interim Release-1
IRD	Interface Requirements Document
IRS	Interface Requirements Specification
ISS	Internetworking Subsystem - CSMS
JIL	Job I/F Language
JPL	Jet Propulsion Laboratory (DAAC)
K	kilobyte (10 ³)
K	kilobytes
K	kilobit (10 ³)
K/SEC	kilobyte per second
Kps	kilobits per second

Kps/Kps	kilobit/kilobyte per second
Kberos	security protocol developed by MIT;base for DCE security
Kp	Kberized file transfer protocol
K	Ky Mechanism
KLOC	thousand Single Lines Of Code
Klnet	Kberized telnet
L-7	Landsat-7 (Landsat-7 for EDHS search)
L7	Landsat-7
L0	Level 0
L0R	Level 0 Reformatted data
L0-L4	Level 0 through Level 4 data
L70R	Landsat-7 L0 data
LAC	Local Area Coverage (AVHRR)
LAN	Local Area Network
Landsat	Land Remote-Sensing Satellite
LaRC	Langley Research Center (DAAC)
LIMGR	Local Information Manager CSCI
LIS	Lightning Imaging Sensor
M&O	Maintenance and Operations
MACI	Management Agent Configuration Item (CSCI)
MB	megabyte (10 ⁶ bytes)
Mb	megabit (10 ⁶)
MBps	megabytes per second
Mbps	mega bits per second
MBPS/Mbps	million bits per second
Mbps/MBps	megabit/megabyte per second
Mbyte	megabyte
MCF	Metadata Configuration File
MCI	Management Software CI
med	medium

MEM	Memory management
MET	Metadata
Metadata	data about data
MFLOP	Million Floating-point Operations per second
MFLOPS	Mega (millions of) Floating-point Operations (10 ⁶) per second
MHCI	Management Hardware CI
MIB	Management Information Base
MIL-STD	Military Standard
min	minute
MIPS	Mega (millions Of) Instructions (10 ⁶) per second
MISR	Multi-angle Imaging SpectroRadiometer
MMI	Man-Machine Interface
MO&DSD	Mission Operations and Data Systems Directorate (GSFC Code 500)
MODIS	MODerate resolution Imaging Spectroradiometer
MOJO	Message Oriented Jest (Java Earth Science Tool) Orb (Object Request Broker)
MOU	Memorandum Of Understanding
MSCD	Mirror Scan Correction Data (Landsat)
MSS	Management Subsystem Service
MSS	Multi-Spectral Scanner (Landsat)
MSS	System Management Subsystem (of CSMS)
MSSHW	MSS Hardware CI
MSU	Mass Storage Unit
MSU	Microwave Sounding Unit
MTA	Message Transfer Agent
MTTR	Mean Time To Repair
MTTR	Mean Time To Restore
MUI	Management User Interface
Multicast	a point to multi-point data flow
NASA	National Aeronautics and Space Administration
Nascom	NASA Communications

NCAR	National Center for Atmospheric Research
NCEP	National Centers for Environmental Prediction
NESDIS	National Environmental Satellite, Data, and Information Service (NOAA)
netCDF	network Common Data Format
NFS	Network File System
NMC	National Meteorological Center (NOAA)
NMS	Network Management Subsystem (Ecom)
NNTP	Network New Transfer Protocol
NNTP	Network News Transfer Protocol
NOAA	National Oceanic and Atmospheric Administration
NODC	National Oceanographic Data Center [NOAA](also NESDIS/NODC)
NOLAN	Nascom Operational Local Area Network
NQS	(Network) Queuing System
NRC	National Research Council
NRDN	NOAA Radar Data Network
NREN	National Research and Education Network
NRL	Naval Research Laboratory
NSF	National Science Foundation
NSFNet	NSF Network
NSI	NASA Science Internet
NSIDC	National Snow and Ice Data Center (DAAC - University of Colorado)
NSSDC	National Space Science Data Center
NTP	Network Transport Protocol
NWCI	Networking Configuration Item
O&M	Operations and Maintenance
O/A	Orbit/Altitude
ODC	Other Data Center
ODL	Object Description Language
ODMS	Object Data Management System
OES	Object Encapsulation Software

OMA	Object Management Architecture
OMF	Object Management Framework
OMG	Object Management Group
OMT	Object Modeling Technique
OO	object oriented
OOA	Object Oriented Analysis
OOD	Object Oriented Design
OODBMS	Object Oriented Data Base Management System
OODCE	Object Oriented Distributed Computing Environment
OORDB	Object Oriented Relational Data Base
OPS	Operations
ORB	Object Request Broker
ORDBMS	Object Rational Data Base Management System
OS	Object Services
OS	Operating System
OSF	Open Software Foundation
OSI	Open Systems Interconnection
OSI-RM	OSI Reference Model
OTS	Off-The-Shelf
P/L	Payload
P/S	Planning/Scheduling
PAN	Production Acknowledgment Notice
PAS	Planning And Scheduling
PCD	Payload Correction Data (Landsat)
PCFG	Program Configuration file (Management Agent)
PCL	Planning Class Libraries
PDF	Publisher's Display Format
PDF	Portable Document Format
PDL	Program Design Language
PDPS	Planning and Data Processing System

PDR	Product Data Request
PDR	Product Delivery Record
PDRA	Preliminary Design Review release-A
PDS	Planetary Data System
PDS	Platform Data System
PDS	Production Data Set
Perl	a UNIX programming language
PF	Process Framework
PGE	Product Generation Executive (formerly product generation executable)
PGS	Product Generation Service
PGS	Product Generation System (obsolete ECS element name) (ASTER)
PGSTK	Product Generation System Toolkit
PI	Primary Investigator
PI	Principal Investigator
PI/TL	Principal Investigator/Team Leader
PLANG	Production Planning CSCI
PLNHW	Planning HWCI
PLS	Planning Subsystem
POSIX	Portable Operating System Interface for computer environments
PR	Production Request
PR	Precipitation Radar (TRMM)
PRONG	Processing CSCI
PSCN	Program Support and Communications Network
PVL	Parameter Value Language
QA or Q/A	Quality Assurance
QA or Q/A	Quality/Accounting
R/W	Read/Write
RAID	Redundant Array of Inexpensive Disks
RAM	Random Access Memory
RCL	Resource Class Libraries

RCP	Remote Copy
RDA	Remote Database Access
RDBMS	Relational Data Base Management System
RID	Review Item Discrepancy
RMA	Reliability, Maintainability, Availability
RMON	Remote Monitor (SNMP)
RPC	Remote Procedure Call
RPC	Remote Processing Computer
RRR	Release Readiness Review
RT or R/T	Real Time
RTM	Requirements Traceability Model
S/C	Spacecraft
S/E	Systems Engineering
SAA	Satellite Active Archives (NOAA)
SBA	Small Business Administration
SBUV	Solar Backscatter Ultraviolet
SBUV/2	Solar Backscatter Ultraviolet/version 2
SCDO	Science and Communications Development Office (ECS)
SCF	Science Computing Facility
SDP	Science Data Processing
SDPS	Science Data Processing Segment (ECS)
SDPS/W	Science Data Processing Software
SDPS/W	Science Data Production Software
SDPTK	Science Data Processing Toolkit
SDR	System Design Review
SDSRV	Science Data Server CSCI
SeaWiFS	Sea-viewing Wide Field-of-view Sensor
SGI	Silicon Graphics Incorporated
SIPS	Science Investigator-Led Processing Systems
SMC	System Management Center

SMMR	Scanning Multi-channel Microwave Radiometer
SMTP	Simple Mail Transfer Protocol
SNDCP	Sub-Network Dependent Convergence Protocol
SNICP	Sub-Network Independent Convergence Protocol
SNMP	Simple Network Management Protocol
SP	Scenario Primitive
SPRHW	Science Processing Hardware CI
SQS	Spatial Query Servers
SSAP	Science Software Archive Package
SSI&T	Science Software Integration and Test
SSM/I	Special Sensor Microwave/Imager
SSM/T	Special Sensor Microwave/Temperature sounder
SST	Sea Surface Temperature
STMGT	Storage Management software CSCI
StP	Software through Pictures
StP/OMT	Software through Pictures/Object Modeling Technique
SUN	Sun Microsystems
SW	Science Workstation
SW or S/W	Software
SWCI	Software Configuration Item
SWG	Science Working Group
TBD	To Be Determined, or To Be Defined
TBR	To Be Resolved
TBS	To Be Supplied
TCP	Transmission Control Protocol
TCP/IP	Transmission Control Protocol/Internet Protocol
TDRSS	Tracking and Data Relay Satellite System
TIR	Thermal Infrared
TIROS	Television and Infrared Observation Satellite
TL	Team Leader

TLCF	Team Leader Computing Facility
TM	Thematic Mapper (Landsat)
TMI	TRMM Microwave Imager
TN	TDRSS Network
TOMS	Total Ozone Mapping Spectrometer
TOPEX	Ocean Topography Experiment (joint US-France)
TOVS	TIROS Operational Vertical Sounder
TRMM	Tropical Rainfall Measuring Mission (joint US-Japan)
TSDIS	TRMM Science Data and Information System
TSU	TRMM Science User
UARS	Upper Atmosphere Research Satellite
UDP	User Datagram Protocol
UDP/IP	User Datagram Protocol/Internet Protocol
UFS	UNIX File System
UID	Universal Identifier
UNIX	(AT&T Bell Laboratories Operating System) UNiversal Interactive eXecutive
UR	Universal Reference
URL	Uniform Resource Locator
UserDIS	User Data Information System
USGS	U.S. Geological Survey
UT	Universal Time
UTC	Universal Time Code
UTC	Universal Time Coordinated
UTCf	Universal Time Correlation Factor
UTM	Universal Transverse Mercator
UUID	Universal Unique Identifier
UX	UNIX/X
V&V	Verification and Validation
V0 ODL	Version 0 Object Description Language
V0	Version 0

V0GWY	Version 0 interoperability Gateway CSCI
VAS	VISSR Atmospheric Sounder (GOES)
VIMS	Virtual IMS
VIRR	Visible and Infrared Radiometer
VIRS	Visible Infrared Scanner (TRMM)
VIS	Vendor Information System
VIS-UV	Visible/Ultraviolet Spectrometer
VISSR	Visible/Infrared Spin-Scan Radiometer (GOES)
VT	Virtual Terminal
W/S	Workstation
WAIS	Wide Area Information Server
WAN	Wide Area Network
W B CH	Workbench CSCI
W B HW	Working Storage HWCI
W R KTN	Workstation
WRS	Worldwide Reference System (Landsat)
WS	Working Storage
WS	Workstation
WWW	World Wide Web
X	X protocol
XTE	X-ray Timing Explorer